kaycha LABS
4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-White Hot Guava Pre-Filled Pipe 0.35g
FTH-White Hot Guava
Matrix: Flower

Certificate of Analysis

Sample:DA20609004-006
Harvest/Lot ID: 0048 8964 5266 4614
Batch#: 9601 7846 7600 7843
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility : Zolfo Springs Processing
Seed to Sale# 0048 8964 5266 4614
Batch Date: 04/26/22
Sample Size Received: 73 units
Total Batch Size: 927 units
Retail Product Size: 0.35 gram
Ordered : 06/08/22
Sampled : 06/08/22
Completed: 06/12/22
Sampling Method: N/A

Jun 12, 2022 | FLUENT
82 NE 26th street
Miami, FL, 33137, US

PASSED

PRODUCT IMAGE

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED

MISC.

Terpenes
TESTED

Cannabinoid

PASSED

Total THC
9.692%
Total THC/Container : 33.922 mg

Total CBD
0.058%
Total CBD/Container : 0.203 mg

Total Cannabinoids
11.503%
Total Cannabinoids/Container : 40.261 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.366	10.635	ND	0.067	ND	0.058	0.316	ND	ND	ND	0.061
mg/unit	1.281	37.222	ND	0.234	ND	0.203	1.106	ND	ND	ND	0.213
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %

Cannabinoid Profile Test

Analyzed by 1440, 1665 | **Weight** 0.1973g | **Extraction date :** 06/09/22 11:06:27 | **Extracted By :** 1665
Analysis Method -SOP.T.40.031, SOP.T.30.031 **Reviewed On -** 06/10/22 07:13:58 **Batch Date :** 06/09/22 08:07:58
Analytical Batch -DA045017POT **Instrument Used :** DA-LC-002 (Flower) **Running On :** 06/09/22 11:13:23

Dilution : 400
Reagent : 040722.15; 060822.R54; 060822.R53
Consumables : 239146; CE0123; 61633-125C6-125E; SLGNM25NS
Pipette :

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Filth

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	Pass	5

Analyzed By	Weight	Extraction date	Extracted By
1440	NA	NA	NA

Analysis Method -SOP.T.40.090 **Batch Date :** 06/09/22 11:25:21
Analytical Batch -DA045034FIL **Reviewed On -** 06/09/22 13:24:05
Instrument Used : Filth/Foreign Material Microscope
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.508	Pass	0.65

Analyzed By	Weight	Extraction date	Extracted By
1440	NA	NA	NA

Analysis Method -SOP.T.40.019 **Reviewed On -** 06/10/22 21:46:59
Analytical Batch -DA045030WAT **Batch Date :** 06/09/22 11:24:41
Instrument Used : DA-028 Rotronic Hygropalm
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	8.83	Pass	15

Analyzed By	Weight	Extraction date	Extracted By
1440	0.487g	06/09/22	1879

Analysis Method -SOP.T.40.021 **Batch Date :** 06/09/22 11:24:31
Analytical Batch -DA045029MOI **Reviewed On -** 06/09/22 15:05:49
Instrument Used : DA-003 Moisture Analyzer
Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/12/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-White Hot Guava Pre-Filled Pipe 0.35g
FTH-White Hot Guava
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20609004-006
Harvest/Lot ID: 0048 8964 5266 4614
Batch# : 9601 7846 7600 7843
Sampled : 06/08/22
Ordered : 06/08/22

Sample Size Received : 73 units
Total Batch Size : 927 units
Completed : 06/12/22 **Expires:** 06/12/23
Sample Method : SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%
TOTAL TERPINEOL	0.007	ND	ND
CAMPHENE	0.007	<0.07	<0.02
BETA-MYRCENE	0.007	0.154	0.044
3-CARENE	0.007	<0.07	<0.02
ALPHA-PHELLANDRENE	0.007	<0.07	<0.02
OCIMENE	0.007	ND	ND
EUCALYPTOL	0.007	ND	ND
LINALOOL	0.007	0.136	0.039
FENCHONE	0.007	0.08	0.023
ISOPULEGOL	0.007	ND	ND
ISOBORNEOL	0.007	ND	ND
HEXAHYDROTHYMOL	0.007	ND	ND
NEROL	0.007	ND	ND
GERANYL ACETATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	0.189	0.054
VALENCENE	0.007	ND	ND
CIS-NEROLIDOL	0.007	ND	ND
CEDROL	0.007	ND	ND
FARNESENE	0	0.017	0.005
CARYOPHYLLENE OXIDE	0.007	<0.07	<0.02
ALPHA-BISABOLOL	0.007	0.08	0.023
ALPHA-PINENE	0.007	0.073	0.021
SABINENE	0.007	ND	ND
BETA-PINENE	0.007	0.094	0.027
ALPHA-TERPINENE	0.007	ND	ND
LIMONENE	0.007	0.252	0.072
GAMMA-TERPINENE	0.007	ND	ND
TERPINOLENE	0.007	<0.07	<0.02
SABINENE HYDRATE	0.007	ND	ND
CAMPHOR	0.013	ND	ND
BORNEOL	0.013	<0.14	<0.04

Terpenes	LOD (%)	mg/unit	%
GERANIOL	0.007	ND	ND
PULEGONE	0.007	ND	ND
ALPHA-CEDRENE	0.007	<0.07	<0.02
ALPHA-HUMULENE	0.007	0.091	0.026
TRANS-NEROLIDOL	0.007	ND	ND
GUAIOL	0.007	<0.07	<0.02

Terpenes

TESTED

Analyzed by	Weight	Extraction date	Extracted By
1440, 2651	0.894g	06/09/22 10:19:31	2651

Analysis Method - SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch - DA045021TER
Reviewed On - 06/09/22 18:05:21
Instrument Used : DA-GCMS-006
Running On : 06/09/22 12:50:45
Batch Date : 06/09/22 08:30:19

Dilution : 10
Reagent : 032322.17
Consumables : 210414634; MKCN9995; CE0123; 14725401
Pipette :
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Total (%)		**0.334**

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/12/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-White Hot Guava Pre-Filled Pipe 0.35g
FTH-White Hot Guava
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20609004-006
Harvest/Lot ID: 0048 8964 5266 4614
Batch# : 9601 7846 7600 7843
Sampled : 06/08/22
Ordered : 06/08/22

Sample Size Received : 73 units
Total Batch Size : 927 units
Completed : 06/12/22 **Expires:** 06/12/23
Sample Method : SOP.T.20.010

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND
FENHEXAMID	0.01	ppm	0.1	PASS	ND
FENOXYCARB	0.01	ppm	0.1	PASS	ND
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND
FIPRONIL	0.01	ppm	0.1	PASS	ND
FLONICAMID	0.01	ppm	0.1	PASS	ND
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND
MALATHION	0.01	ppm	0.2	PASS	ND
METALAXYL	0.01	ppm	0.1	PASS	ND
METHIOCARB	0.01	ppm	0.1	PASS	ND
METHOMYL	0.01	ppm	0.1	PASS	ND
MEVINPHOS	0.01	ppm	0.1	PASS	ND
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND
NALED	0.01	ppm	0.25	PASS	ND
OXAMYL	0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
PHOSMET	0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
PRALLETHRIN	0.01	ppm	0.1	PASS	ND
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
PROPOXUR	0.01	ppm	0.1	PASS	ND
PYRETHRINS	0.01	ppm	0.5	PASS	ND
PYRIDABEN	0.01	ppm	0.2	PASS	ND
SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
SPIROXAMINE	0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
THIACLOPRID	0.01	ppm	0.1	PASS	ND
THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND

Pesticides

PASSED

Analysis Method - SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL
Analytical Batch - DA045040PES
Instrument Used : DA-LCMS-003 (PES)
Running on : 06/09/22 16:02:51
Reviewed On : 06/10/22 10:54:40
Batch Date : 06/09/22 11:32:13

Analyzed by:	Weight:	Extraction date:	Extracted by:
1440, 585, 53	0.9562g	06/09/22 13:04:58	585

Dilution : 250
Reagent : 060622.R11; 052322.R17; 052422.R06; 060822.R01; 092820.59
Consumables : 6645562
Pipette :

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method - SOP.T.30.060, SOP.T.40.060
Analytical Batch - DA045037VOL
Instrument Used : DA-GCMS-006
Running on :
Reviewed On : 06/10/22 16:12:15
Batch Date : 06/09/22 11:28:11

Analyzed by:	Weight:	Extraction date:	Extracted by:
NA		NA	NA

Dilution : 25
Reagent : 052322.R17; 092820.59; 052622.R25; 052622.R24
Consumables : 6659831; 55447-U.15024601
Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/12/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-White Hot Guava Pre-Filled Pipe 0.35g
FTH-White Hot Guava
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20609004-006
Harvest/Lot ID: 0048 8964 5266 4614
Batch# : 9601 7846 7600 7843
Sampled : 06/08/22
Ordered : 06/08/22

Sample Size Received : 73 units
Total Batch Size : 927 units
Completed : 06/12/22 **Expires:** 06/12/23
Sample Method : SOP.T.20.010

Microbial — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analysis Method - SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208
Analytical Batch - DA045025MIC
Reviewed On : 06/11/22 10:29:12
Instrument Used : DA-MIC-001 - Gene-Up RTPCR
Batch Date : 06/09/22 09:33:18
Running on :

Analyzed by:	Weight:	Extraction date:	Extracted by:
1440, 357, 2682	2.0249g	06/09/22 15:08:47	357

Dilution : 1
Reagent :
Consumables :
Pipette :

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Dilution : 1
Reagent :
Consumables :
Pipette :

Analysis Method - SOP.T.40.041
Analytical Batch - DA045063TYM
Reviewed On : 06/11/22 18:27:58
Instrument Used : Incubator (25-27C) DA-097
Batch Date : 06/09/22 15:14:24
Running on :

Analyzed by:	Weight:	Extraction date:	Extracted by:
NA		NA	NA

Dilution : 10
Reagent :
Consumables :
Pipette :

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analysis Method -SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch -DA045042MYC | Reviewed On - 06/10/22 10:55:11
Instrument Used : DA-LCMS-003 (MYC)
Running On : 06/09/22 16:03:08 | Batch Date : 06/09/22 11:34:20

Analyzed by	Weight	Extraction date	Extracted By
1440, 585, 53	g	06/09/22 13:17:03	585

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals — PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.02	PPM	ND	PASS	0.2
CADMIUM	0.02	PPM	ND	PASS	0.2
MERCURY	0.02	PPM	ND	PASS	0.2
LEAD	0.05	PPM	ND	PASS	0.5

Analyzed by	Weight	Extraction date	Extracted By
1440, 3357, 1022	0.2623g	06/09/22 13:08:18	3357

Analysis Method -SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch -DA045027HEA | Reviewed On - 06/10/22 10:49:33
Instrument Used : DA-ICPMS-003
Running On : 06/10/22 10:45:03 | Batch Date : 06/09/22 11:20:38

Dilution : 100
Reagent :
Consumables :
Pipette :

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/12/22
Signed On