4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Perfect Triangle 1.5g Pre-roll
FTH- Perfect Triangle
Matrix: Flower

Certificate of Analysis

Sample:DA20701007-002
Harvest/Lot ID: HYB-PT-060722-C0044
Batch#: 3992 6434 1962 3617
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility : Zolfo Springs Processing
Seed to Sale# 2512 8785 4447 0164
Batch Date: 05/23/22
Sample Size Received: 18 units
Total Batch Size: 1302 units
Retail Product Size: 1.5 gram
Ordered : 07/01/22
Sampled : 07/01/22
Completed: 07/05/22
Sampling Method: SOP.T.20.010.FL

Jul 05, 2022 | FLUENT
82 NE 26th street
Miami, FL, 33137, US

PASSED

PRODUCT IMAGE

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED

MISC.

Terpenes
TESTED

Cannabinoid

PASSED

Total THC
11.014%
Total THC/Container : 165.21 mg

Total CBD
0.052%
Total CBD/Container : 0.78 mg

Total Cannabinoids
12.874%
Total Cannabinoids/Container : 193.11 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.95	11.476	ND	0.06	ND	0.072	0.274	ND	ND	ND	0.042
mg/unit	14.25	172.14	ND	0.9	ND	1.08	4.11	ND	ND	ND	0.63
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %

Analyzed by: 3404, 1665
Weight: 0.2099g
Extraction date: 07/03/22 12:06:01
Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA046345POT
Instrument Used : DA-LC-007
Running on : 07/03/22 14:35:33
Reviewed On : 07/05/22 13:00:32
Batch Date : 07/03/22 07:50:41

Dilution : 400
Reagent : 070122.R20; 062822.32; 070122.R17
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/05/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Perfect Triangle 1.5g Pre-roll
FTH- Perfect Triangle
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20701007-002
Harvest/Lot ID: HYB-PT-060722-C0044
Batch# : 3992 6434 1962 3617
Sampled : 07/01/22
Ordered : 07/01/22

Sample Size Received : 18 units
Total Batch Size : 1302 units
Completed : 07/05/22 **Expires:** 07/05/23
Sample Method : SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)
CAMPHENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.435	0.029	
3-CARENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	
OCIMENE	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND	
LINALOOL	0.007	0.915	0.061	
FENCHONE	0.007	ND	ND	
ISOPULEGOL	0.007	ND	ND	
ISOBORNEOL	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	ND	ND	
NEROL	0.007	ND	ND	
GERANYL ACETATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.365	0.091	
VALENCENE	0.007	ND	ND	
CIS-NEROLIDOL	0.007	ND	ND	
CEDROL	0.007	ND	ND	
FARNESENE	0	0.03	0.002	
CARYOPHYLLENE OXIDE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<0.3	<0.02	
ALPHA-PINENE	0.007	ND	ND	
SABINENE	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND	
ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	0.57	0.038	
GAMMA-TERPINENE	0.007	ND	ND	
TERPINOLENE	0.007	ND	ND	
SABINENE HYDRATE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	<0.3	<0.02	
CAMPHOR	0.007	ND	ND	
BORNEOL	0.013	ND	ND	
Total (%)			0.25	

Terpenes	LOD (%)	mg/unit	%	Result (%)
GERANIOL	0.007	ND	ND	
PULEGONE	0.007	ND	ND	
ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.435	0.029	
TRANS-NEROLIDOL	0.007	ND	ND	
GUAIOL	0.007	ND	ND	

Analyzed by: 3404, 3379, 2651
Weight: 0.8586g
Extraction date: 07/02/22 13:14:24
Extracted by: 3379

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA046307TER
Instrument Used : DA-GCMS-005
Running on : N/A
Reviewed On : 07/05/22 08:42:42
Batch Date : 07/02/22 08:33:25

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/05/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Perfect Triangle 1.5g Pre-roll
FTH- Perfect Triangle
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20701007-002
Harvest/Lot ID: HYB-PT-060722-C0044
Batch# : 3992 6434 1962 3617
Sampled : 07/01/22
Ordered : 07/01/22

Sample Size Received : 18 units
Total Batch Size : 1302 units
Completed : 07/05/22 **Expires:** 07/05/23
Sample Method : SOP.T.20.010

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND
FENHEXAMID	0.01	ppm	0.1	PASS	ND
FENOXYCARB	0.01	ppm	0.1	PASS	ND
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND
FIPRONIL	0.01	ppm	0.1	PASS	ND
FLONICAMID	0.01	ppm	0.1	PASS	ND
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND
MALATHION	0.01	ppm	0.2	PASS	ND
METALAXYL	0.01	ppm	0.1	PASS	ND
METHIOCARB	0.01	ppm	0.1	PASS	ND
METHOMYL	0.01	ppm	0.1	PASS	ND
MEVINPHOS	0.01	ppm	0.1	PASS	ND
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND
NALED	0.01	ppm	0.25	PASS	ND
OXAMYL	0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
PHOSMET	0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
PRALLETHRIN	0.01	ppm	0.1	PASS	ND
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
PROPOXUR	0.01	ppm	0.1	PASS	ND
PYRETHRINS	0.01	ppm	0.5	PASS	ND
PYRIDABEN	0.01	ppm	0.2	PASS	ND
SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
SPIROXAMINE	0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
THIACLOPRID	0.01	ppm	0.1	PASS	ND
THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 585, 450, 53	1.0984g	07/04/22 13:12:33	450

Analysis Method : SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL
Analytical Batch : DA046358PES
Instrument Used : DA-LCMS-003 (PES)
Running on : 07/04/22 13:54:45
Reviewed On : 07/05/22 10:22:43
Batch Date : 07/04/22 10:42:31
Dilution : 250
Reagent : 062722.R01; 062422.R18; 061422.R21; 062922.R01; 092820.59
Consumables : 6645562
Pipette : N/A

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:	Weight:	Extraction date:	Extracted by:
N/A	N/A	N/A	N/A

Analysis Method : SOP.T.30.060, SOP.T.40.060
Analytical Batch : DA046360VOL
Instrument Used : DA-GCMS-006
Running on : N/A
Reviewed On : 07/05/22 10:54:58
Batch Date : 07/04/22 10:46:42
Dilution : 25
Reagent : 062422.R18; 092820.59; 063022.R27; 063022.R28
Consumables : 6645562; 55447-U.15143701
Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/05/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Perfect Triangle 1.5g Pre-roll
FTH- Perfect Triangle
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20701007-002
Harvest/Lot ID: HYB-PT-060722-C0044
Batch# : 3992 6434 1962 3617
Sampled : 07/01/22
Ordered : 07/01/22

Sample Size Received : 18 units
Total Batch Size : 1302 units
Completed : 07/05/22 **Expires:** 07/05/23
Sample Method : SOP.T.20.010

Microbial — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000

Analyzed by: 3404, 3336, 3390 **Weight:** 1.9403g **Extraction date:** 07/02/22 13:34:55 **Extracted by:** 3336

Analysis Method : SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208
Analytical Batch : DA046305MIC
Instrument Used : DA-MIC-001 - Gene-Up RTPCR
Running on : N/A
Reviewed On : 07/05/22 18:58:43
Batch Date : 07/02/22 08:06:06

Dilution : N/A
Reagent : 060622.R29; 061522.45; 091621.07
Consumables : N/A
Pipette : N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Analyzed by: N/A **Weight:** N/A **Extraction date:** N/A **Extracted by:** N/A

Analysis Method : SOP.T.40.041
Analytical Batch : DA046327TYM
Instrument Used : Incubator (25-27C) DA-097
Running on : N/A
Reviewed On : 07/05/22 12:47:27
Batch Date : 07/02/22 13:35:36

Dilution : 10
Reagent : 060622.R29; 061522.45; 091621.07
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3404, 585, 450, 53 **Weight:** 1.0984g **Extraction date:** 07/04/22 13:12:31 **Extracted by:** 450

Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA046359MYC
Instrument Used : DA-LCMS-003 (MYC)
Running on : 07/04/22 13:55:22
Reviewed On : 07/05/22 10:22:45
Batch Date : 07/04/22 10:46:38

Dilution : N/A
Reagent : aflatoxin_g2; aflatoxin_g1; aflatoxin_b2; aflatoxin_b1
Consumables : 0.02; 0.02; 0.02; 0.02
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals — PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.02	PPM	ND	PASS	0.2
CADMIUM	0.02	PPM	ND	PASS	0.2
MERCURY	0.02	PPM	ND	PASS	0.2
LEAD	0.05	PPM	ND	PASS	0.5

Analyzed by: 3404, 3357, 1022, 53 **Weight:** 0.2606g **Extraction date:** 07/02/22 10:23:21 **Extracted by:** 3357

Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch : DA046309HEA
Instrument Used : DA-ICPMS-003
Running on : 07/03/22 11:03:58
Reviewed On : 07/05/22 10:21:34
Batch Date : 07/02/22 09:21:31

Dilution : 100
Reagent : 062322.R23; 061622.R29; 063022.R08; 062822.R03; 062822.R01; 062822.R02; 063022.R07; 061622.R30; 061622.R31
Consumables : 179436; 210508058; 210803-059
Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/05/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Perfect Triangle 1.5g Pre-roll
FTH- Perfect Triangle
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20701007-002
Harvest/Lot ID: HYB-PT-060722-C0044
Batch# : 3992 6434 1962 3617
Sampled : 07/01/22
Ordered : 07/01/22

Sample Size Received : 18 units
Total Batch Size : 1302 units
Completed : 07/05/22 **Expires:** 07/05/23
Sample Method : SOP.T.20.010

Filth/Foreign Material — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5

Analyzed by: 3404, 1879 **Weight:** NA **Extraction date:** N/A **Extracted by:** N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074
Analytical Batch : DA046352FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 07/03/22 16:51:28
Reviewed On : 07/03/22 16:57:16
Batch Date : 07/03/22 16:50:16

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	9.09	PASS	15

Analyzed by: 3404, 1879 **Weight:** 0.494g **Extraction date:** 07/05/22 11:50:50 **Extracted by:** 1879

Analysis Method : SOP.T.40.021
Analytical Batch : DA046366MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 07/05/22 11:51:02
Reviewed On : 07/05/22 11:56:16
Batch Date : 07/05/22 00:04:56

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Water Activity — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.532	PASS	0.65

Analyzed by: 3404, 1879 **Weight:** NA **Extraction date:** N/A **Extracted by:** N/A

Analysis Method : SOP.T.40.019
Analytical Batch : DA046367WAT
Instrument Used : DA-028 Rotronic Hygropalm
Running on : 07/05/22 12:12:54
Reviewed On : 07/05/22 13:10:26
Batch Date : 07/05/22 00:05:14

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/05/22
Signed On