4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Tunnel Vision WF 3.5g
FTH-Tunnel Vision
Matrix: Flower

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA20826003-001
Harvest/Lot ID: HYB-TV-081922-C0054
Batch#: 4546 0421 8794 7598
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility : Zolfo Springs Processing
Seed to Sale# 1943 7658 1223 6875
Batch Date: 07/19/22
Sample Size Received: 9 units
Total Batch Size: 795 units
Retail Product Size: 3.5 gram
Ordered : 08/25/22
Sampled : 08/25/22
Completed: 08/29/22
Sampling Method: SOP.T.20.010

Aug 29, 2022 | FLUENT
82 NE 26th street
Miami, FL, 33137, US

PASSED

PRODUCT IMAGE

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED

MISC.

Terpenes
TESTED

Cannabinoid

PASSED

Total THC
22.103%
Total THC/Container : 773.605 mg

Total CBD
0.111%
Total CBD/Container : 3.885 mg

Total Cannabinoids
25.841%
Total Cannabinoids/Container : 904.435 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.388	24.761	0.04	0.081	ND	0.071	0.38	ND	ND	ND	0.12
mg/unit	13.58	866.635	1.4	2.835	ND	2.485	13.3	ND	ND	ND	4.2
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %

Analyzed by: 3404, 3421, 1665
Weight: 0.2015g
Extraction date: 08/26/22 11:31:25
Extracted by: 3421

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA048963POT
Instrument Used : DA-LC-002 (Flower)
Running on : 08/26/22 13:13:48
Reviewed On : 08/28/22 15:26:19
Batch Date : 08/26/22 10:03:36

Dilution : 400
Reagent : 071222.01; 082222.R02; 082522.R01
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Tunnel Vision WF 3.5g
FTH-Tunnel Vision
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA20826003-001
Harvest/Lot ID: HYB-TV-081922-C0054
Batch# : 4546 0421 8794 7598
Sampled : 08/25/22
Ordered : 08/25/22

Sample Size Received : 9 units
Total Batch Size : 795 units
Completed : 08/29/22 **Expires:** 08/29/23
Sample Method : SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	57.96	1.656	
TOTAL TERPINEOL	0.007	0.84	0.024	
CAMPHENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.655	0.133	
3-CARENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	
OCIMENE	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND	
LINALOOL	0.007	4.865	0.139	
FENCHONE	0.007	ND	ND	
ISOPULEGOL	0.007	ND	ND	
ISOBORNEOL	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	ND	ND	
NEROL	0.007	ND	ND	
GERANYL ACETATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	21.805	0.623	
VALENCENE	0.007	ND	ND	
CIS-NEROLIDOL	0.007	ND	ND	
CEDROL	0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	ND	ND	
FARNESENE	0	3.255	0.093	
ALPHA-BISABOLOL	0.007	1.96	0.056	
ALPHA-PINENE	0.007	0.91	0.026	
SABINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.68	0.048	
ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	10.99	0.314	
GAMMA-TERPINENE	0.007	ND	ND	
TERPINOLENE	0.007	ND	ND	
SABINENE HYDRATE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.875	0.025	
Total (%)			**1.656**	

Terpenes	LOD (%)	mg/unit	%	Result (%)
CAMPHOR	0.007	ND	ND	
BORNEOL	0.013	ND	ND	
GERANIOL	0.007	ND	ND	
PULEGONE	0.007	ND	ND	
ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.125	0.175	
TRANS-NEROLIDOL	0.007	ND	ND	
GUAIOL	0.007	ND	ND	

Analyzed by: 3404, 2651, 2076, 53
Weight: 0.8276g
Extraction date: 08/26/22 09:56:12
Extracted by: 2651

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA048947TER
Instrument Used : DA-GCMS-005
Running on : 08/26/22 14:09:18
Reviewed On : 08/29/22 16:55:13
Batch Date : 08/26/22 08:31:04

Dilution : 10
Reagent : 032322.19
Consumables : 210414634; MKCN9995; CE123; 14725401
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Tunnel Vision WF 3.5g
FTH-Tunnel Vision
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA20826003-001
Harvest/Lot ID: HYB-TV-081922-C0054
Batch# : 4546 0421 8794 7598
Sampled : 08/25/22
Ordered : 08/25/22

Sample Size Received : 9 units
Total Batch Size : 795 units
Completed : 08/29/22 **Expires:** 08/29/23
Sample Method : SOP.T.20.010

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND
FENHEXAMID	0.01	ppm	0.1	PASS	ND
FENOXYCARB	0.01	ppm	0.1	PASS	ND
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND
FIPRONIL	0.01	ppm	0.1	PASS	ND
FLONICAMID	0.01	ppm	0.1	PASS	ND
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND
MALATHION	0.01	ppm	0.2	PASS	ND
METALAXYL	0.01	ppm	0.1	PASS	ND
METHIOCARB	0.01	ppm	0.1	PASS	ND
METHOMYL	0.01	ppm	0.1	PASS	ND
MEVINPHOS	0.01	ppm	0.1	PASS	ND
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND
NALED	0.01	ppm	0.25	PASS	ND

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OXAMYL	0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
PHOSMET	0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
PRALLETHRIN	0.01	ppm	0.1	PASS	ND
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
PROPOXUR	0.01	ppm	0.1	PASS	ND
PYRIDABEN	0.01	ppm	0.2	PASS	ND
SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
SPIROXAMINE	0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
THIACLOPRID	0.01	ppm	0.1	PASS	ND
THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND

Analyzed by: 3404, 3379, 53 | **Weight:** 0.8585g | **Extraction date:** 08/29/22 08:54:33 | **Extracted by:** 3379

Analysis Method : SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL
Analytical Batch : DA048954PES
Instrument Used : DA-LCMS-003 (PES)
Running on : 08/29/22 08:51:24
Reviewed On : 08/29/22 16:50:11
Batch Date : 08/26/22 09:42:14
Dilution : 250
Reagent : 082222.R07; 081522.R04; 081022.R03; 082422.R01; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3404, 795, 53 | **Weight:** 0.8585g | **Extraction date:** 08/29/22 15:13:15 | **Extracted by:** 795

Analysis Method : SOP.T.30.060, SOP.T.40.060
Analytical Batch : DA048956VOL
Instrument Used : DA-GCMS-001
Running on : N/A
Reviewed On : 08/29/22 16:42:50
Batch Date : 08/26/22 09:43:20
Dilution : 25
Reagent : 081522.R04; 092820.59; 082422.R46; 082422.R47
Consumables : 6676024-02; 14725401
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Tunnel Vision WF 3.5g
FTH-Tunnel Vision
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA20826003-001
Harvest/Lot ID: HYB-TV-081922-C0054
Batch# : 4546 0421 8794 7598
Sampled : 08/25/22
Ordered : 08/25/22

Sample Size Received : 9 units
Total Batch Size : 795 units
Completed : 08/29/22 **Expires:** 08/29/23
Sample Method : SOP.T.20.010

Microbial — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3404, 3621, 2682, 53 **Weight:** 1.0411g **Extraction date:** 08/26/22 11:53:26 **Extracted by:** 3621

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA048945MIC **Reviewed On :** 08/29/22 08:04:39
Instrument Used : DA-265 Gene-UP RTPCR **Batch Date :** 08/26/22 08:01:25
Running on : N/A

Dilution : N/A
Reagent : 071122.R02; 061522.50
Consumables : 500124
Pipette : N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Analyzed by: 3404, 3390, 2682, 53 **Weight:** 1.1128g **Extraction date:** 08/26/22 13:40:55 **Extracted by:** 3390

Analysis Method : SOP.T.40.208, SOP.T.40.209.FL
Analytical Batch : DA048948TYM **Reviewed On :** 08/29/22 08:16:45
Instrument Used : Incubator (25-27C) DA-097 **Batch Date :** 08/26/22 08:54:57
Running on : N/A

Dilution : 10
Reagent : 071122.R02; 061522.50
Consumables : 500124; 004103
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3404, 3379, 53 **Weight:** g **Extraction date:** 08/29/22 08:55:31 **Extracted by:** 3379

Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA048955MYC **Reviewed On :** 08/29/22 16:45:10
Instrument Used : DA-LCMS-003 (MYC) **Batch Date :** 08/26/22 09:43:17
Running on : 08/29/22 08:51:43

Dilution : 250
Reagent : 082222.R07; 081522.R04; 081022.R03; 082422.R01; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals — PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	PPM	<0.55	PASS	1.1
ARSENIC	0.02	PPM	ND	PASS	0.2
CADMIUM	0.02	PPM	ND	PASS	0.2
MERCURY	0.02	PPM	<0.1	PASS	0.2
LEAD	0.05	PPM	ND	PASS	0.5

Analyzed by: 3404, 1022, 3619, 53 **Weight:** 0.2695g **Extraction date:** 08/26/22 10:29:31 **Extracted by:** 3619

Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch : DA048961HEA **Reviewed On :** 08/29/22 08:41:12
Instrument Used : DA-ICPMS-003 **Batch Date :** 08/26/22 09:57:51
Running on : 08/26/22 13:31:39

Dilution : 100
Reagent : 082422.R03; 081922.R19; 080222.R36; 080522.R52; 081922.R31; 081722.R41; 081922.R29; 081922.R30; 080922.R23; 080922.R22
Consumables : 179436; 210508058; 210803-059
Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/22
Signed On

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US

Kaycha Labs

FTH-Tunnel Vision WF 3.5g
FTH-Tunnel Vision
Matrix : Flower

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA20826003-001
Harvest/Lot ID: HYB-TV-081922-C0054
Batch# : 4546 0421 8794 7598
Sampled : 08/25/22
Ordered : 08/25/22

Sample Size Received : 9 units
Total Batch Size : 795 units
Completed : 08/29/22 **Expires:** 08/29/23
Sample Method : SOP.T.20.010

Filth/Foreign Material — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 3404, 1879 | **Weight:** NA | **Extraction date:** N/A | **Extracted by:** N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074
Analytical Batch : DA048964FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 08/26/22 14:21:10
Reviewed On : 08/26/22 14:26:09
Batch Date : 08/26/22 10:08:39

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	14.49	PASS	15

Analyzed by: 3404, 2926, 1879 | **Weight:** 0.497g | **Extraction date:** 08/26/22 12:29:58 | **Extracted by:** 2926

Analysis Method : SOP.T.40.021
Analytical Batch : DA048968MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 08/26/22 12:28:48
Reviewed On : 08/26/22 14:11:32
Batch Date : 08/26/22 10:10:29

Dilution : N/A
Reagent : 101920.06; 080422.05
Consumables : PS-14
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Water Activity — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.591	PASS	0.65

Analyzed by: 3404, 1879 | **Weight:** NA | **Extraction date:** N/A | **Extracted by:** N/A

Analysis Method : SOP.T.40.019
Analytical Batch : DA048969WAT
Instrument Used : DA-028 Rotronic Hygropalm
Running on : 08/26/22 11:35:55
Reviewed On : 08/26/22 14:10:21
Batch Date : 08/26/22 10:13:43

Dilution : N/A
Reagent : 121421.19
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/22
Signed On