

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge Matrix: Derivative

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21103003-004 Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812 1231

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 1685 7880 7181 4110

Batch Date: 10/07/22

Sample Size Received: 15.5 gram

Total Batch Size: 2794 units Retail Product Size: 0.5 gram

Ordered: 11/02/22 Sampled: 11/02/22 Completed: 11/05/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Nov 05, 2022 | FLUENT

Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS







Pesticides PASSED

Heavy Metals **PASSED**



Microbials **PASSED** PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED

CBC

0.918

0.001

4.59

%



Cannabinoid

Total THC

90.562%

0.225

0.001



CBDA

ND

ND

%

0.001

D8-THC

0.225

1.125

0.001

%

Total CBD 0.194%

Total CBD/Container: 0.97 mg

1.924

0.001

Extraction date: 11/03/22 10:41:52

Reviewed On: 11/05/22 09:15:55 Batch Date: 11/03/22 09:05:34

9,62

%

CBGA

0.028

0.14

0.001



0.689

3,445

0.001

Total Cannabinoids

CBDV

ND

ND

%

0.001

Total Cannabinoids/Container: 474.875

THCV

0.429

2.145

0.001



LOD	0.001	0.		
	%	%		
Analyzed by: 8404, 3112, 16	665, 53			

452,615

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA051915POT Instrument Used: DA-LC-007 Running on: 11/03/22 11:18:26

mg/unit

Dilution: 400
Reagent: 102722.R22; 070121.27; 102722.R21
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.194

0.97

0.001

%

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164







4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA21103003-004

Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812 1231

Sampled: 11/02/22 Ordered: 11/02/22 Sample Size Received: 15.5 gram
Total Batch Size: 2794 units

Completed: 11/05/22 Expires: 11/05/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	10.54	2.108		CAMPHOR	0.007	ND	ND		
OTAL TERPINEOL	0.007	< 0.1	< 0.02		BORNEOL	0.013	ND	ND		
AMPHENE	0.007	< 0.1	< 0.02		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	1.99	0.398		PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.275	0.055		
CIMENE	0.007	0.635	0.127		TRANS-NEROLIDOL	0.007	ND	ND		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND		
INALOOL	0.007	0.345	0.069		Analyzed by:	Weight:	Extrac	tion date:		Extracted b
ENCHONE	0.007	ND	ND		3404, 2076, 3379, 585	0.9431g		22 16:26:37		2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.	.FL, SOP.T.40.061A.FL				
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA051926TER Instrument Used : DA-GCMS-005				/04/22 12:19:56 3/22 09:34:33	
EXAHYDROTHYMOL	0.007	ND	ND		Running on : 11/04/22 06:25:44		batti	Date : 11/0	3/22 09.34.33	
EROL	0.007	ND	ND		Dilution: 10					
ERANYL ACETATE	0.007	ND	ND		Reagent: 081021.14					
ETA-CARYOPHYLLENE	0.007	1.29	0.258		Consumables : 210414634; MKCN	19995; CE0123; R1KB14270				
LENCENE	0.007	ND	ND		Pipette : N/A	0.0				
S-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing	ig Gas Chromatography Mass Specti	rometry.			
EDROL	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	< 0.1	< 0.02							
ARNESENE	0	0.105	0.021							
PHA-BISABOLOL	0.007	0.1	0.02							
PHA-PINENE	0.007	0.53	0.106							
ABINENE	0.007	0.545	0.109							
ETA-PINENE	0.007	0.51	0.102							
LPHA-TERPINENE	0.007	ND	ND							
MONENE	0.007	3.935	0.787							
AMMA-TERPINENE	0.007	ND	ND							
RPINOLENE	0.007	< 0.1	< 0.02		. // //					
ABINENE HYDRATE	0.007	ND	ND		_ [/ // /					
	0.007	0.28	0.056							
ENCHYL ALCOHOL										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



11/05/22



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA21103003-004 Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812

Sampled: 11/02/22 Ordered: 11/02/22 Sample Size Received: 15.5 gram Total Batch Size: 2794 units

Completed: 11/05/22 Expires: 11/05/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	Ž.	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND							
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
ENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
ENTHRIN	0.01	ppm	0.1	PASS	ND							
SCALID	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	CNB) *	0.01	PPM	0.15	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND					//		
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND		Weight:		action dat		Extract	ed by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND		0.2375g		3/22 11:12		450	
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL	., SOP.T.30.1	.02.FL, S	OP.T.30.15	1.FL, SOP.T.4	10.101.FL, SOF	T.40.10
OXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL Analytical Batch : DA051920PES			Poviowec	l On :11/05/2	2 00.13.44	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (P	PES)			te:11/03/2		
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 11/03/22 17:04:38	/				11.7	
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250						
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 103122.R02; 102622.R5	6; 101122.R	30; 1102	222.R12			
ONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02						
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed agents agents.						
	0.01		0.1	PASS	ND	64ER20-39.	ony mpie-Qu	adrupore	Mass Spec	trometry in at	.cordance with	r.s. Rule
IAZALIL	0.01	ppm ppm	0.1	PASS	ND	Analyzed by: Weig	aht:	Extract	ion date:		Extracte	d by:
IDACLOPRID	0.01		0.4	PASS	ND	3404, 450, 585 0.23			2 11:12:59	X	450	- ~,.
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND ND	Analysis Method : SOP.T.30.060, So	-	1				
LATHION		ppm		PASS	ND	Analytical Batch : DA051922VOL				n:11/04/22 1		
TALAXYL	0.01	ppm	0.1	PASS		Instrument Used : DA-GCMS-001		Ва	atch Date	11/03/22 09	:21:38	
THIOCARB	0.01	ppm	0.1		ND	Running on : N/A						
THOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250						
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 102622.R56; 092820.59;		b; 10192	22.R75			
CLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 14725 Pipette: DA-080: DA-146	0401					
ALED	0.01	ppm	0.25	PASS	ND		formed utilisis	an Liquia	Chromator	ranhy Triple	Ouadrupole Ma	cc
						Testing for agricultural agents is perfi Spectrometry and Gas Chromatograp 64FR20-39						

64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



11/05/22



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21103003-004 Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812

Sampled: 11/02/22 Ordered: 11/02/22

Sample Size Received: 15.5 gram Total Batch Size: 2794 units

Completed: 11/05/22 Expires: 11/05/23

Sample Method: SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA051941SOL Instrument Used : DA-GCMS-002 **Running on:** 11/04/22 12:14:35

Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; KF140

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 11/04/22 13:31:21 Batch Date: 11/03/22 13:54:48

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



11/05/22



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g

Static Charge Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample: DA21103003-004 Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812

Reviewed On: 11/05/22 12:55:15

Batch Date: 11/03/22 10:58:31

Sampled: 11/02/22 Ordered: 11/02/22 Sample Size Received: 15.5 gram Total Batch Size: 2794 units

Completed: 11/05/22 Expires: 11/05/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA CO SPP	LI SHIGELLA			Not Present	PASS	
SALMONELLA SP	ECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS				Not Present	PASS	
ASPERGILLUS FU	MIGATUS			Not Present	PASS	
ASPERGILLUS TE	RREUS			Not Present	PASS	
ASPERGILLUS NIC	GER			Not Present	PASS	
TOTAL YEAST AN	D MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:		tion date:		Extracted	by:
3404, 3729, 53	0.91g	11/03/	/22 11:02:52	2	3729	

Analytical Batch: DA051913MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A Reagent: 070122.44 Consumables: 500124

Analysis Method: SOP.T.40.043 Reviewed On: 11/05/22 08:51:36 Batch Date: 11/03/22 08:11:02

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 3336, 53	0.91a	N/A	N/Δ

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL $\textbf{Analytical Batch:} \ \mathsf{DA051939TYM}$

Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution: 10 Reagent: 070122.44 Consumables: 500124 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	-33	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 585, 53	Weight: 0.2375g	Extraction date 11/03/22 11:12			Extracted 450	by:

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA051921MYC Reviewed On: 11/05/22 09:10:05 Instrument Used : DA-LCMS-003 (MYC) Running on : 11/03/22 17:05:06 Batch Date: 11/03/22 09:21:35

Dilution: 230 Reagent: 103122.R02; 102622.R56; 101122.R30; 110222.R12 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by: 3404, 3619, 1022, 53	Weight: 0.4685g	Extraction 11/03/22	n date: 10:54:22	X	Extracte 3619	ed by:

Instrument Used: DA-ICPMS-003 Batch Date: 11/03/22 10:00:59 Running on: 11/03/22 13:43:13

Dilution: 50

Reagent: 102122.R23; 080222.R36; 102822.R42; 110222.R49; 102822.R43; 102822.R44; 101722.R39; 101722.R38; 100622.35

Consumables: 179436; 210508058; 210803-059 Pipette: DA-061; DA-106; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



11/05/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21103003-004

Harvest/Lot ID: 9712 1231 8812 1231

Batch#: 9712 1231 8812

Sampled: 11/02/22 Ordered: 11/02/22

Reviewed On: 11/03/22 14:27:41 Batch Date: 11/03/22 10:17:32

Reviewed On: 11/03/22 14:29:45 Batch Date: 11/03/22 10:12:48

Sample Size Received: 15.5 gram

Total Batch Size: 2794 units Completed: 11/05/22 Expires: 11/05/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result Action Level Filth and Foreign Material 0.5 % ND PASS Extraction date: Extracted by: NA

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: DA051936FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 11/03/22 10:34:32

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LC	_	Units	Result	P/F	Action Leve
Water Activity	0.		aw	0.453	PASS	0.85
Analyzed by:	Weight:					stracted by:
3404, 1879, 2926	0.351g					926

Analysis Method : SOP.T.40.019
Analytical Batch : DA051932WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $11/03/22 \ 10:39:09$

Dilution : N/A Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



11/05/22