



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA21126002-013

Harvest/Lot ID: ID-BIS-112222-A085

Batch#: 3738 0565 3466 9041

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Seed to Sale# 8551 9853 7639 3341

Batch Date: 11/18/22

Sample Size Received: 38.5 gram

Total Amount: 2756 units

Retail Product Size: 3.5 gram

Ordered : 11/26/22

Sampled : 11/26/22

Completed: 11/30/22

Sampling Method: SOP.T.20.010

**PASSED**

Pages 1 of 5

Nov 30, 2022 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US




### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**23.419%**

Total THC/Container : 819.665 mg



Total CBD

**0.108%**

Total CBD/Container : 3.78 mg



Total Cannabinoids

**27.904%**

Total Cannabinoids/Container : 976.64 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.427	26.217	0.026	0.094	0.101	0.152	0.712	0.026	0.025	0.029	0.095
mg/unit	14.945	917.595	0.91	3.29	3.535	5.32	24.92	0.91	0.875	1.015	3.325
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
1665, 3112, 1440

Weight:  
0.2164g

Extraction date:  
11/28/22 08:49:55

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA052868POT

Instrument Used : DA-LC-002 (Flower)

Running on : 11/28/22 10:28:19

Reviewed On : 11/29/22 09:43:46

Batch Date : 11/28/22 07:48:02

Dilution : 400

Reagent : 112322.R09; 071222.01; 112322.R07

Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA21126002-013  
Harvest/Lot ID: ID-BIS-112222-A085

Batch# : 3738 0565 3466  
9041

Sampled : 11/26/22  
Ordered : 11/26/22

Sample Size Received : 38.5 gram

Total Amount : 2756 units

Completed : 11/30/22 Expires: 11/30/23

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	70.98	2.028		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	1.015	0.029		BORNEOL	0.013	<1.4	<0.04	
CAMPENE	0.007	<0.7	<0.02		GERANIOL	0.007	<0.7	<0.02	
BETA-MYRCENE	0.007	11.27	0.322		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	<0.7	<0.02	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	6.335	0.181	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	3.885	0.111		Analyzed by: 2076, 53, 1440      Weight: 1.141g      Extraction date: 11/28/22 13:39:53      Extracted by: 2076 Analysis Method: SOP.T.20.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA052874TER Instrument Used: DA-GCMS-004      Reviewed On: 11/30/22 08:34:05 Running on: 11/28/22 22:23:45      Batch Date: 11/28/22 08:51:40 Dilution: 10 Reagent: 081021.15 Consumables: 210414634; MKCN9995; CE0123; R1KB14270; 14725401 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	21.875	0.625						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02						
FARNESENE	0	5.635	0.161						
ALPHA-BISABOLOL	0.007	2.59	0.074						
ALPHA-PINENE	0.007	1.225	0.035						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	1.82	0.052						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	13.965	0.399						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.7	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.365	0.039						
<b>Total (%)</b>			<b>2.028</b>						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA21126002-013  
 Harvest/Lot ID: ID-BIS-112222-A085

 Batch# : 3738 0565 3466  
 9041

 Sampled : 11/26/22  
 Ordered : 11/26/22

Sample Size Received : 38.5 gram

Total Amount : 2756 units

Completed : 11/30/22 Expires: 11/30/23

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by:	3379, 53, 585, 1440	Weight:	1.0718g	Extraction date:	11/28/22 11:01:16
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	450,3379
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA052859PES			Reviewed On :	11/29/22 12:45:56
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	11/27/22 21:34:21
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :	11/28/22 12:41:31				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution :	250				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent :	112822.R01; 111622.R42; 110722.R24; 112322.R11; 092820.59				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette :	DA-092; DA-093; DA-219				
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analized by:	1665, 53, 1440, 585	Weight:	1.0718g	Extraction date:	N/A
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND					Extracted by:	450,1665
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
MALATHION	0.01	ppm	0.2	PASS	ND		Analytical Batch :	DA052861VOL		Reviewed On :	11/29/22 12:33:00
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	11/27/22 21:36:38
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on :	11/29/22 07:32:14				
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution :	25				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent :	111622.R42; 092820.59; 111022.R38; 111022.R27				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
NALED	0.01	ppm	0.25	PASS	ND	Pipette :	DA-080; DA-146				
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA21126002-013  
**Harvest/Lot ID:** ID-BIS-112222-A085

**Batch# :** 3738 0565 3466  
 9041

**Sampled :** 11/26/22  
**Ordered :** 11/26/22

**Sample Size Received :** 38.5 gram

**Total Amount :** 2756 units

**Completed :** 11/30/22 **Expires:** 11/30/23

**Sample Method :** SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 53, 1440    Weight: 1.0884g    Extraction date: 11/28/22 10:19:47    Extracted by: 3336 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA052877MIC    Reviewed On : 11/30/22 08:41:11 Instrument Used : DA-265 Gene-UP RTPCR    Batch Date : 11/28/22 09:09:48 Running on : 11/28/22 14:24:44 Dilution : N/A Reagent : 100122.R04; 061422.29 Consumables : 500124 Pipette : N/A					

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 3621, 53, 1440	1.0884g	11/28/22 10:24:34	3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA052878TYM    Reviewed On : 11/30/22 10:54:38 Instrument Used : Incubator (25-27C) DA-097    Batch Date : 11/28/22 10:16:48 Running on : 11/28/22 14:14:01 Dilution : 10 Reagent : 091422.13 Consumables : 004103 Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 53, 585, 1440    Weight: 1.0718g    Extraction date: 11/28/22 11:01:16    Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA052860MYC    Reviewed On : 11/29/22 12:47:42 Instrument Used : DA-LCMS-004 (MYC)    Batch Date : 11/27/22 21:36:34 Running on : 11/28/22 12:42:52					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	0.2
Analyzed by: 1022, 53, 1440    Weight: 0.4995g    Extraction date: 11/28/22 10:15:20    Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA052850HEA    Reviewed On : 11/29/22 13:37:18 Instrument Used : DA-ICPMS-003    Batch Date : 11/27/22 19:31:07 Running on : 11/28/22 13:24:53 Dilution : 50 Reagent : 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA21126002-013  
**Harvest/Lot ID:** ID-BIS-112222-A085

**Batch# :** 3738 0565 3466  
 9041

**Sampled :** 11/26/22

**Ordered :** 11/26/22

**Sample Size Received :** 38.5 gram

**Total Amount :** 2756 units


**Completed :** 11/30/22 **Expires:** 11/30/23

**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	14.8	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 1879, 2926, 1440	Weight: 0.495g	Extraction date: 11/29/22 17:05:09		Extracted by: 2926	
Analysis Method : SOP.T.40.090			Reviewed On : 11/29/22 11:14:10 Batch Date : 11/29/22 10:53:21			Analysis Method : SOP.T.40.021			Reviewed On : 11/29/22 17:11:11 Batch Date : 11/29/22 09:49:35		
Analytical Batch : DA052936FIL						Analytical Batch : DA052918MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 11/29/22 11:03:39						Running on : 11/29/22 15:21:54					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : N/A					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.502	PASS	0.65
Analyzed by: 1879, 2926, 1440	Weight: 1.285g	Extraction date: 11/29/22 16:19:48		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 11/29/22 17:08:41 Batch Date : 11/29/22 09:41:31		
Analytical Batch : DA052915WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 11/29/22 15:21:33					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.