

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21129005-007 Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541 2753

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 1746 3322 6989 8626

Batch Date: 08/25/22

Sample Size Received: 31 units

Total Amount: 1973 units Retail Product Size: 0.5 gram **Ordered**: 11/28/22

Sampled: 11/28/22 Completed: 12/01/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Dec 01, 2022 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides



PASSED

Heavy Metals **PASSED**



Microbials PASSED PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED

CBC

0.056

0.28

0.001

%



Cannabinoid

Total THC

90.658%



CBDA

0.006

0.03

0.001

%

D8-THC

1.584

7.92

0.001

%

Total CBD 0.516%

Total CBD/Container: 2.58 mg

CBG

1.947

9.735

0.001

%

Extraction date: 11/29/22 12:47:11

CBGA

0.026

0.13

0.001

%

Reviewed On: 11/30/22 14:35:05 Batch Date: 11/29/22 10:06:10



CBN

0.573

2.865

0.001

%

Total Cannabinoids

CBDV

ND

ND

0/0

0.001

Total Cannabinoids/Container: 478.975

THCV

0.432

2.16

0.001



| mg/unit | 453.235 | 0.065 |
|--------------------------------|---------|-------|
| LOD | 0.001 | 0.001 |
| | % | % |
| Analyzed by: 1665, 53, 1440 | | |

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA052919POT Instrument Used : DA-LC-007

Running on : N/A

Dilution: 400 Reagent: 112322.R10; 071222.01; 112322.R06

Consumables: 239146; 280670723; CE0123; 210803-059; 61633-125C6-125E; R1KB14270

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.511

2,555

0.001

0/

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22

Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA21129005-007

Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541 2753

Sampled: 11/28/22 Ordered: 11/28/22 Sample Size Received: 31 units Total Amount: 1973 units

Completed: 12/01/22 Expires: 12/01/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| erpenes | (%) | mg/unit | % | Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) | |
|---|---|---|--|------------|---|----------------------------------|--------------------|----------------|-----------|------------------|---------------|
| OTAL TERPENES | 0.007 | 13.235 | 2.647 | | CAMPHOR | | 0.007 | ND | ND | | |
| OTAL TERPINEOL | 0.007 | ND | ND | | BORNEOL | | 0.013 | ND | ND | | |
| AMPHENE | 0.007 | ND | ND | | GERANIOL | | 0.007 | ND | ND | | |
| ETA-MYRCENE | 0.007 | 1.49 | 0.298 | | PULEGONE | | 0.007 | ND | ND | | |
| CARENE | 0.007 | 0.11 | 0.022 | | ALPHA-CEDRENI | | 0.007 | ND | ND | | |
| LPHA-PHELLANDRENE | 0.007 | 1.115 | 0.223 | | ALPHA-HUMULE | NE | 0.007 | 0.22 | 0.044 | | |
| CIMENE | 0.007 | 1.695 | 0.339 | | TRANS-NEROLID | OL | 0.007 | ND | ND | | |
| JCALYPTOL | 0.007 | < 0.1 | < 0.02 | | GUAIOL | | 0.007 | ND | ND | | |
| NALOOL | 0.007 | < 0.1 | < 0.02 | | Analyzed by: | Weigh | t: | Extraction dat | te: | | Extracted by: |
| ENCHONE | 0.007 | ND | ND | | 2076, 53, 1440 | 1.047 | 8g | 11/29/22 16:5 | | | 2076 |
| OPULEGOL | 0.007 | ND | ND | | | SOP.T.30.061A.FL, SOP.T.40. | 061A.FL | | | | |
| OBORNEOL | 0.007 | ND | ND | | Analytical Batch : | | | | | 2/01/22 15:51:33 | |
| EXAHYDROTHYMOL | 0.007 | ND | ND | | Instrument Used : Running on : 11/30 | | | Batch | Date: 11/ | /29/22 09:35:48 | |
| EROL | 0.007 | ND | ND | | Dilution: 10 | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | Reagent: 081021. | 15 | | | | | |
| ETA-CARYOPHYLLENE | 0.007 | 0.625 | 0.125 | | | 414634; MKCN9995; CE012 | 3; R1KB14270; 14 | 1725401 | | | |
| ALENCENE | 0.007 | < 0.1 | < 0.02 | | Pipette : N/A | | | | | | |
| | 0.007 | ND | ND | | Terpenoid testing is | performed utilizing Gas Chromato | ography Mass Spect | rometry. | | | |
| S-NEROLIDOL | 0.007 | | | | | | | | | | |
| | 0.007 | ND | ND | | | | | | | | |
| DROL | | ND ND | ND ND | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE | 0.007 | | | | - 1 | | | | | | |
| IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL | 0.007 0.007 | ND | ND | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE | 0.007 0.007 0 | ND <0.018 | ND <0.0018 | | 1 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL | 0.007 0.007 0 0.007 | ND <0.018 0.36 | ND <0.0018 0.072 | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE | 0.007 0.007 0 0.007 0.007 | ND <0.018 0.36 0.215 | ND <0.0018 0.072 0.043 | | # # | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE | 0.007 0.007 0 0.007 0.007 | ND <0.018 0.36 0.215 ND | ND <0.0018 0.072 0.043 ND | | # # | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE PHA-BISABOLOL PHA-PINENE ABINENE ETA-PINENE | 0.007 0.007 0 0.007 0.007 0.007 | ND <0.018 0.36 0.215 ND 0.295 | ND <0.0018 0.072 0.043 ND 0.059 | | # | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BBINENE ETA-PINENE LPHA-TERPINENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 | ND <0.018 0.36 0.215 ND 0.295 0.14 | ND <0.0018 0.072 0.043 ND 0.059 0.028 | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BBINENE ETA-PINENE LPHA-TERPINENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 | ND <0.018 0.36 0.215 ND 0.295 0.14 0.695 | ND <0.0018 0.072 0.043 ND 0.059 0.028 0.139 | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BABINENE ETA-PINENE LPHA-TERPINENE MONENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 | ND <0.018 0.36 0.215 ND 0.295 0.14 0.695 <0.1 | ND <0.0018 0.072 0.043 ND 0.059 0.028 0.139 <0.02 | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BBINENE ETA-PINENE MONENE MONENE AMMA-TERPINENE ERPINOLENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 0.007 | ND <0.018 0.36 0.215 ND 0.295 0.14 0.695 <0.1 6.275 | ND <0.0018 0.072 0.043 ND 0.059 0.028 0.139 <0.02 1.255 | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA21129005-007

Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541

Sampled: 11/28/22 Ordered: 11/28/22 Sample Size Received: 31 units Total Amount: 1973 units

Completed: 12/01/22 Expires: 12/01/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|-----------------|-----------|--------|---|-----------------------|--------------------------------|-------------|-----------------|---------------|----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | | 0.01 | mag | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | | | | 1.1. | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | 0.01 | ppm | | | |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | | 0.01 | ppm | 0.1 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.01 | ppm | 0.2 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | | 0.01 | ppm | 0.1 | PASS | ND |
| OSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 0.5 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | | | | | | | |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PENTACHLORONITROBE | NZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.07 | PPM | 0.7 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| OUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| ICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Eulunel | ion date: | | Extracted | Llever |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | 3379, 53, 1440 | 0.2236g | | 22 12:31:27 | | 1665 | ı by: |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T. | | | | | | Gainesv |
| TOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | 3011011112 (3011163) | , 5011. | | (50110)) 501 | | ounico (|
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA0529 | | Reviewed On: 11/30/22 15:31:30 | | | | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCI | | | Batch Da | te:11/29/22 | 10:31:49 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Running on :11/29/22 15 | :50:25 | | | | | |
| ENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Dilution: N/A | 11600 040, 11070 | D24, 112 | 222 011. 0 | 22020 50 | | |
| PIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 112822.R01; 1: Consumables: 6676024- | | R24; 112 | 322.R11; 0 | 92820.59 | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-092: DA-093 | | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural age | | izina Liauio | Chromato | graphy Triple- | Quadrupole Ma | SS |
| IEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance | | | | ,,, | | |
| MAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Ext | raction da | te: | Extracted I | oy: |
| MIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | 1665, 53, 1440 | 0.2236g | N/A | | | 1665 | |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.: | | | | | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analytical Batch : DA0529 | | | | n:11/30/22 (| | |
| IETALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GC Running on : 11/29/22 13 | | В | aten Date | :11/29/22 10: | 33.38 | |
| IETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 25 | .77.20 | | | | | |
| IETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 112822.R01: 13 | 11622.R42: 110722 | 2.R24: 112 | 322.R11: 0 | 92820.59 | | |
| IEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6676024- | | , | | | | |
| NYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette: DA-092; DA-093 | | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural age | nts is performed util | izing Gas C | hromatogra | phy Triple-Ou | adrupole Mass | Spectro |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA21129005-007

Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541 2753

Sampled: 11/28/22 Ordered: 11/28/22 Sample Size Received: 31 units Total Amount: 1973 units

Reviewed On: 11/30/22 14:09:09

Batch Date: 11/29/22 13:46:33

Completed: 12/01/22 Expires: 12/01/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|--------|---------------------------|--------------|--------------|-------------------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 400 | PASS PASS | ND |
| ETHYL ACETATE | 40 | ppm | | | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Amelian d him | W-I-ba | Francisco de la constante | 1/1/1/1 | // // // | Fortunate of horo |

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 850, 53, 1440
 0.0239g
 11/29/22 14:08:56
 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA052953SOL Instrument Used : DA-GCMS-002 Running on : 11/30/22 12:22:00

Dilution: 1
Reagent: 030420.09
Consumables: 27296; KF140
Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample: DA21129005-007

Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541

Sampled: 11/28/22 Ordered: 11/28/22

Batch Date: 11/29/22 08:58:10

Sample Size Received: 31 units Total Amount: 1973 units

Completed: 12/01/22 Expires: 12/01/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



ED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------------|-------|-------------|-------------|----------------|-----------------|
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | nt PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: Weigh | | ction date: | | racted by: | |
| 3390, 3621, 53, 1440 1g | 11/29 | 9/22 11:34: | 47 339 | 0,3336,36 | 21 |

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 12/01/22 09:20:48

Analytical Batch : DA052907MIC Instrument Used: DA-265 Gene-UP RTPCR Running on: 11/29/22 11:03:04

Reagent: 100122.R04; 091422.05; 061422.29 Consumables: 500124

Pipette: N/A

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|----------------------|---------|-------------------|---------------|
| 3390, 3336, 53, 1440 | 1g | 11/29/22 12:42:17 | 3336 |

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch: DA052947TYM Reviewed On: 12/01/22 14:12:47 Instrument Used : Incubator (25-27C) DA-097 Running on : 11/29/22 12:24:30 Batch Date: 11/29/22 11:50:39

Dilution: 10Reagent: 091422.13 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| ٣ | Mycotoxins | PASSE | | | | |
|----------|------------|-------|-------|--------|----------------|-----------------|
| nalyte | | LOD | Units | Result | Pass / Fail | Action Level |
| FLATOXIN | B2 | 0.002 | ppm | ND | PASS | 0.02 |
| FLATOXIN | B1 | 0.002 | ppm | ND | PASS | 0.02 |

| Analyzed by: 3379, 53, 1440 | Weight: 0.2236g | Extraction dat 11/29/22 12:3 | | | Extracted 1665 | d by: |
|--------------------------------|------------------------|---------------------------------|-----|----|-------------------|-------|
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA052932MYC

Instrument Used : DA-LCMS-004 (MYC) Running on: 11/29/22 15:50:43

Reviewed On: 11/30/22 16:11:40 Batch Date: 11/29/22 10:33:55

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Posult Pass / Action

1022

| Metal | LOD | Units | Result | Fail | Level |
|------------------------------|-----------------|-------|--------|-----------|-------|
| TOTAL CONTAMINANT LOAD METAL | . S 0.11 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| Analyzed by: Weight: | Extraction dat | ۵. | | Extracted | hv |

11/29/22 11:57:36

Analysis Method: SOP T 30 082 FL SOP T 40 082 FL

0.5061g

Analytical Batch : DA052927HEA Instrument Used: DA-ICPMS-003 Running on: 11/29/22 16:05:48 Reviewed On: 11/30/22 10:49:14 Batch Date: 11/29/22 10:24:56

Dilution: 50

1022, 53, 1440

Reagent: 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21129005-007

Harvest/Lot ID: 1746 3322 6989 8626

Batch#: 2837 1113 2541

Sampled: 11/28/22 Ordered: 11/28/22

Reviewed On: 11/29/22 11:13:45 Batch Date: 11/29/22 10:55:01

Reviewed On: 11/29/22 15:23:05 Batch Date: 11/29/22 11:20:03

Sample Size Received: 31 units Total Amount: 1973 units

Completed: 12/01/22 Expires: 12/01/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA052939FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 11/29/22 11:03:33

Dilution: N/A Reagent: N/A Consumables : N/A

Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Leve |
|----------------|-----|-------|--------|------|-------------|
| Water Activity | 0.1 | aw | 0.531 | PASS | 0.85 |

Analyzed by: 2926, 1879, 1440 Extraction date: 11/29/22 15:13:57 Extracted by: 2926

Analysis Method : SOP.T.40.019
Analytical Batch : DA052942WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : 11/29/22 15:14:04

Dilution : N/A Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/01/22