



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21201003-004
Harvest/Lot ID: HYB-MO-101722-C006
Batch#: 5535 2131 8061 7917
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 4061 1007 3949 0084
Batch Date: 09/14/22
Sample Size Received: 18 units
Total Amount: 2212 units
Retail Product Size: 1.5 gram
Ordered : 11/30/22
Sampled : 11/30/22
Completed: 12/04/22
Sampling Method: SOP.T.20.010

Dec 04, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
22.194%
 Total THC/Container : 332.91 mg



Total CBD
0.066%
 Total CBD/Container : 0.99 mg



Total Cannabinoids
26.077%
 Total Cannabinoids/Container : 391.155 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.716	24.491	ND	0.076	0.107	0.058	0.541	0.023	ND	ND	0.065
mg/unit	10.74	367.365	ND	1.14	1.605	0.87	8.115	0.345	ND	ND	0.975
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 53, 3605, 1440

Weight:
 0.2103g

Extraction date:
 12/01/22 10:08:41

Extracted by:
 3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053028POT
 Instrument Used : DA-LC-002 (Flower)
 Running on : 12/01/22 10:22:32

Reviewed On : 12/03/22 13:47:56
 Batch Date : 12/01/22 08:28:34

Dilution : 400
 Reagent : 112922.R04; 071222.01; 112922.R02
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-004
Harvest/Lot ID: HYB-MO-101722-C006
Batch# : 5535 2131 8061
Sample Size Received : 18 units
Total Amount : 2212 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.9	1.26		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	0.54	0.036		BORNEOL	0.013	<0.6	<0.04	
CAMPENE	0.007	<0.3	<0.02		GERANIOL	0.007	<0.3	<0.02	
BETA-MYRCENE	0.007	0.72	0.048		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.95	0.13	
OCIMENE	0.007	<0.3	<0.02		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	1.815	0.121		Analyzed by: 2076, 53, 1440 Weight: 0.9311g Extraction date: 12/01/22 11:39:33 Extracted by: 2076,3807				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0530367ER Reviewed On : 12/04/22 16:21:09 Instrument Used : DA-GCMS-004 Batch Date : 12/01/22 09:52:40 Running on : 12/02/22 10:24:04				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : N/A Consumables : 210414634; MKCN9995; CE0123; R1KB45277; 14725401 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.945	0.463						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02						
FARNESENE	0	ND	ND						
ALPHA-BISABOLOL	0.007	0.915	0.061						
ALPHA-PINENE	0.007	1.26	0.084						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.99	0.066						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	2.76	0.184						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.005	0.067						
Total (%)				1.26					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21201003-004
 Harvest/Lot ID: HYB-MO-101722-C006

 Batch# : 5535 2131 8061
 7917
 Sample Size Received : 18 units
 Total Amount : 2212 units
 Completed : 12/04/22 Expires: 12/04/23
 Ordered : 11/30/22
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 53, 1440	0.9431g	12/01/22 14:16:40	450,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053045PES			Reviewed On : 12/02/22 15:29:20		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 12/01/22 10:42:15		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 12/01/22 15:07:06					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 112822.R01; 112922.R05; 110722.R24; 113022.R01; 092820.59					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 53, 1440	0.9431g	12/01/22 14:16:40	450,3379		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053047VOL			Reviewed On : 12/02/22 15:24:20		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 12/01/22 10:45:05		
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 092820.59; 111622.R42; 111022.R38; 111022.R27					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com



Sample : DA21201003-004
Harvest/Lot ID: HYB-MO-101722-C006

Batch# : 5535 2131 8061
 7917

Sampled : 11/30/22
Ordered : 11/30/22

Sample Size Received : 18 units
Total Amount : 2212 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000						
Analyzed by: 3336, 3621, 53, 1440		Weight: 0.9846g	Extraction date: 12/01/22 14:11:10		Extracted by: 3336	Analyzed by: 3379, 53, 1440		Weight: 0.9431g	Extraction date: 12/01/22 14:16:40		Extracted by: 450,3379
Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA053029MIC			Reviewed On : 12/03/22 23:22:48			Analytical Batch : DA053046MYC			Reviewed On : 12/02/22 15:31:48		
Instrument Used : DA-265 Gene-UP RTPCR			Batch Date : 12/01/22 08:54:37			Instrument Used : DA-LCMS-004 (MYC)			Batch Date : 12/01/22 10:45:03		
Running on : 12/01/22 14:19:28						Running on : 12/01/22 15:07:20					
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 091422.04; 061422.29											
Consumables : 500124											
Pipette : N/A											
Analyzed by: 3390, 3621, 53, 1440		Weight: 0.9125g	Extraction date: 12/01/22 14:22:36		Extracted by: 3336,3621	Analyzed by: 1022, 53, 1440		Weight: 0.4164g	Extraction date: 12/01/22 09:39:19		Extracted by: 3619
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA053048TYM			Reviewed On : 12/03/22 23:31:58			Analytical Batch : DA053033HEA			Reviewed On : 12/01/22 18:00:44		
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 12/01/22 14:05:31			Instrument Used : DA-ICPMS-003			Batch Date : 12/01/22 09:09:36		
Running on : 12/02/22 10:48:06						Running on : 12/01/22 15:03:04					
Dilution : 10						Dilution : 50					
Reagent : 091422.13						Reagent : 112222.R82; 080222.R36; 112322.R63; 112122.R11; 111522.R25; 111822.R22; 111822.R20; 111822.R21					
Consumables : 004103						Consumables : 179436; 210508058; 210803-059					
Pipette : N/A						Pipette : DA-061; DA-106; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com


Sample : DA21201003-004
Harvest/Lot ID: HYB-MO-101722-C006
Batch# : 5535 2131 8061 7917
Sampled : 11/30/22
Ordered : 11/30/22

Sample Size Received : 18 units
Total Amount : 2212 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	9.72	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 2926, 53, 1440	Weight: 0.494g	Extraction date: 12/01/22 12:22:54	Extracted by: 2926,53,1879		
Analysis Method : SOP.T.40.090			Reviewed On : 12/01/22 20:41:25 Batch Date : 12/01/22 20:16:39			Analysis Method : SOP.T.40.021			Reviewed On : 12/01/22 17:53:49 Batch Date : 12/01/22 10:19:44		
Analytical Batch : DA053054FIL						Analytical Batch : DA053041MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 12/01/22 20:36:27						Running on : 12/01/22 12:22:08					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06					
Consumables : N/A						Consumables : PS-14					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.488	PASS	0.65
Analyzed by: 2926, 53, 1440	Weight: 0.723g	Extraction date: 12/01/22 12:18:59		Extracted by: 2926,53	
Analysis Method : SOP.T.40.019			Reviewed On : 12/01/22 17:57:56 Batch Date : 12/01/22 10:12:37		
Analytical Batch : DA053039WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 12/01/22 12:17:36					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.