



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21201003-006
Harvest/Lot ID: 9810 0644 1957 2527
Batch#: 8893 3824 7279 7361
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 9810 0644 1957 2527
Batch Date: 07/15/22
Sample Size Received: 15 units
Total Amount: 4233 units
Retail Product Size: 65.4239 gram
Ordered : 11/30/22
Sampled : 11/30/22
Completed: 12/04/22
Sampling Method: SOP.T.20.010

Dec 04, 2022 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.136%

Total THC/Container : 88.977 mg



Total CBD
ND

Total CBD/Container : 0 mg



Total Cannabinoids
0.142%

Total Cannabinoids/Container : 92.902 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.136	ND	ND	ND	ND	0.004	ND	0.002	ND	ND	ND
mg/unit	88.976	ND	ND	ND	ND	2.616	ND	1.308	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3112, 3605, 1665, 1440

Weight:
 3.1333g

Extraction date:
 12/01/22 10:33:37

Extracted by:
 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053026POT
 Instrument Used : DA-LC-007
 Running on : 12/01/22 10:36:14

Reviewed On : 12/02/22 08:16:41
 Batch Date : 12/01/22 08:17:30

Dilution : 40
 Reagent : 111022.01; 071222.46; 071222.01
 Consumables : 239146; 280670723; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21201003-006
 Harvest/Lot ID: 9810 0644 1957 2527

 Batch# : 8893 3824 7279
 7361

 Sampled : 11/30/22
 Ordered : 11/30/22

Sample Size Received : 15 units

Total Amount : 4233 units

Completed : 12/04/22 Expires: 12/04/23

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	3379, 53, 1440	Weight:	1.1026g	Extraction date:	12/01/22 14:16:41
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	12/02/22 15:29:58
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053045PES			Batch Date :	12/01/22 10:42:15
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on :	12/01/22 15:07:06				
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution :	250				
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent :	112822.R01; 112922.R05; 110722.R24; 113022.R01; 092820.59				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by:	450, 53, 1440	Weight:	1.1026g	Extraction date:	12/01/22 14:16:41
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On :	12/02/22 15:24:55
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch :	DA053047VOL			Batch Date :	12/01/22 10:45:05
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001				
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Running on :	N/A				
KRESOXIM-METHYL	0.01	ppm	2	PASS	ND	Dilution :	250				
MALATHION	0.01	ppm	3	PASS	ND	Reagent :	092820.59; 111622.R42; 111022.R38; 111022.R27				
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146				
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-006
Harvest/Lot ID: 9810 0644 1957 2527

Batch# : 8893 3824 7279
 7361

Sampled : 11/30/22
Ordered : 11/30/22

Sample Size Received : 15 units

Total Amount : 4233 units

Completed : 12/04/22 **Expires:** 12/04/23

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0278g

Extraction date:
 12/02/22 11:07:42

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA053051SOL

Instrument Used : DA-GCMS-002

Running on : 12/02/22 11:35:06

Reviewed On : 12/02/22 14:54:56

Batch Date : 12/01/22 15:43:29

Dilution : 1

Reagent : 071420.56

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-006
Harvest/Lot ID: 9810 0644 1957 2527

Batch# : 8893 3824 7279
 7361

Sampled : 11/30/22
Ordered : 11/30/22




Sample Size Received : 15 units

Total Amount : 4233 units

Completed : 12/04/22 **Expires:** 12/04/23

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 53, 1440 Weight: 1.1026g Extraction date: 12/01/22 14:16:41 Extracted by: 450,3379					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053046MYC Reviewed On : 12/02/22 15:32:06 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/01/22 10:45:03 Running on : 12/01/22 14:19:28 Dilution : N/A Reagent : 091422.04; 061422.29 Consumables : 500124 Pipette : N/A					
Analyzed by: 3336, 3621, 53, 1440 Weight: 0.9619g Extraction date: 12/01/22 14:11:10 Extracted by: 3336 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053029MIC Reviewed On : 12/03/22 23:23:20 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/01/22 08:54:37 Running on : 12/01/22 14:19:28 Dilution : N/A Reagent : 091422.04; 061422.29 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3621, 53, 1440 Weight: 1.0439g Extraction date: 12/01/22 14:22:34 Extracted by: 3336,3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053048TYM Reviewed On : 12/03/22 23:33:03 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 12/01/22 14:05:31 Running on : 12/02/22 10:48:06 Dilution : 10 Reagent : 091422.13 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
Analyzed by: 1022, 53, 1440 Weight: 0.5044g Extraction date: 12/01/22 10:31:41 Extracted by: 3619,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053034HEA Reviewed On : 12/02/22 15:03:04 Instrument Used : DA-ICPMS-003 Batch Date : 12/01/22 09:20:01 Running on : 12/01/22 14:57:39 Dilution : 50 Reagent : 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-006
Harvest/Lot ID: 9810 0644 1957 2527
Batch# : 8893 3824 7279 7361
Sampled : 11/30/22
Ordered : 11/30/22

Sample Size Received : 15 units
Total Amount : 4233 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA053055FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/01/22 20:36:24	Reviewed On : 12/01/22 20:41:12 Batch Date : 12/01/22 20:16:52
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.539	PASS	0.85

Analyzed by: 2926, 53, 1440	Weight: 8.873g	Extraction date: 12/01/22 11:54:26	Extracted by: 2926,53
---------------------------------------	--------------------------	--	---------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA053040WAT Instrument Used : DA-028 Rotronic Hygropalm Running on : 12/01/22 11:44:55	Reviewed On : 12/01/22 17:56:07 Batch Date : 12/01/22 10:13:48
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.142	25

Analyzed by 3605, 1665, 1440	Average Weight 6.532g	Extraction date : 12/01/22 09:39:27	Extracted By : 3335
--	---------------------------------	---	-------------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : DA053032HOM Instrument Used : DA-LC-006 Running on : N/A	Reviewed On : 12/02/22 08:16:36 Batch Date : 12/01/22 08:56:21
---	---

Dilution : 40
Reagent : 111022.01; 071222.48
Consumables : 239146; CE123; 12265-115CC; 61633-125C6-125E; R1KB14270
Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.