



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21201003-007
Harvest/Lot ID: 2021 7572 6368 2230
Batch#: 4326 7800 8683 7220
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 2021 7572 6368 2230
Batch Date: 08/23/22
Sample Size Received: 16 units
Total Amount: 1069 units
Retail Product Size: 1 gram
Ordered : 11/30/22
Sampled : 11/30/22
Completed: 12/04/22
Sampling Method: SOP.T.20.010

Dec 04, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

71.327%

Total THC/Container : 713.27 mg



Total CBD

0.216%

Total CBD/Container : 2.16 mg



Total Cannabinoids

75.17%

Total Cannabinoids/Container : 751.7 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	71.327	ND	0.216	ND	0.383	1.398	ND	1.056	0.25	ND	0.54
mg/unit	713.27	ND	2.16	ND	3.83	13.98	ND	10.56	2.5	ND	5.4
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 53, 1440

Weight:
 0.1033g

Extraction date:
 12/01/22 10:17:56

Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053027POT
 Instrument Used : DA-LC-007
 Running on : 12/01/22 10:28:40

Reviewed On : 12/01/22 18:02:26
 Batch Date : 12/01/22 08:18:03

Dilution : 400
 Reagent : 112322.R10; 070121.27; 112322.R06
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-007
Harvest/Lot ID: 2021 7572 6368 2230
Batch# : 4326 7800 8683
Sample Size Received : 16 units
Total Amount : 1069 units
Completed : 12/04/22 Expires: 12/04/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.64	1.764		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	0.96	0.096		BORNEOL	0.013	0.95	0.095	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	0.48	0.048		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.77	0.177	
OCIMENE	0.007	0.26	0.026		TRANS-NEROLIDOL	0.007	0.62	0.062	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	0.49	0.049	
LINALOOL	0.007	1.14	0.114						
FENCHONE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
ISOPULEGOL	0.007	ND	ND		2076, 53, 1440	1.015g	12/01/22 11:41:52	3807,2076	
ISOBORNEOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
HEXAHYDROTHYMOL	0.007	ND	ND		Analytical Batch : DA053035TER				
NEROL	0.007	ND	ND		Instrument Used : DA-GCMS-004				
GERANYL ACETATE	0.007	ND	ND		Running on : 12/02/22 10:24:01				
BETA-CARYOPHYLLENE	0.007	3.78	0.378		Dilution : 10				
VALENCENE	0.007	0.59	0.059		Reagent : N/A				
CIS-NEROLIDOL	0.007	ND	ND		Consumables : N/A				
CEDROL	0.007	ND	ND		Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	0.68	0.068		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FARNESENE	0	0.17	0.017						
ALPHA-BISABOLOL	0.007	2.07	0.207						
ALPHA-PINENE	0.007	<0.2	<0.02						
SABINENE	0.007	0.22	0.022						
BETA-PINENE	0.007	<0.2	<0.02						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.93	0.193						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	0.31	0.031						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.73	0.073						
Total (%)			1.764						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21201003-007
 Harvest/Lot ID: 2021 7572 6368 2230
 Batch# : 4326 7800 8683
 Sample Size Received : 16 units
 Total Amount : 1069 units
 Completed : 12/04/22 Expires: 12/04/23
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by:	3379, 53, 1440	Weight:	0.2043g	Extraction date:	12/01/22 14:15:05
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	450,3379
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND		SOP.T.40.102.FL (Davie)				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053042PES				
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :	12/01/22 15:07:10				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution :	25				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent :	112822.R01; 111622.R42; 110722.R24; 113022.R01; 092820.59				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analized by:	450, 53, 1440	Weight:	0.2043g	Extraction date:	12/01/22 14:15:05
IMAZALIL	0.01	ppm	0.1	PASS	ND					Extracted by:	450,3379
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND		SOP.T.40.151A.FL (Davie)				
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch :	DA053044VOL				
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on :	N/A				
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution :	25				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent :	111622.R42; 092820.59; 111022.R38; 111022.R27				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
NALED	0.01	ppm	0.25	PASS	ND	Pipette :	DA-080; DA-146				
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-007
Harvest/Lot ID: 2021 7572 6368 2230
Batch# : 4326 7800 8683
Sample Size Received : 16 units
Total Amount : 1069 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010
Sampled : 11/30/22
Ordered : 11/30/22

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 53, 1440	Weight: 0.022g	Extraction date: 12/02/22 11:07:43	Extracted by: 850
Analysis Method : SOP.T.40.041.FL		Reviewed On : 12/02/22 14:55:15 Batch Date : 12/01/22 15:43:29	
Analytical Batch : DA053051SOL			
Instrument Used : DA-GCMS-002			
Running on : 12/02/22 11:35:06			
Dilution : 1			
Reagent : 071420.56			
Consumables : R2017.167; KF140			
Pipette : DA-309 25 uL Syringe 35028			

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-007
Harvest/Lot ID: 2021 7572 6368 2230
Batch# : 4326 7800 8683 7220
Sample Size Received : 16 units
Total Amount : 1069 units
Completed : 12/04/22 **Expires:** 12/04/23
Ordered : 11/30/22 **Sample Method :** SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 53, 1440 Weight: 0.2043g Extraction date: 12/01/22 14:15:05 Extracted by: 450,3379					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053043MYC Reviewed On : 12/02/22 16:06:23 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/01/22 10:40:26 Running on : 12/01/22 14:19:28 Dilution : N/A Reagent : 091422.04; 061422.29 Consumables : 500124 Pipette : N/A					
Analyzed by: 3336, 3621, 53, 1440 Weight: 0.8239g Extraction date: 12/01/22 14:11:11 Extracted by: 3336 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053029MIC Reviewed On : 12/03/22 23:23:30 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/01/22 08:54:37 Running on : 12/01/22 14:19:28 Dilution : N/A Reagent : 091422.04; 061422.29 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	<0.1	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 1440 Weight: 0.5351g Extraction date: 12/01/22 10:03:31 Extracted by: 3619,1022						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053034HEA Reviewed On : 12/02/22 15:04:26 Instrument Used : DA-ICPMS-003 Batch Date : 12/01/22 09:20:01 Running on : 12/01/22 14:57:39 Dilution : 50 Reagent : 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21201003-007
Harvest/Lot ID: 2021 7572 6368 2230
Batch# : 4326 7800 8683
7220
Sampled : 11/30/22
Ordered : 11/30/22

Sample Size Received : 16 units
Total Amount : 1069 units
Completed : 12/04/22 **Expires:** 12/04/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053056FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/01/22 20:36:22	Reviewed On : 12/01/22 20:40:38 Batch Date : 12/01/22 20:17:00
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.485	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 53, 1440	0.541g	12/01/22 11:54:26	2926,53

Analysis Method : SOP.T.40.019 Analytical Batch : DA053040WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/01/22 11:44:55	Reviewed On : 12/01/22 17:56:11 Batch Date : 12/01/22 10:13:48
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.