



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA21202004-004

Harvest/Lot ID: HYB-GP-101922-C0062

Batch#: 1286 0780 9530 1045

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Seed to Sale# 9604 2291 4511 5776

Batch Date: 10/03/22

Sample Size Received: 18 units

Total Amount: 2200 units

Retail Product Size: 1.5 gram

Ordered: 12/01/22

Sampled: 12/01/22

Completed: 12/06/22

Sampling Method: SOP.T.20.010

**PASSED**

Pages 1 of 5

Dec 06, 2022 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US




### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



Total THC

**10.078%**

Total THC/Container: 151.17 mg



Total CBD

**0.04%**

Total CBD/Container: 0.6 mg



Total Cannabinoids

**11.83%**

Total Cannabinoids/Container: 177.45 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.334	11.111	ND	0.046	0.06	0.048	0.148	0.021	ND	ND	0.062
mg/unit	5.01	166.665	ND	0.69	0.9	0.72	2.22	0.315	ND	ND	0.93
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3112, 1665, 1440

Weight:  
0.2021g

Extraction date:  
12/02/22 10:22:03

Extracted by:  
3605,3112

Analysis Method: SOP.T.40.031, SOP.T.30.031  
Analytical Batch: DA053063POT  
Instrument Used: DA-LC-002 (Flower)  
Running on: 12/02/22 11:03:16

Reviewed On: 12/06/22 07:54:08  
Batch Date: 12/02/22 08:51:15

Dilution: 400  
Reagent: 112922.R04; 071222.01; 112922.R02  
Consumables: 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270  
Pipette: N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample : DA21202004-004**
**Harvest/Lot ID: HYB-GP-101922-C0062**
**Batch# :** 1286 0780 9530  
 1045

**Sampled :** 12/01/22

**Ordered :** 12/01/22

**Sample Size Received :** 18 units

**Total Amount :** 2200 units

**Completed :** 12/06/22 **Expires:** 12/06/23

**Sample Method :** SOP.T.20.010

Page 2 of 5



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.72	0.448		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.3	<0.02		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.975	0.065	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
LINALOOL	0.007	0.72	0.048		Analyzed by: 2076, 585, 1440 Weight: 0.8717g Extraction date: 12/03/22 13:39:44 Extracted by: 2076				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053078TER Instrument Used : DA-GCMS-004 Running on : 12/03/22 13:41:45 Reviewed On : 12/05/22 11:23:30 Batch Date : 12/02/22 10:39:46				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : N/A Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.48	0.232						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02						
FARNESENE	0	0.075	0.005						
ALPHA-BISABOLOL	0.007	0.795	0.053						
ALPHA-PINENE	0.007	<0.3	<0.02						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	<0.3	<0.02						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	0.675	0.045						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	<0.3	<0.02						
<b>Total (%)</b>				<b>0.448</b>					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA21202004-004  
 Harvest/Lot ID: HYB-GP-101922-C0062

 Batch# : 1286 0780 9530  
 1045  
 Sample Size Received : 18 units  
 Total Amount : 2200 units  
 Completed : 12/06/22 Expires: 12/06/23  
 Ordered : 12/01/22  
 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CLOFENPROX	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	3379, 585, 2023, 1440	0.8126g	12/02/22 12:57:09	450,3379		
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
FIPRONIL	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053069PES		Reviewed On : 12/05/22 11:15:38			
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 12/02/22 09:17:04			
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Running on : N/A					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Reagent : 112822.R01; 111622.R42; 110722.R24; 113022.R01; 092820.59					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MALATHION	0.01	ppm	0.2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METALAXYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
METHOMYL	0.01	ppm	0.1	PASS	ND	450, 585, 1440, 2023	0.8126g	12/02/22 12:57:09	450,3379		
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053071VOL		Reviewed On : 12/05/22 11:16:12			
NALED	0.01	ppm	0.25	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 12/02/22 09:18:45			
						Running on : N/A					
						Dilution : 250					
						Reagent : 112822.R01; 111622.R42; 110722.R24; 113022.R01; 092820.59					
						Consumables : 6676024-02					
						Pipette : DA-093; DA-094; DA-219					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					







# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA21202004-004  
 Harvest/Lot ID: HYB-GP-101922-C0062  
 Batch# : 1286 0780 9530  
 1045  
 Sample Size Received : 18 units  
 Total Amount : 2200 units  
 Completed : 12/06/22 Expires: 12/06/23  
 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>										
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02					
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER			Not Present	PASS												
TOTAL YEAST AND MOLD	10	CFU/g	270	PASS	100000											
Analyzed by: 3621, 3390, 2682, 53, 1440		Weight: 0.9099g	Extraction date: 12/02/22 10:37:49		Extracted by: 3390,3621	Analyzed by: 3379, 53, 1440		Weight: 0.8126g	Extraction date: 12/02/22 12:57:09		Extracted by: 450,3379					
Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)										
Analytical Batch : DA053058MIC			Reviewed On : 12/05/22 07:57:02			Analytical Batch : DA053070MYC			Reviewed On : 12/05/22 08:51:21							
Instrument Used : DA-265 Gene-UP RTPCR			Batch Date : 12/02/22 07:52:52			Instrument Used : DA-LCMS-004 (MYC)			Batch Date : 12/02/22 09:18:42							
Running on : 12/02/22 10:47:14						Running on : N/A										
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										
Reagent : 091422.04; 061422.29																
Consumables : 500124																
Pipette : N/A																
Analyzed by: 3621, 2682, 53, 1440		Weight: 0.9118g	Extraction date: 12/03/22 13:05:14		Extracted by: 3390,3621,2682	Metal		LOD	Units	Result	Pass / Fail	Action Level				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						TOTAL CONTAMINANT LOAD METALS						0.11	ppm	ND	PASS	1.1
Analytical Batch : DA053076TYM			Reviewed On : 12/05/22 08:00:58			ARSENIC			0.02	ppm	ND	PASS	0.2			
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 12/02/22 10:33:08			CADMIUM			0.02	ppm	ND	PASS	0.2			
Running on : 12/03/22 13:05:17						LEAD			0.05	ppm	ND	PASS	0.5			
						MERCURY			0.02	ppm	ND	PASS	0.2			
Analyzed by: 1022, 53, 1440		Weight: 0.4599g	Extraction date: 12/02/22 09:42:51		Extracted by: 1022,3619	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA053062HEA			Reviewed On : 12/02/22 16:04:08			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Instrument Used : DA-ICPMS-003			Batch Date : 12/02/22 08:51:04			Analytical Batch : DA053062HEA										
Running on : 12/02/22 15:13:27						Instrument Used : DA-ICPMS-003										
Dilution : 50						Running on : 12/02/22 15:13:27										
Reagent : 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25; 100622.35						Dilution : 50										
Consumables : 179436; 210508058; 210803-059						Reagent : 112222.R82; 080222.R36; 111822.R22; 112322.R63; 111822.R20; 111822.R21; 112122.R11; 111522.R25; 100622.35										
Pipette : DA-061; DA-106; DA-216						Consumables : 179436; 210508058; 210803-059										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com


**Sample : DA21202004-004**  
**Harvest/Lot ID: HYB-GP-101922-C0062**  
**Batch# :** 1286 0780 9530  
**1045**  
**Sampled :** 12/01/22  
**Ordered :** 12/01/22

**Sample Size Received :** 18 units  
**Total Amount :** 2200 units  
**Completed :** 12/06/22 **Expires:** 12/06/23  
**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	11.29	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 2926, 1879, 1440	Weight: 0.497g	Extraction date: 12/02/22 13:26:58		Extracted by: 2926	
Analysis Method : SOP.T.40.090 Analytical Batch : DA053101FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/02/22 15:10:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA053041MOI Instrument Used : DA-003 Moisture Analyzer Running on : 12/01/22 12:22:08					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.434	PASS	0.65
Analyzed by: 2926, 1879, 1440	Weight: 0.847g	Extraction date: 12/02/22 14:27:32		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 12/03/22 10:31:59 Batch Date : 12/01/22 10:12:37		
Analytical Batch : DA053039WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Running on : 12/01/22 12:17:36					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.