

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Rainmaker Cartridges 1g (60%) Rainmaker Matrix: Derivative



Sample: DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#: 5000 2171 0145 3418

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 8196 9192 4362 6794

Batch Date: 09/06/22

Sample Size Received: 16 gram Total Amount: 1809 units

Retail Product Size: 1 gram Ordered: 12/03/22

Sampled: 12/03/22 Completed: 12/07/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Dec 07, 2022 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS











Microbials

PASSED

PASSED



PASSED



Filth PASSED



PASSED

Moisture



MISC.

TESTED

PASSED

Cannabinoid

Total THC

57.163%



Total CBD 0.081%

CBG

1.308

13.08

Total CBD/Container: 0.81 mg



CBN

0.601

6.01

0.001

%

Total Cannabinoids

Total Cannabinoids/Container: 605.02

CBDV



%	
mg/unit	
LOD	

	D9-THC
	56.411
ınit	564.11
	0.001



































CBD

0.06

0.001 %

CBDA

0.025

0.25 1.01 0.001 %

D8-THC

0.101

0.001 %

0.001

Reviewed On: 12/06/22 09:02:34 Batch Date: 12/03/22 16:26:33

CBGA

0.102

1.02

0.235 ND 2.35 ND 0.001

THCV

8.01 0.001 0.001 0/0 %

CBC

0.801

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA053132POT Instrument Used : DA-LC-007 Running on: 12/05/22 09:42:11

Dilution: 400
Reagent: 120122.R22; 071222.01; 120122.R18
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/07/22



Kaycha Labs

Rainmaker Cartridges 1g (60%) Rainmaker

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#:5000 2171 0145

Sampled: 12/03/22 Ordered: 12/03/22 Sample Size Received: 16 gram
Total Amount: 1809 units

Completed: 12/07/22 Expires: 12/07/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/un	it %	Result (%)	
OTAL TERPENES	0.007	25.87	2.587			CAMPHOR	0.013	ND	ND		
OTAL TERPINEOL	0.007	0.49	0.049			BORNEOL	0.013	1.02	0.102		
AMPHENE	0.007	ND	ND			GERANIOL	0.007	0.78	0.078		
ETA-MYRCENE	0.007	2.42	0.242			PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND			ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND			ALPHA-HUMULENE	0.007	1.72	0.172		
CIMENE	0.007	0.37	0.037			TRANS-NEROLIDOL	0.007	2.13	0.213		
UCALYPTOL		ND	ND			GUAIOL	0.007	0.61	0.061		
INALOOL	0.007	1.26	0.126			Analyzed by: Weight:		Extraction	date:	Evtra	acted b
ENCHONE		ND	ND			2076, 53, 1440 0.8993g		12/06/22 1		2076	
OPULEGOL		ND	ND			Analysis Method: SOP.T.30.061A.FL, SOP.T.40.06	1A.FL				
OBORNEOL	0.007	ND	ND			Analytical Batch : DA053139TER				2/07/22 13:47:52	
EXAHYDROTHYMOL	0.007	ND	ND		Instrument Used: DA-GCMS-004 Running on: 12/07/22 11:10:53				tch Date : 12/	04/22 14:25:17	
EROL	0.007	< 0.2	< 0.02			Dilution: 10					
ERANYL ACETATE	0.007	ND	ND			Reagent : N/A					
ETA-CARYOPHYLLENE	0.007	4.99	0.499			Consumables: 210414634; MKCN9995; CE0123;	R1KB14270				
ALENCENE	0.007	ND	ND			Pipette : N/A					
S-NEROLIDOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromatogr	aphy Mass Spec	trometry.			
DROL	0.007	ND	ND								
ARYOPHYLLENE OXIDE			0.078								
ARNESENE	0	0.92	0.092								
PHA-BISABOLOL	0.007	1.23	0.123								
PHA-PINENE			0.024								
ABINENE		ND	ND								
ETA-PINENE			0.027								
PHA-TERPINENE		ND	ND								
MONENE			0.367								
AMMA-TERPINENE		ND	ND								
RPINOLENE			0.041								
ABINENE HYDRATE		ND	ND								
			0.072								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/07/22



Kaycha Labs

Rainmaker Cartridges 1g (60%) Rainmaker

Matrix : Derivative



Certificate of Analysis

PASSED

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#:5000 2171 0145

Sampled: 12/03/22 Ordered: 12/03/22 Sample Size Received: 16 gram Total Amount: 1809 units

Completed: 12/07/22 Expires: 12/07/23 Sample Method : SOP.T.20.010

Page 3 of 6



P	e	S	ti	ci	d	e	5
	_	_	-	~	ч	_	¥

LOD	Units	Action Level	Pass/Fail	Result	

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN						
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01		0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm			
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND		Mr. L. b.				F. d	ad boo
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 53, 1440	Weight: 0.2581a		raction da 05/22 11:4		Extract 585	ea by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101						Gainesv
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gairlesviile	.,, 501 .1	.50.102.11	(Davie), Joi	.1.40.101.11 (Junicav
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053146PES	ch : DA053146PES					
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004		Batch Date: 12/04/22 18:57:36				
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 12/05/22 12:05:43						
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250		/l.				
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 112822.R01; 111622. Consumables: 6676024-02	R42; 110/22.R	24; 113	022.R01; 0	92820.59		
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-2	19					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is p		na Liauic	Chromato	ranhy Trinle-I	Quadrunole Ma	cc
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with	F.S. Rule 64ER2	0-39.	Cilioniaco	grapity triple	Quadrapoic i-ia	33
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extr	action dat	e:	Extracte	ed by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440, 53	0.2581g	12/0	5/22 11:49	:40	585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151	.FL (Gainesville), SOP.T	.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA053148VO				n:12/06/22 1		
TALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-00	1	В	atch Date	12/04/22 19:	00:38	
THIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A						
THOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 111622.R42; 092820.	50· 111022 P2	Q- 1110	22 027			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02: 14		0, 1110	£2.N2/			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146	,25401					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is print accordance with F.S. Rule 64ER		ng Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/07/22



Kaycha Labs

Rainmaker Cartridges 1g (60%) Rainmaker

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#:5000 2171 0145

Sampled: 12/03/22 Ordered: 12/03/22

Sample Size Received: 16 gram Total Amount: 1809 units

Completed: 12/07/22 Expires: 12/07/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:	1/1/1	// / \/	Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA053234SOL

Instrument Used : DA-GCMS-002 Running on: 12/07/22 12:29:37

Dilution: 1

850, 53, 1440

Reagent: 071420.56 Consumables: R2017.167; KE136

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 12/07/22 14:05:24 Batch Date: 12/06/22 15:40:16

12/07/22 12:12:19

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

0.0226g

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



850

12/07/22



Kaycha Labs

Rainmaker Cartridges 1g (60%)

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date:

12/05/22 11:49:40

Units

maa

ppm

ppm

ppm

ppm

Result

ND

ND

ND

Reviewed On: 12/06/22 11:03:37

Batch Date: 12/04/22 19:00:34

Rainmaker Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#:5000 2171 0145

Sampled: 12/03/22 Ordered: 12/03/22

Reviewed On: 12/07/22 08:59:35 Batch Date: 12/05/22 09:10:48

Sample Size Received: 16 gram Total Amount: 1809 units

Completed: 12/07/22 Expires: 12/07/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED

Extracted by



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Analyzed by: 3379, 585, 53, 1440

Analytical Batch: DA053147MYC Instrument Used : DA-LCMS-004 (MYC)

Running on: 12/05/22 12:06:06

Mycotoxins

PASSED

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Action

Level

0.02

0.02

0.02

0.02

0.02

Analyte	LOD	Units Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP		Not Present	PASS	
SALMONELLA SPECIFIC GENE		Not Present	PASS	
ASPERGILLUS FLAVUS		Not Present	PASS	
ASPERGILLUS FUMIGATUS		Not Present	PASS	
ASPERGILLUS TERREUS		Not Present	PASS	
ASPERGILLUS NIGER		Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g <10	PASS	100000
Analyzed by: We	eight: Extra	action date:	Extracte	d hv:

1.2g 12/05/22 10:26:41 3390

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053167MIC
Instrument Used : DA-265 Gene-UP RTPCR Running on: 12/05/22 11:36:30

Dilution: N/A

Analyzed by

Reagent: 091422.04; 091422.13; 062422.02

Consumables : N/A Pipette: N/A

Hg	
بنب ا	

TOTAL CONT. ARSENIC CADMIUM LEAD

MERCURY

Analyzed by:

1022, 53, 1440

Heavy Metals

0.2581g

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

PASSED

3619,1022

3390, 3621, 53, 1440	1.146g	12/05/22 10:30:35	3390
Analysis Method : SOP.T.40.208	(Gainesville),	SOP.T.40.209.FL	
Analytical Batch: DA053169TYN	/	Reviewed On: 1	12/07/22 12:09:32
Instrument Used : Incubator (25	-27C) DA-097	Batch Date: 12	/05/22 10:28:40
Running on: 12/05/22 11:36:39			

Extraction date

Weight

Dilution: N/A Reagent: 091422.13 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

ія П	Heavy	recais	
l /		LOD	Un

	LOD	Units	Result	Pass / Fail	Level	
AMINANT LOAD META	LS 0.11	ppm	ND	PASS	1.1	
	0.02	ppm	ND	PASS	0.2	
	0.02	ppm	ND	PASS	0.2	
	0.05	ppm	ND	PASS	0.5	
	0.02	ppm	ND	PASS	0.2	
Weight:	Extraction date:		Ex	tracted b	v:	

12/05/22 12:21:09

0.4761g Analysis Method: SOP T 30 082 FL SOP T 40 082 FL

Analytical Batch : DA053155HEA Reviewed On: 12/06/22 13:33:39 Instrument Used: DA-ICPMS-003 **Batch Date:** 12/04/22 21:00:21 Running on: 12/06/22 09:58:10

Dilution: 50

Reagent: 112222.R82; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25

Consumables: 179436; 210508058; 210803-059 Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/07/22



Kaycha Labs

Rainmaker Cartridges 1g (60%) Rainmaker

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21204001-014 Harvest/Lot ID: 5000 2171 0145 3418

Batch#:5000 2171 0145

3418

Sampled: 12/03/22 Ordered: 12/03/22

Reviewed On: 12/04/22 15:11:08 Batch Date: 12/04/22 14:38:24

Reviewed On: 12/06/22 16:09:08 Batch Date: 12/06/22 09:34:34

Sample Size Received: 16 gram Total Amount: 1809 units

Completed: 12/07/22 Expires: 12/07/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign **Material**

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS **Extraction date:** Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA053142FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 12/04/22 14:49:37

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.1	aw	0.614	PASS	0.85
Analyzed by:	Weight:	Extraction date			Extracted by:	
2926, 53, 1440	0.336g	12/06/22 11:35:36			2926	

Analysis Method : SOP.T.40.019
Analytical Batch : DA053220WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : 12/06/22 11:33:28

Dilution : N/A

Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/07/22