



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21205005-008
Harvest/Lot ID: 4864 1169 3818 2861
Batch#: 5897 9161 5893 6772
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 4864 1169 3818 2861
Batch Date: 11/14/22
Sample Size Received: 15 units
Total Amount: 4380 units
Retail Product Size: 63.3169 gram
Ordered : 12/05/22
Sampled : 12/05/22
Completed: 12/08/22
Sampling Method: SOP.T.20.010

Dec 08, 2022 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED

Cannabinoid
PASSED

Total THC
0.144%

Total THC/Container : 91.176 mg


Total CBD
ND

Total CBD/Container : 0 mg


Total Cannabinoids
0.157%

Total Cannabinoids/Container : 99.408 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.144	ND	ND	ND	ND	0.005	ND	0.002	0.002	ND	0.004
mg/unit	91.176	ND	ND	ND	ND	3.165	ND	1.266	1.266	ND	2.532
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 3605, 1665, 585, 1440

Weight:
2.9782g

Extraction date:
12/06/22 10:33:11

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053208POT
Instrument Used : DA-LC-007
Running on : 12/06/22 11:35:32

Reviewed On : 12/07/22 14:35:04
Batch Date : 12/06/22 08:10:38

Dilution : 40
Reagent : 111022.01; 120122.R22; 071222.46; 071222.01; 120122.R18
Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21205005-008
 Harvest/Lot ID: 4864 1169 3818 2861

 Batch# : 5897 9161 5893
 6772

 Sampled : 12/05/22
 Ordered : 12/05/22

Sample Size Received : 15 units

Total Amount : 4380 units

Completed : 12/08/22 Expires: 12/08/23

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND	
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND	
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND	
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND	
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND	
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND	
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND	
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND	
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND	
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND	
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND	
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND	
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND	
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND	
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND	
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND	
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND	
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND	
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND	
DAMINOZIDE	0.01	ppm	0.1	PASS	ND							
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	3379, 585, 53, 1440	Weight:	0.9103g	Extraction date:	12/06/22 13:47:14	
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	585,3379	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND							
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053215PES			Reviewed On :	12/07/22 14:34:47	
ETOXAZOLE	0.01	ppm	1.5	PASS	ND		Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	12/06/22 09:27:11
FENHEXAMID	0.01	ppm	3	PASS	ND		Running on :	12/06/22 13:44:22				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution :	250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent :	120522.R01; 111622.R42; 110722.R24; 113022.R01; 092820.59					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	3379, 53, 1440	Weight:	0.9103g	Extraction date:	12/06/22 13:47:14	
IMAZALIL	0.01	ppm	0.1	PASS	ND					Extracted by:	585,3379	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND		Analytical Batch :	DA053217VOL			Reviewed On :	12/07/22 09:09:40
MALATHION	0.01	ppm	2	PASS	ND		Instrument Used :	DA-GCMS-001			Batch Date :	12/06/22 09:29:27
METALAXYL	0.01	ppm	3	PASS	ND		Running on :	N/A				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution :	250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent :	111622.R42; 092820.59; 111022.R38; 111022.R27					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette :	DA-080; DA-146					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21205005-008
Harvest/Lot ID: 4864 1169 3818 2861

Batch# : 5897 9161 5893
 6772

Sampled : 12/05/22
Ordered : 12/05/22

Sample Size Received : 15 units

Total Amount : 4380 units

Completed : 12/08/22 **Expires:** 12/08/23

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	<30
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0249g

Extraction date:
 12/07/22 13:40:51

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053236SOL
Instrument Used : DA-GCMS-003
Running on : 12/07/22 13:54:22

Reviewed On : 12/07/22 14:35:05
Batch Date : 12/06/22 15:44:25

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21205005-008
Harvest/Lot ID: 4864 1169 3818 2861
Batch# : 5897 9161 5893 6772
Sample Size Received : 15 units
Total Amount : 4380 units
Completed : 12/08/22 **Expires:** 12/08/23
Ordered : 12/05/22 **Sample Method :** SOP.T.20.010

Page 4 of 5

	Microbial					PASSED					
<div>AnalyteLODUnitsResultPass / FailAction Level</div> <div>ESCHERICHIA COLI SHIGELLA SPPNot PresentPASS100000</div> <div>SALMONELLA SPECIFIC GENENot PresentPASS</div> <div>ASPERGILLUS FLAVUSNot PresentPASS</div> <div>ASPERGILLUS FUMIGATUSNot PresentPASS</div> <div>ASPERGILLUS TERREUSNot PresentPASS</div> <div>ASPERGILLUS NIGERNot PresentPASS</div> <div>TOTAL YEAST AND MOLD10CFU/g<10PASS</div> <div>Analyzed by: 3390, 3621, 585, 1440Weight: 1.059gExtraction date: 12/06/22 10:28:26Extracted by: 3390</div> <div>Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FLAnalytical Batch : DA053205MICReviewed On : 12/08/22 12:48:11Instrument Used : DA-265 Gene-UP RTPCRBatch Date : 12/06/22 08:08:56Running on : 12/06/22 11:13:09</div> <div>Dilution : N/AReagent : 091422.04; 062422.02Consumables : 500124Pipette : N/A</div>						<div>AnalyteLODUnitsResultPass / FailAction Level</div> <div>AFLATOXIN B20.002ppmNDPASS0.02</div> <div>AFLATOXIN B10.002ppmNDPASS0.02</div> <div>OCHRATOXIN A0.002ppmNDPASS0.02</div> <div>AFLATOXIN G10.002ppmNDPASS0.02</div> <div>AFLATOXIN G20.002ppmNDPASS0.02</div> <div>Analyzed by: 3379, 585, 53, 1440Weight: 0.9103gExtraction date: 12/06/22 13:47:14Extracted by: 585,3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)Analytical Batch : DA053216MYCReviewed On : 12/07/22 12:18:26Instrument Used : DA-LCMS-004 (MYC)Batch Date : 12/06/22 09:29:23Running on : 12/06/22 13:44:36</div> <div>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
<div><div><div>Hg</div></div></div> <div>Heavy Metals</div>						PASSED					
<div>MetalLODUnitsResultPass / FailAction Level</div> <div>TOTAL CONTAMINANT LOAD METALS0.11ppmNDPASS5</div> <div>ARSENIC0.02ppmNDPASS1.5</div> <div>CADMIUM0.02ppmNDPASS0.5</div> <div>LEAD0.05ppmNDPASS0.5</div> <div>MERCURY0.02ppmNDPASS3</div> <div>Analyzed by: 1022, 53, 1440Weight: 0.4579gExtraction date: 12/06/22 09:41:25Extracted by: 3619</div> <div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FLAnalytical Batch : DA053210HEAReviewed On : 12/08/22 12:56:59Instrument Used : DA-ICPMS-003Batch Date : 12/06/22 08:27:42Running on : 12/07/22 10:11:08</div> <div>Dilution : 50Reagent : 112222.R82; 080222.R36; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35Consumables : 179436; 210508058; 210803-059Pipette : DA-061; DA-106; DA-216</div>						<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21205005-008
 Harvest/Lot ID: 4864 1169 3818 2861
 Batch# : 5897 9161 5893 6772
 Sampled : 12/05/22
 Ordered : 12/05/22

 Sample Size Received : 15 units
 Total Amount : 4380 units
 Completed : 12/08/22 Expires: 12/08/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA053243FIL
 Instrument Used : Filth/Foreign Material Microscope
 Running on : 12/07/22 00:18:11
 Reviewed On : 12/07/22 00:21:20
 Batch Date : 12/07/22 00:16:20

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.531	PASS	0.85

Analyzed by: 2926, 53, 1440	Weight: 4.315g	Extraction date: 12/06/22 12:06:00	Extracted by: 2926
--------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA053218WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Running on : 12/06/22 12:04:41
 Reviewed On : 12/06/22 16:14:01
 Batch Date : 12/06/22 09:31:20

 Dilution : N/A
 Reagent : 121421.21
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.258	25

Analyzed by 3335, 1665, 1440	Average Weight 6.386g	Extraction date : 12/06/22 09:30:56	Extracted By : 3702,3335
---------------------------------	--------------------------	----------------------------------------	-----------------------------

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
 Analytical Batch : DA053204HOM
 Instrument Used : DA-LC-004
 Running on : 12/06/22 10:06:50
 Reviewed On : 12/07/22 08:22:05
 Batch Date : 12/06/22 07:49:36

 Dilution : 40
 Reagent : 111022.01; 120122.R23; 071222.48; 120122.R17
 Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.