



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21207003-004
Harvest/Lot ID: 3094 6777 2913 9222
Batch#: 2270 4925 5439 9882
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 3094 6777 2913 9222
Batch Date: 07/20/22
Sample Size Received: 6 units
Total Amount: 1332 units
Retail Product Size: 11.25 gram
Ordered : 12/06/22
Sampled : 12/06/22
Completed: 12/09/22
Sampling Method: SOP.T.20.010

Dec 09, 2022 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

Cannabinoid
PASSED

Total THC
3.803%

Total THC/Container : 427.838 mg


Total CBD
0.019%

Total CBD/Container : 2.138 mg


Total Cannabinoids
4.238%

Total Cannabinoids/Container : 476.775 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	3.803	ND	0.019	ND	0.052	0.152	0.006	0.145	0.027	ND	0.034
mg/unit	427.837	ND	2.137	ND	5.85	17.1	0.675	16.312	3.037	ND	3.825
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 3379

Weight:
2.9361g

Extraction date:
12/07/22 10:11:28

Extracted by:
3605,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053255POT
Instrument Used : DA-LC-007
Running on : 12/07/22 10:27:12

Reviewed On : 12/08/22 14:43:10
Batch Date : 12/07/22 09:12:36

Dilution : 400
Reagent : 120122.R22; 070621.18; 120122.R18
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21207003-004
Harvest/Lot ID: 3094 6777 2913 9222

Batch# : 2270 4925 5439
9882

Sampled : 12/06/22
Ordered : 12/06/22

Sample Size Received : 6 units

Total Amount : 1332 units

Completed : 12/09/22 Expires: 12/09/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	61.65	0.548		CAMPHOR	0.007	ND	ND	
TOTAL TERPINEOL	0.007	<2.25	<0.02		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	3.375	0.03		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	<2.25	<0.02	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
LINALOOL	0.007	4.612	0.041		Analyzed by: 2076, 585, 3379 Weight: 1.1493g Extraction date: 12/08/22 17:09:13 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053257TER Instrument Used : DA-GCMS-005 Running on : 12/08/22 17:01:17 Reviewed On : 12/09/22 17:46:36 Batch Date : 12/07/22 09:21:32 Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	29.025	0.258						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
FARNESENE	0	ND	ND						
ALPHA-BISABOLOL	0.007	10.687	0.095						
ALPHA-PINENE	0.007	<2.25	<0.02						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	<2.25	<0.02						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	13.95	0.124						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	<2.25	<0.02						
Total (%)				0.548					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21207003-004
Harvest/Lot ID: 3094 6777 2913 9222

Batch# : 2270 4925 5439
 9882

Sampled : 12/06/22
Ordered : 12/06/22

Sample Size Received : 6 units
Total Amount : 1332 units
Completed : 12/09/22 **Expires:** 12/09/23
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379	0.2264g	12/07/22 14:18:10	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch :	DA053260PES	Reviewed On :	12/08/22 15:38:20		
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)	Batch Date :	12/07/22 09:43:21		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :	12/07/22 14:20:37				
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution :	250				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent :	120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59				
FLONICAMID	0.01	ppm	2	PASS	ND	Consumables :	6676024-02				
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	3379, 585	0.2264g	12/07/22 14:18:10	585		
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053262VOL	Reviewed On :	12/08/22 14:29:47		
METHOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001	Batch Date :	12/07/22 09:46:05		
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Running on :	12/07/22 14:27:24				
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Dilution :	250				
NALED	0.01	ppm	0.5	PASS	ND	Reagent :	111622.R42; 092820.59; 120122.R67; 120622.R24				
						Consumables :	6676024-02; 14725401				
						Pipette :	DA-093; DA-094; DA-219				
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21207003-004
Harvest/Lot ID: 3094 6777 2913 9222

Batch# : 2270 4925 5439
 9882

Sampled : 12/06/22
Ordered : 12/06/22

Sample Size Received : 6 units

Total Amount : 1332 units

Completed : 12/09/22 **Expires:** 12/09/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3379

Weight:
 0.0207g

Extraction date:
 12/08/22 11:15:20

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053303SOL
Instrument Used : DA-GCMS-002
Running on : 12/08/22 11:22:52

Reviewed On : 12/08/22 14:43:14
Batch Date : 12/07/22 15:03:01

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21207003-004
 Harvest/Lot ID: 3094 6777 2913 9222

 Batch# : 2270 4925 5439 9882
 Sample Size Received : 6 units
 Total Amount : 1332 units
 Completed : 12/09/22 Expires: 12/09/23
 Ordered : 12/06/22
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 3379 Weight: 0.2264g Extraction date: 12/07/22 14:18:10 Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053261MYC Reviewed On : 12/08/22 15:26:13 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 12/07/22 09:46:03 Running on : 12/07/22 14:20:43					
Analyzed by: 3702, 3390, 3621, 53, 3379 Weight: 1.1998g Extraction date: 12/07/22 13:04:30 Extracted by: 3621,3702 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053249MIC Reviewed On : 12/09/22 09:17:46 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/07/22 08:23:30 Running on : 12/07/22 17:24:54 Dilution : N/A Reagent : 091422.04; 062422.02 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 3379 Weight: 1.026g Extraction date: 12/07/22 14:14:39 Extracted by: 3621,3702 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053298TYM Reviewed On : 12/09/22 14:41:50 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 12/07/22 14:02:48 Running on : 12/07/22 17:59:59 Dilution : N/A Reagent : 091422.13 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
Analyzed by: 1022, 1879, 3379, 585 Weight: 0.4522g Extraction date: 12/07/22 10:04:45 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053270HEA Reviewed On : 12/08/22 15:02:35 Instrument Used : DA-ICPMS-003 Batch Date : 12/07/22 09:53:30 Running on : 12/07/22 15:23:36 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21207003-004
Harvest/Lot ID: 3094 6777 2913 9222
Batch# : 2270 4925 5439 9882
Sampled : 12/06/22
Ordered : 12/06/22

Sample Size Received : 6 units
Total Amount : 1332 units
Completed : 12/09/22 **Expires:** 12/09/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 3379	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053307FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/07/22 18:25:36	Reviewed On : 12/07/22 18:37:03 Batch Date : 12/07/22 18:13:31
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.477	TESTED	

Analyzed by:	Weight:	Extraction date:	Extracted by:
3807, 1879, 3379	1.216g	12/07/22 13:22:13	3807

Analysis Method : SOP.T.40.019 Analytical Batch : DA053276WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/07/22 13:26:56	Reviewed On : 12/07/22 18:44:45 Batch Date : 12/07/22 10:39:21
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.