



Certificate of Analysis



COMPLIANCE FOR RETAIL

Sample: DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736
Batch#: 8958 2671 0489 7894
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 5512 2228 4830 6736
Batch Date: 10/07/22
Sample Size Received: 51 units
Total Amount: 2719 units
Retail Product Size: 0.3 gram
Ordered : 12/07/22
Sampled : 12/07/22
Completed: 12/10/22
Sampling Method: SOP.T.20.010




Dec 10, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 84.043% Total THC/Container : 252.129 mg		Total CBD 0.311% Total CBD/Container : 0.933 mg		Total Cannabinoids 89.215% Total Cannabinoids/Container : 267.645 mg
--	--	---	---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.02	0.027	0.293	0.021	0.482	2.135	0.032	1.331	0.569	ND	0.305
mg/unit	252.06	0.081	0.879	0.063	1.446	6.405	0.096	3.993	1.707	ND	0.915
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 3605, 1665, 1440	Weight: 0.1078g	Extraction date: 12/08/22 11:49:18	Extracted by: 3335, 3112
--	--------------------	---------------------------------------	-----------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA053315POT Instrument Used : DA-LC-007 Running on : 12/08/22 13:02:44	Reviewed On : 12/09/22 09:23:30 Batch Date : 12/08/22 09:10:11
---	---

Dilution : 400 Reagent : 120122.R22; 071222.01; 120122.R18 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736
Batch# : 8958 2671 0489 7894
Sampled : 12/07/22
Ordered : 12/07/22

Sample Size Received : 51 units
Total Amount : 2719 units
Completed : 12/10/22 **Expires:** 12/10/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)				
TOTAL TERPENES	0.007	9.051	3.017		CAMPHOR	0.013	ND	ND					
TOTAL TERPINEOL	0.007	0.078	0.026		BORNEOL	0.013	ND	ND					
CAMPENE	0.007	<0.06	<0.02		GERANIOL	0.007	ND	ND					
BETA-MYRCENE	0.007	1.401	0.467		PULEGONE	0.007	ND	ND					
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	0.699	0.233					
ALPHA-PHELLANDRENE	0.007	<0.06	<0.02		ALPHA-HUMULENE	0.007	0.261	0.087					
OCIMENE	0.007	<0.06	<0.02		TRANS-NEROLIDOL	0.007	ND	ND					
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND					
LINALOOL	0.007	0.585	0.195		Analyzed by: 2076, 53, 1440				Weight: 0.9457g	Extraction date: 12/09/22 10:12:10	Extracted by: 2076		
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				Reviewed On: 12/10/22 21:25:27				
ISOPULEGOL	0.007	ND	ND		Analytical Batch : DA053339TER				Batch Date : 12/08/22 11:26:42				
ISOBORNEOL	0.007	ND	ND		Instrument Used : DA-GCMS-004								
HEXAHYDROTHYMOL	0.007	ND	ND		Running on : 12/10/22 12:54:32								
NEROL	0.007	ND	ND		Dilution : 10								
GERANYL ACETATE	0.007	ND	ND		Reagent : 120722.08								
BETA-CARYOPHYLLENE	0.007	1.2	0.4		Consumables : 210414634; MKCN9995; CE0123; R1KB14270								
VALENCENE	0.007	ND	ND		Pipette : N/A								
CIS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.								
CEDROL	0.007	ND	ND										
CARYOPHYLLENE OXIDE	0.007	ND	ND										
FARNESENE	0	0.201	0.067										
ALPHA-BISABOLOL	0.007	ND	ND										
ALPHA-PINENE	0.007	0.207	0.069										
SABINENE	0.007	0.159	0.053										
BETA-PINENE	0.007	0.351	0.117										
ALPHA-TERPINENE	0.007	ND	ND										
LIMONENE	0.007	2.976	0.992										
GAMMA-TERPINENE	0.007	ND	ND										
TERPINOLENE	0.007	0.708	0.236										
SABINENE HYDRATE	0.007	ND	ND										
FENCHYL ALCOHOL	0.007	0.225	0.075										
Total (%)				3.017									



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736

Batch# : 8958 2671 0489
 7894

Sampled : 12/07/22
Ordered : 12/07/22

Sample Size Received : 51 units

Total Amount : 2719 units

Completed : 12/10/22 **Expires:** 12/10/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736

Batch# : 8958 2671 0489
 7894

Sampled : 12/07/22
Ordered : 12/07/22

Sample Size Received : 51 units

Total Amount : 2719 units

Completed : 12/10/22 **Expires:** 12/10/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0226g

Extraction date:
 12/09/22 11:07:19

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053343SOL
Instrument Used : DA-GCMS-002
Running on : N/A

Reviewed On : 12/09/22 11:42:32
Batch Date : 12/08/22 14:10:57

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736
Batch# : 8958 2671 0489 7894
Sample Size Received : 51 units
Total Amount : 2719 units
Completed : 12/10/22 **Expires:** 12/10/23
Ordered : 12/07/22 **Sample Method :** SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 1440 Weight: 0.2665g Extraction date: 12/08/22 15:43:04 Extracted by: 585,3379					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053324MYC Reviewed On : 12/09/22 10:07:28 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/08/22 10:05:45 Running on : 12/09/22 09:32:42					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.9g Extraction date: 12/08/22 12:00:45 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053309MIC Reviewed On : 12/10/22 12:09:49 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/08/22 08:07:47 Running on : 12/08/22 16:15:24 Dilution : N/A Reagent : 091422.04; 062422.02 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 1440 Weight: 0.568g Extraction date: 12/08/22 12:41:15 Extracted by: 3619						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053322HEA Reviewed On : 12/09/22 11:19:34 Instrument Used : DA-ICPMS-003 Batch Date : 12/08/22 09:49:56 Running on : 12/08/22 15:03:23					
Dilution : 50 Reagent : 112222.R82; 080222.R36; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21208003-006
Harvest/Lot ID: 5512 2228 4830 6736
Batch# : 8958 2671 0489 7894
Sampled : 12/07/22
Ordered : 12/07/22

Sample Size Received : 51 units
Total Amount : 2719 units
Completed : 12/10/22 **Expires:** 12/10/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053347FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/09/22 00:11:24	Reviewed On : 12/09/22 00:16:01 Batch Date : 12/08/22 20:17:04
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.484	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 1879, 1440	0.456g	12/08/22 14:56:20	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053337WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/08/22 14:54:27	Reviewed On : 12/09/22 00:10:06 Batch Date : 12/08/22 11:20:01
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.