



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21209002-005

Harvest/Lot ID: 8888 2149 0424 2988

Batch#: 9089 9985 7829 1722

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Seed to Sale# 8888 2149 0424 2988

Batch Date: 11/04/22

Sample Size Received: 15 units

Total Amount: 4171 units

Retail Product Size: 64.9764 gram

Ordered : 12/08/22

Sampled : 12/08/22

Completed: 12/12/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Dec 12, 2022 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.14%

Total THC/Container : 90.967 mg



Total CBD

ND

Total CBD/Container : 0 mg



Total Cannabinoids

0.148%

Total Cannabinoids/Container : 96.165 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.14	ND	ND	ND	ND	0.005	ND	0.003	ND	ND	ND
mg/unit	90.966	ND	ND	ND	ND	3.248	ND	1.949	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 53, 1440

Weight:
3.0316g

Extraction date:
N/A

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053381POT
Instrument Used : DA-LC-007
Running on : 12/09/22 11:43:01

Reviewed On : 12/12/22 09:47:53
Batch Date : 12/09/22 11:17:39

Dilution : 40
Reagent : 111022.01; 120122.R22; 071222.46; 120122.R18
Consumables : 239146; 280670723; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21209002-005
Harvest/Lot ID: 8888 2149 0424 2988

Batch# : 9089 9985 7829
 1722

Sampled : 12/08/22
Ordered : 12/08/22

Sample Size Received : 15 units

Total Amount : 4171 units

Completed : 12/12/22 **Expires:** 12/12/23

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 585, 53, 1440 **Weight:** 1.0237g **Extraction date:** 12/09/22 11:58:01 **Extracted by:** 585
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch : DA05335PES **Reviewed On :** 12/12/22 12:51:23
Instrument Used : DA-LCMS-003 (PES) **Batch Date :** 12/09/22 08:39:55
Running on : 12/09/22 12:47:17
Dilution : 250
Reagent : 120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3379, 53, 1440 **Weight:** 1.0237g **Extraction date:** 12/09/22 11:58:01 **Extracted by:** 585
Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)
Analytical Batch : DA053357VOL **Reviewed On :** 12/12/22 10:20:57
Instrument Used : DA-GCMS-001 **Batch Date :** 12/09/22 08:41:55
Running on : 12/09/22 13:08:07
Dilution : 250
Reagent : 120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21209002-005
Harvest/Lot ID: 8888 2149 0424 2988
Batch# : 9089 9985 7829
Sample Size Received : 15 units
Total Amount : 4171 units
Completed : 12/12/22 **Expires:** 12/12/23
Sample Method : SOP.T.20.010

Page 3 of 5

Residual Solvents				PASSED	
Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 53, 1440		Weight: 0.0220g	Extraction date: N/A		Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA053391SOL Instrument Used : DA-GCMS-003 Running on : 12/12/22 14:01:01			Reviewed On : 12/12/22 15:04:08 Batch Date : 12/09/22 16:08:12		
Dilution : 1 Reagent : 071420.56 Consumables : R2017.167; KF140 Pipette : DA-309 25 uL Syringe 35028					
Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.					






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21209002-005
 Harvest/Lot ID: 8888 2149 0424 2988
 Batch# : 9089 9985 7829
 1722
 Sample Size Received : 15 units
 Total Amount : 4171 units
 Completed : 12/12/22 Expires: 12/12/23
 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial						 Mycotoxins						PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000												
Analyzed by: 3390, 3621, 2682, 53, 1440 Weight: 1.0649g Extraction date: 12/09/22 10:52:41 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053350MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/09/22 15:43:56 Dilution : N/A Reagent : 091422.04 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 1.0237g Extraction date: 12/09/22 11:58:01 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053356MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/09/22 12:47:12 Reviewed On : 12/12/22 12:49:11 Batch Date : 12/09/22 08:41:51											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
						 Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level												
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5												
ARSENIC	0.02	ppm	ND	PASS	1.5												
CADMIUM	0.02	ppm	ND	PASS	0.5												
LEAD	0.05	ppm	ND	PASS	0.5												
MERCURY	0.02	ppm	ND	PASS	3												
Analyzed by: 1022, 53, 1440 Weight: 0.4237g Extraction date: 12/09/22 10:30:47 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053363HEA Instrument Used : DA-ICPMS-003 Running on : 12/09/22 14:07:55 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120222.R33; 120822.R05; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216						Reviewed On : 12/12/22 12:08:08 Batch Date : 12/09/22 09:07:54											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21209002-005
Harvest/Lot ID: 8888 2149 0424 2988
Batch# : 9089 9985 7829
1722
Sampled : 12/08/22
Ordered : 12/08/22

Sample Size Received : 15 units
Total Amount : 4171 units
Completed : 12/12/22 **Expires:** 12/12/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA053389FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/09/22 14:54:29	Reviewed On : 12/09/22 14:57:11 Batch Date : 12/09/22 14:51:26
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.519	PASS	0.85

Analyzed by: 2926, 1879, 1440	Weight: 9.757g	Extraction date: 12/09/22 12:21:22	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA053366WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/09/22 12:19:47	Reviewed On : 12/09/22 14:52:44 Batch Date : 12/09/22 10:36:30
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.427	25

Analyzed by 3605, 53, 1440	Average Weight 6.434g	Extraction date : 12/09/22 10:33:20	Extracted By : 3605
--------------------------------------	---------------------------------	---	-------------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : DA053351HOM Instrument Used : DA-LC-004 Running on : 12/09/22 10:34:08	Reviewed On : 12/12/22 09:39:46 Batch Date : 12/09/22 08:31:22
---	---

Dilution : 40
Reagent : 111022.01; 120122.R23; 071222.46; 120122.R17
Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277
Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.