

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

FTH-Static Charge WF 3.5g FTH-Static Charge Matrix: Flower



Sample: DA21209011-002 Harvest/Lot ID: HYB-SC-120522-C0069

Batch#: 1716 4235 9294 8878

Cultivation Facility: Zolfo Springs Cultivation Processing Facility: Zolfo Springs

Processing

Seed to Sale# 1860 3590 2228 2004

Batch Date: 11/07/22

Sample Size Received: 31.5 gram

Total Amount: 1488 units Retail Product Size: 3.5 gram

Ordered: 12/09/22 Sampled: 12/09/22

Completed: 12/13/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Dec 13, 2022 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS























СВС

0.043

1.505

0.001

%

MISC.

Pesticides

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents

Filth

Water Activity PASSED

THCV

0.019

0.665

0.001

%

Moisture PASSED

PASSED



Cannabinoid

Total THC

.345% Total THC/Container : 607.075 mg



CBDA

0.079

2.765

0.001

Weight: 0.2116g

%

D8-THC

0.13

4.55

%

0.001

Total CBD 0.105%

0.077

2.695

0.001

Extraction date: 12/12/22 11:29:12

%

Total CBD/Container: 3.675 mg



0.021

0.735

0.001

%

Total Cannabinoids 20.667%

CBDV

0.036

1.26

0.001

%

Extracted by: 3335

Total Cannabinoids/Container: 723.345 mg



	D9-THC	THCA	CBD
%	0.326	19.407	0.036
mg/unit	11.41	679.245	1.26
LOD	0.001	0.001	0.001
	%	%	%

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA053439POT Instrument Used : DA-LC-002 Running on : 12/12/22 11:29:53

Reviewed On: 12/13/22 15:44:34 Batch Date: 12/12/22 08:17:22

CBGA

0.493

0.001

17.255

Dilution: 400

Analyzed by: 3335, 3605, 585, 1440

Reagent: 120622.R28; 071222.01; 120622.R26 Consumables: 239146; CE123; 12265-115CC; 61633-125C6-125E; R1KB14270 Pipette: N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/13/22



Kaycha Labs

FTH-Static Charge WF 3.5g FTH-Static Charge Matrix : Flower



PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21209011-002

Harvest/Lot ID: HYB-SC-120522-C0069

Batch#: 1716 4235 9294

Certificate of Analysis

Sampled: 12/09/22 Ordered: 12/09/22 Sample Size Received: 31.5 gram

Total Amount: 1488 units Completed: 12/13/22 Expires: 12/13/23

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

(%) 0.007 0.007	56.77	1.622								
0.007		1.022		CAMPHOR		(%) 0.013	ND	ND		
0.007	< 0.7	< 0.02		BORNEOL		0.013	<1.4	< 0.04		
0.007	< 0.7	< 0.02		GERANIOL		0.007	ND	ND		
0.007	4.445	0.127		PULEGONE		0.007	ND	ND		
0.007	ND	ND		ALPHA-CEDRENE		0.007	ND	ND		
0.007	ND	ND		ALPHA-HUMULENE		0.007	5.67	0.162		
0.007	9.24	0.264		TRANS-NEROLIDOL		0.007	< 0.7	< 0.02		
0.007	ND	ND		GUAIOL		0.007	ND	ND		
0.007	< 0.7	< 0.02		Analyzed by:	Weight:		Extraction dat	te:		Extracted by:
0.007	ND	ND		2076, 53, 1440	0.9138g					2076
0.007	ND	ND		Analysis Method : SOP.T.30	.061A.FL, SOP.T.40.061A.F	L				
0.007	ND	ND								
0.007	ND	ND					Batch	Date: 12/.	12/22 10:19:29	
0.007	ND	ND								
0.007	ND	ND		Reagent: 120722.08						
0.007	12.95	0.37			MKCN9995; CE0123; R1KI	314270				
0.007	ND	ND								
0.007	ND	ND		Terpenoid testing is performed	utilizing Gas Chromatography	Mass Spect	trometry.			
0.007	ND	ND								
0.007	< 0.7	< 0.02								
0	0.28	0.008								
0.007	2.135	0.061								
0.007	2.765	0.079								
0.007	ND	ND								
0.007	2.415	0.069								
0.007	ND	ND								
0.007	15.365	0.439								
0.007	ND	ND								
0.007	ND	ND								
0.007	ND	ND								
0.007	1.505	0.043								
	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	0.007 ND 0.007 ND 0.007 9.24 0.007 ND 0.007 1.1355 0.007 ND 0.007 1.1365 0.007 ND	0.007 ND ND ND 0.007 ND	0.007 ND	0.007 ND ND ND Analysis Method : SOP.T.30 0.007 ND ND ND ND Analysis Method : SOP.T.30 0.007 ND	O.007 ND ND ND ALPHA-EERERE	0.007 ND ND ND ALPHA-CEDRENE 0.007	ALPHA-CEDRENE 0.007 ND ND ND ALPHA-HUNULENE 0.007 S.67	ALPHA-CEDRENE	ALPHA-CEDRENE

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/13/22



Kaycha Labs

FTH-Static Charge WF 3.5g FTH-Static Charge Matrix : Flower



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21209011-002

Harvest/Lot ID: HYB-SC-120522-C0069

Batch#: 1716 4235 9294

Sampled: 12/09/22 Ordered: 12/09/22 Sample Size Received: 31.5 gram

Total Amount: 1488 units

Completed: 12/13/22 Expires: 12/13/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND				0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm			
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	mag	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND)==++1;::==1==		111		PASS	
DSCALID	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1		ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND			PPM	0.5	PASS	
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	585, 795, 1440 1.1136g		22 15:50:47		585	
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines	ville), SOP.1	r.30.102.FL	(Davie), SOP	P.T.40.101.FL (Gainesvi
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch: DA053440PES		Paviawas	On:12/13/2	22 17:03:53	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			te:12/12/22		
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :12/12/22 15:51:15		Daten Da	,,	00.17.30	
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 120522.R01; 111622.R42; 12062	2.R07; 120	722.R01; 09	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut		d Chromatog	raphy Triple-	Quadrupole Ma	ass
	0.01		0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 648		blas dabi:		Eurhur -t -	al lavo
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 53, 1440 1.1136a		tion date: 22 15:50:47		Extracte 585	u by:
IIDACLOPRID		ppm		PASS		Analysis Method : SOP.T.30.151.FL (Gaines:					
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND ND	Analytical Batch : DA053442VOL			n : 12/13/22 1		
ALATHION	0.01	ppm		PASS	ND ND	Instrument Used : DA-GCMS-006			12/12/22 08		
ETALAXYL	0.01	ppm	0.1			Running on :12/12/22 15:38:50					
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 111622.R42; 092820.59; 120122	.R67; 1206	22.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 14725401					
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed ut					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/13/22



Kaycha Labs

FTH-Static Charge WF 3.5g FTH-Static Charge Matrix: Flower



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21209011-002

Harvest/Lot ID: HYB-SC-120522-C0069

Batch#: 1716 4235 9294

Sampled: 12/09/22 Ordered: 12/09/22 Sample Size Received: 31.5 gram Total Amount: 1488 units

Completed: 12/13/22 Expires: 12/13/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



AFLATOXIN G2

Mycotoxins

PASSED

PASS 0.02

Extracted by:

Reviewed On: 12/13/22 15:51:52

Batch Date: 12/12/22 08:19:43

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICH SPP	IIA COLI SHIGELLA			Not Present	PASS	
SALMONEL	LA SPECIFIC GENE			Not Present	PASS	
ASPERGILL	US FLAVUS			Not Present	PASS	
ASPERGILL	US FUMIGATUS			Not Present	PASS	
ASPERGILL	US TERREUS			Not Present	PASS	
ASPERGILL	US NIGER			Not Present	PASS	
TOTAL YEA	ST AND MOLD	10	CFU/g	200	PASS	100000
Analyzed by:		Weight:	Extraction	date:	Extracte	d by:

3621, 3390, 585, 1440 1.0213g 12/10/22 16:26:13 3621 Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA053403MIC Reviewed On: 12/13/22 15:45:05

Instrument Used : DA-265 Gene-UP RTPCR Batch Date: 12/10/22 09:43:34 Running on: 12/10/22 13:07:30

Dilution: N/A Reagent: 091422.04

Consumables: 500124 Pipette: N/A

Analyzed by: 3621, 3390, 585, 1440	Weight: 1.0321g	Extraction date: 12/10/22 16:22:10	Extracted by: 3621

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Reviewed On: 12/12/22 16:05:27 Analytical Batch : DA053412TYM Instrument Used : Incubator (25-27C) DA-097 Batch Date: 12/10/22 12:25:23 Running on: 12/10/22 16:22:24

Dilution: N/A Reagent: 091422.13 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

0 0					
Analyte	LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

Extraction date:

Analyzed by: 585, 53, 1440 12/12/22 15:50:47 1.1136g 585 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA053441MYC

Weight:

Instrument Used : DA-LCMS-003 (MYC) Running on: 12/12/22 15:51:02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD META	ALS 0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by: 1022, 53, 1440	Weight: 0.4761a	Extraction da 12/12/22 09:			Extracted	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA053420HEA Instrument Used: DA-ICPMS-003 Running on: 12/12/22 15:18:43 Reviewed On: 12/13/22 15:48:51 Batch Date: 12/11/22 10:58:14

Dilution: 50

Reagent: 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/13/22



Kaycha Labs

FTH-Static Charge WF 3.5g FTH-Static Charge Matrix: Flower



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21209011-002

Harvest/Lot ID: HYB-SC-120522-C0069 Batch#: 1716 4235 9294

8878

Sampled: 12/09/22 Ordered: 12/09/22

Sample Size Received: 31.5 gram

Total Amount: 1488 units Completed: 12/13/22 Expires: 12/13/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture



LOD Analyte Units Result P/F Action Level Analyte LOD Units Result P/F Action Level PASS Filth and Foreign Material 0.5 ND PASS **Moisture Content** % 11.23 15 % Weight: 0.481g **Extraction date:** Extracted by: Extraction date: Extracted by: 12/11/22 18:08:33 NA 1879 Analysis Method: SOP.T.40.090 Analysis Method: SOP.T.40.021 **Reviewed On:** 12/11/22 18:12:03 **Batch Date:** 12/10/22 11:24:45 Analytical Batch : DA053404MOI Instrument Used : DA-003 Moisture Analyzer

Analytical Batch: DA053408FIL Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 12/11/22 11:33:57 **Batch Date:** 12/10/22 11:25:40

Reviewed On: 12/11/22 18:45:21

Batch Date: 12/10/22 11:24:53

Running on: 12/11/22 11:31:38

Dilution: N/A Reagent: N/A Consumables : N/A

Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Dilution: N/A Reagent: 101920.06 Consumables : N/A Pipette: DA-066

Running on: 12/10/22 11:58:38

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

Analyte Water Activity		LOD 0.1	Units aw	Result 0.528	P/F PASS	Action Level 0.65
Analyzed by:	Weight:	Extraction date: 12/11/22 18:16:09			Ext	racted by:
1879, 1440	0.534g				187	79

Analysis Method : SOP.T.40.019
Analytical Batch : DA053405WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $12/10/22 \ 11:58:48$

Dilution : N/A Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/13/22