



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506
Batch#: 7412 8022 9622 7506
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 6380 8358 7093 2982
Batch Date: 08/04/22
Sample Size Received: 180 gram
Total Amount: 1236 units
Retail Product Size: 30 gram
Ordered : 12/10/22
Sampled : 12/10/22
Completed: 12/14/22
Sampling Method: SOP.T.20.010

Dec 14, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
2.136%

Total THC/Container : 640.8 mg



Total CBD
0.002%

Total CBD/Container : 0.6 mg



Total Cannabinoids
2.26%

Total Cannabinoids/Container : 678 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.085	0.059	0.002	ND	0.006	0.04	ND	0.023	0.015	ND	0.03
mg/unit	625.5	17.7	0.6	ND	1.8	12	ND	6.9	4.5	ND	9
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3335, 3605, 53, 1440

Weight:
 3.0246g

Extraction date:
 12/12/22 11:03:14

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053437POT
 Instrument Used : DA-LC-007
 Running on : 12/12/22 11:23:35

Reviewed On : 12/13/22 15:38:49
 Batch Date : 12/12/22 08:15:45

Dilution : 400
 Reagent : 120122.R22; 071222.01; 120122.R18
 Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506

Batch# : 7412 8022 9622 7506

Sampled : 12/10/22
Ordered : 12/10/22

Sample Size Received : 180 gram

Total Amount : 1236 units

Completed : 12/14/22 **Expires:** 12/14/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.3	0.031		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	ND	ND		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	<6	<0.02	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<6	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	8.7	0.029						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEADOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
FARNESENE	0	0.6	0.002						
ALPHA-BISABOLOL	0.007	<6	<0.02						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
Total (%)			0.031						

Analyzed by:

2076, 585, 1440

Weight:

1.0886g

Extraction date:

12/12/22 16:31:54

Extracted by:

2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA0534507ER

Instrument Used : DA-GCMS-004

Running on : 12/13/22 09:10:49

Reviewed On : 12/13/22 17:27:06

Batch Date : 12/12/22 10:22:14

Dilution : 10

Reagent : 120722.08

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506
Batch# : 7412 8022 9622 7506
Sample Size Received : 180 gram
Total Amount : 1236 units
Completed : 12/14/22 **Expires:** 12/14/23
Sample Method : SOP.T.20.010
Ordered : 12/10/22

Page 3 of 6

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	585, 53, 1440	Weight:	0.2105g	Extraction date:	12/12/22 15:46:32
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	585
DIMETHOATE	0.01	ppm	0.1	PASS	ND					Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND					Analytical Batch :	DA053432PES
ETOFENPROX	0.01	ppm	0.1	PASS	ND					Instrument Used :	DA-LCMS-003 (PES)
ETOXAZOLE	0.01	ppm	1.5	PASS	ND					Running on :	12/12/22 15:51:17
FENHEXAMID	0.01	ppm	3	PASS	ND					Dilution :	250
FENOXYCARB	0.01	ppm	0.1	PASS	ND					Reagent :	120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59
FENPYROXIMATE	0.01	ppm	2	PASS	ND					Consumables :	6676024-02
FIPRONIL	0.01	ppm	0.1	PASS	ND					Pipette :	DA-093; DA-094; DA-219
FLONICAMID	0.01	ppm	2	PASS	ND					Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.	
FLUDIOXONIL	0.01	ppm	3	PASS	ND					Analyzed by:	3379, 53, 1440, 585
HEXYTHIAZOX	0.01	ppm	2	PASS	ND					Weight:	0.2105g
IMAZALIL	0.01	ppm	0.1	PASS	ND					Extraction date:	12/12/22 15:46:32
IMIDACLOPRID	0.01	ppm	1	PASS	ND					Extracted by:	585
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND					Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
MALATHION	0.01	ppm	2	PASS	ND					Analytical Batch :	DA053436VOL
METALAXYL	0.01	ppm	3	PASS	ND					Instrument Used :	DA-GCMS-001
METHIOCARB	0.01	ppm	0.1	PASS	ND					Running on :	12/12/22 15:38:49
METHOMYL	0.01	ppm	0.1	PASS	ND					Dilution :	250
MEVINPHOS	0.01	ppm	0.1	PASS	ND					Reagent :	111622.R42; 092820.59; 120122.R67; 120622.R24
MYCLOBUTANIL	0.01	ppm	3	PASS	ND					Consumables :	6676024-02; 14725401
NALED	0.01	ppm	0.5	PASS	ND					Pipette :	DA-093; DA-094; DA-219
										Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.	



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506
Batch# : 7412 8022 9622 7506
Sampled : 12/10/22
Ordered : 12/10/22

Sample Size Received : 180 gram
Total Amount : 1236 units
Completed : 12/14/22 **Expires:** 12/14/23
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0225g

Extraction date:
 12/13/22 14:57:41

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA05347550L
Instrument Used : DA-GCMS-002
Running on : 12/14/22 06:10:40

Reviewed On : 12/14/22 07:48:06
Batch Date : 12/12/22 15:25:33

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506
Batch# : 7412 8022 9622 7506
Sample Size Received : 180 gram
Total Amount : 1236 units
Completed : 12/14/22 **Expires:** 12/14/23
Sample Method : SOP.T.20.010

Page 5 of 6

<div> Microbial</div>						<div> Mycotoxins</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 585, 53, 1440	Weight: 0.2105g	Extraction date: 12/12/22 15:46:32	Extracted by: 585		
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.9676g Extraction date: 12/12/22 10:27:03 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053446MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/12/22 10:38:08 Dilution : N/A Reagent : 091422.04; 101322.13 Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053435MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/12/22 15:51:03 Reviewed On : 12/14/22 07:10:42 Batch Date : 12/12/22 08:15:37					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21211001-011
Harvest/Lot ID: 7412 8022 9622 7506
Batch# : 7412 8022 9622 7506
Sample Size Received : 180 gram
Total Amount : 1236 units
Completed : 12/14/22 **Expires:** 12/14/23
Sample Method : SOP.T.20.010
Sampled : 12/10/22
Ordered : 12/10/22

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053528FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/13/22 16:46:21	Reviewed On : 12/13/22 16:50:16 Batch Date : 12/13/22 16:39:50
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.433	TESTED	

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 2926, 585, 1440	2.4793g	12/13/22 17:03:28	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053477WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/13/22 16:54:22	Reviewed On : 12/13/22 23:42:08 Batch Date : 12/13/22 07:47:31
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.