



Certificate of Analysis


COMPLIANCE FOR RETAIL
Sample: DA21213004-010
Harvest/Lot ID: ID-PRI-112922-A086
Batch#: 3211 0277 0593 4839
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 3649 2881 6327 2510
Batch Date: 11/23/22
Sample Size Received: 23 units
Total Amount: 6193 units
Retail Product Size: 3.5 gram
Ordered : 12/12/22
Sampled : 12/12/22
Completed: 12/15/22
Sampling Method: SOP.T.20.010
PASSED
Pages 1 of 5

Dec 15, 2022 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**

Cannabinoid
PASSED

Total THC
22.236%
Total THC/Container : 778.26 mg

Total CBD
0.073%
Total CBD/Container : 2.555 mg

Total Cannabinoids
26.362%
Total Cannabinoids/Container : 922.67 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.219	25.105	ND	0.084	0.047	0.031	0.703	0.021	ND	ND	0.152
mg/unit	7.665	878.675	ND	2.94	1.645	1.085	24.605	0.735	ND	ND	5.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3112, 53, 3379

Weight:
0.2023g

Extraction date:
12/13/22 12:25:39

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA053493POT

Instrument Used : DA-LC-002 (Flower)

Running on : 12/13/22 13:30:11

Reviewed On : 12/14/22 13:04:44

Batch Date : 12/13/22 10:17:33

Dilution : 400

Reagent : 120622.R28; 071222.01; 120622.R26

Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21213004-010
Harvest/Lot ID: ID-PRI-112922-A086

Batch# : 3211 0277 0593
4839

Sampled : 12/12/22
Ordered : 12/12/22

Sample Size Received : 23 units

Total Amount : 6193 units

Completed : 12/15/22 Expires: 12/15/23

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.74	1.564		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	<0.7	<0.02		BORNEOL	0.013	<1.4	<0.04	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	<0.7	<0.02	
BETA-MYRCENE	0.007	6.02	0.172		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	7.98	0.228	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
LINALOOL	0.007	4.305	0.123		Analyzed by: 2076, 585, 3379 Weight: 0.9476g Extraction date: 12/13/22 18:39:00 Extracted by: 2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA053502TER Instrument Used: DA-GCMS-004 Running on: 12/13/22 18:55:57 Reviewed On: 12/14/22 12:27:21 Batch Date: 12/13/22 10:36:24 Dilution: 10 Reagent: 120722.08 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	22.645	0.647						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02						
FARNESENE	0	0.385	0.011						
ALPHA-BISABOLOL	0.007	3.85	0.11						
ALPHA-PINENE	0.007	<0.7	<0.02						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.875	0.025						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	8.68	0.248						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.7	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	<0.7	<0.02						
Total (%)			1.564						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA21213004-010
Harvest/Lot ID: ID-PRI-112922-A086
Batch# : 3211 0277 0593
 4839

Sampled : 12/12/22
Ordered : 12/12/22
Sample Size Received : 23 units
Total Amount : 6193 units
Completed : 12/15/22 Expires: 12/15/23
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analized by: 585, 53, 3379	Weight: 0.9446g	Extraction date: 12/13/22 15:40:44	Extracted by: 585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053508PES		Reviewed On : 12/14/22 12:54:22			
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 12/13/22 11:03:10			
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 12/13/22 15:42:28					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622.R07; 120722.R01; 092820.59					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analized by: 3379, 585, 53	Weight: 0.9446g	Extraction date: 12/13/22 15:40:44	Extracted by: 585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053510VOL		Reviewed On : 12/14/22 12:28:46			
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 12/13/22 11:04:27			
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 12/13/22 16:58:34					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R02; 092820.59; 120122.R67; 120622.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21213004-010
 Harvest/Lot ID: ID-PRI-112922-A086
 Batch# : 3211 0277 0593
 4839
 Sample Size Received : 23 units
 Total Amount : 6193 units
 Completed : 12/15/22 Expires: 12/15/23
 Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000						
Analyzed by: 3621, 3336, 53, 3379 Weight: 1.1372g Extraction date: 12/13/22 12:29:03 Extracted by: 3621 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053481MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/13/22 16:41:27 Dilution : N/A Reagent : 091422.04; 101322.13 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 3379 Weight: 0.9446g Extraction date: 12/13/22 15:40:44 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053509MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/13/22 15:42:19 Reviewed On : 12/14/22 12:47:13 Batch Date : 12/13/22 11:04:24					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 3379 Weight: 0.4421g Extraction date: 12/13/22 12:17:42 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053496HEA Instrument Used : DA-ICPMS-003 Running on : 12/13/22 17:28:51 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21213004-010
Harvest/Lot ID: ID-PRI-112922-A086
Batch# : 3211 0277 0593
Sample Size Received : 23 units
Total Amount : 6193 units
Completed : 12/15/22 **Expires:** 12/15/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	9.39	PASS	15
Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 2926, 1879, 3379	Weight: 0.49g	Extraction date: 12/13/22 17:44:54	Extracted by: 2926		
Analysis Method : SOP.T.40.090 Analytical Batch : DA053529FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/13/22 16:52:17						Analysis Method : SOP.T.40.021 Analytical Batch : DA053524MOI Instrument Used : DA-003 Moisture Analyzer Running on : 12/13/22 17:44:15					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 100622.35 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.588	PASS	0.65
Analyzed by: 2926, 1879, 3379	Weight: 1.156g	Extraction date: 12/13/22 15:41:31	Extracted by: 2926,1879		
Analysis Method : SOP.T.40.019			Reviewed On : 12/14/22 07:35:55 Batch Date : 12/13/22 13:22:31		
Analytical Batch : DA053521WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 12/13/22 15:29:26					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.