



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21214006-004
Harvest/Lot ID: 9809 8569 3744 6423
Batch#: 5338 8443 6843 4748
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 9809 8569 3744 6423
Batch Date: 10/28/22
Sample Size Received: 31 units
Total Amount: 2969 units
Retail Product Size: 0.5 gram
Ordered : 12/13/22
Sampled : 12/13/22
Completed: 12/16/22
Sampling Method: SOP.T.20.010

Dec 16, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

90.388%

Total THC/Container : 451.94 mg



Total CBD

0.251%

Total CBD/Container : 1.255 mg



Total Cannabinoids

95.697%

Total Cannabinoids/Container : 478.485 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.317	0.082	0.239	0.014	0.643	2.052	0.049	1.02	0.529	ND	0.752
mg/unit	451.585	0.41	1.195	0.07	3.215	10.26	0.245	5.1	2.645	ND	3.76
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3112, 53, 1440

Weight:
 0.1074g

Extraction date:
 12/14/22 11:54:54

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053551POT
 Instrument Used : DA-LC-007
 Running on : 12/14/22 12:49:54

Reviewed On : 12/15/22 16:34:13
 Batch Date : 12/14/22 09:24:53

Dilution : 400
 Reagent : 120122.R22; 071222.01; 120122.R18
 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21214006-004
Harvest/Lot ID: 9809 8569 3744 6423
Batch# : 5338 8443 6843
Sample Size Received : 31 units
Total Amount : 2969 units
Completed : 12/16/22 **Expires:** 12/16/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.01	1.002		CAMPHOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND	
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.525	0.305		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.43	0.086		ALPHA-HUMULENE	0.007	0.145	0.029	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
LINALOOL	0.007	0.295	0.059		Analyzed by: 2076, 585, 1440 Weight: 1.0855g Extraction date: 12/14/22 13:52:44 Extracted by: 2076				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053562TER Instrument Used : DA-GCMS-004 Running on : 12/15/22 09:13:21 Reviewed On : 12/16/22 10:57:25 Batch Date : 12/14/22 11:04:17				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.49	0.098						
VALENCENE	0.007	<0.1	<0.02						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
FARNESENE	0	ND	ND						
ALPHA-BISABOLOL	0.007	0.245	0.049						
ALPHA-PINENE	0.007	0.48	0.096						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.19	0.038						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	0.31	0.062						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	0.9	0.18						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
Total (%)				1.002					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21214006-004
 Harvest/Lot ID: 9809 8569 3744 6423

 Batch# : 5338 8443 6843
 Sample Size Received : 31 units
 Total Amount : 2969 units
 Completed : 12/16/22 Expires: 12/16/23
 Ordered : 12/13/22
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.2732g	12/14/22 13:48:38	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053547PES			Reviewed On : 12/16/22 10:27:34		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/14/22 08:59:32		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 12/14/22 16:25:26					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622.R07; 121422.R01; 092820.59					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 53, 1440, 585	0.2732g	12/14/22 13:48:38	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053549VOL			Reviewed On : 12/15/22 11:14:17		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 12/14/22 09:01:23		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R02; 092820.59; 120122.R67; 120622.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21214006-004
Harvest/Lot ID: 9809 8569 3744 6423

Batch# : 5338 8443 6843
 4748

Sampled : 12/13/22
Ordered : 12/13/22

Sample Size Received : 31 units

Total Amount : 2969 units

Completed : 12/16/22 **Expires:** 12/16/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0273g

Extraction date:
 12/14/22 13:29:51

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053583SOL
Instrument Used : DA-GCMS-003
Running on : 12/15/22 06:21:52

Reviewed On : 12/15/22 15:28:46
Batch Date : 12/14/22 13:13:17

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21214006-004
 Harvest/Lot ID: 9809 8569 3744 6423
 Batch# : 5338 8443 6843
 4748
 Sample Size Received : 31 units
 Total Amount : 2969 units
 Completed : 12/16/22 Expires: 12/16/23
 Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 1440 Weight: 1.059g Extraction date: 12/14/22 11:51:03 Extracted by: 3390,3621 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053536MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/14/22 12:42:33 Dilution : N/A Reagent : 091422.04; 100722.17; 100122.R04 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.2732g Extraction date: 12/14/22 13:48:38 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053548MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/14/22 16:26:16 Reviewed On : 12/16/22 10:25:58 Batch Date : 12/14/22 09:01:21					
Analyzed by: 3621, 3336, 585, 1440 Weight: 0.836g Extraction date: 12/14/22 12:54:57 Extracted by: 3390,3621,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053558TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 12/14/22 12:42:49 Dilution : 10 Reagent : 091422.13 Consumables : 004103 Pipette : N/A						Analyzed by: 1022, 53, 1440 Weight: 0.4217g Extraction date: 12/14/22 12:22:27 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053568HEA Instrument Used : DA-ICPMS-003 Running on : 12/14/22 17:30:25 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21214006-004
Harvest/Lot ID: 9809 8569 3744 6423
Batch# : 5338 8443 6843
Sample Size Received : 31 units
Total Amount : 2969 units
Completed : 12/16/22 **Expires:** 12/16/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053572FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/15/22 07:46:11	Reviewed On : 12/15/22 07:54:59 Batch Date : 12/14/22 12:26:44
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.617	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 1879, 1440	0.242g	12/14/22 15:19:36	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053566WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/14/22 15:17:42	Reviewed On : 12/15/22 07:58:11 Batch Date : 12/14/22 11:08:21
---	---

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.