



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21215004-007
Harvest/Lot ID: SA-HEJ-120622-A087

Batch#: 5237 6791 7624 3805

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Seed to Sale# 1881 9946 9681 8147

Batch Date: 12/01/22

Sample Size Received: 9 units

Total Amount: 1926 units

Retail Product Size: 3.5 gram

Ordered : 12/14/22

Sampled : 12/14/22

Completed: 12/17/22

Sampling Method: SOP.T.20.010

Dec 17, 2022 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
17.783%
Total THC/Container : 622.405 mg

Total CBD
0.121%
Total CBD/Container : 4.235 mg

Total Cannabinoids
21.058%
Total Cannabinoids/Container : 737.03 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.402	19.819	0.038	0.095	0.048	0.088	0.396	0.021	0.022	0.021	0.108
mg/unit	14.07	693.665	1.33	3.325	1.68	3.08	13.86	0.735	0.77	0.735	3.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 585, 53, 1440

Weight:
0.2008g

Extraction date:
12/15/22 13:09:14

Extracted by:
3605,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA053615POT

Instrument Used : DA-LC-002 (Flower)

Running on : 12/15/22 14:18:46

Reviewed On : 12/16/22 11:55:00

Batch Date : 12/15/22 10:43:26

Dilution : 400

Reagent : 121422.R50; 071222.01; 121422.R48

Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21215004-007
Harvest/Lot ID: SA-HEJ-120622-A087
Batch# : 5237 6791 7624 3805
Sampled : 12/14/22
Ordered : 12/14/22

Sample Size Received : 9 units
Total Amount : 1926 units
Completed : 12/17/22 **Expires:** 12/17/23
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	58.555	1.673		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	20.58	0.588		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	5.95	0.17	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	2.45	0.07		Analyzed by: 2076, 53, 1440 Weight: 0.898g Extraction date: 12/15/22 16:28:07 Extracted by: 2076				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053612TER Instrument Used : DA-GCMS-004 Running on : 12/16/22 09:19:38 Reviewed On : 12/17/22 16:10:13 Batch Date : 12/15/22 10:25:08				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 14725401 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	21.84	0.624						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	<0.7	<0.02						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02						
FARNESENE	0	0.665	0.019						
ALPHA-BISABOLOL	0.007	4.69	0.134						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	<0.7	<0.02						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	2.38	0.068						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	<0.7	<0.02						
Total (%)				1.673					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21215004-007
Harvest/Lot ID: SA-HEJ-120622-A087

Batch# : 5237 6791 7624
 3805

Sampled : 12/14/22
Ordered : 12/14/22

Sample Size Received : 9 units
Total Amount : 1926 units
Completed : 12/17/22 **Expires:** 12/17/23
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.8661g	12/15/22 15:34:30	585,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053620PES			Reviewed On : 12/16/22 11:34:18		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 12/15/22 10:48:12		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 12/15/22 15:45:19					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622.R07; 121422.R01; 092820.59					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440, 53	0.8661g	12/15/22 15:34:30	585,450		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053622VOL			Reviewed On : 12/16/22 11:32:40		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 12/15/22 10:49:24		
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R02; 092820.59					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6676024-02					
						Pipette : DA-093; DA-094; DA-219					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21215004-007
Harvest/Lot ID: SA-HEJ-120622-A087
Batch# : 5237 6791 7624 3805
Sampled : 12/14/22
Ordered : 12/14/22

Sample Size Received : 9 units
Total Amount : 1926 units
Completed : 12/17/22 **Expires:** 12/17/23
Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 585, 53, 1440 Weight: 0.8661g Extraction date: 12/15/22 15:34:30 Extracted by: 585,450					
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053621MYC Reviewed On : 12/16/22 11:33:26 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/15/22 10:49:21 Running on : 12/15/22 15:42:16 Dilution : N/A Reagent : 100122.R04; 091422.08; 100722.13 Consumables : 500124 Pipette : N/A					
Analyzed by: 3390, 3621, 53, 1440 Weight: 0.8981g Extraction date: 12/15/22 12:20:11 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053601MIC Reviewed On : 12/17/22 10:16:55 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/15/22 09:27:25 Running on : 12/15/22 15:42:16 Dilution : N/A Reagent : 100122.R04; 091422.08; 100722.13 Consumables : 500124 Pipette : N/A						Analyzed by: 3390, 3336, 53, 1440 Weight: 1.0296g Extraction date: 12/15/22 15:49:31 Extracted by: 3390,3621,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053634TYM Reviewed On : 12/17/22 16:23:53 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 12/15/22 15:45:50 Running on : 12/15/22 17:29:57 Dilution : 10 Reagent : 092022.25 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 585, 1440, 53 Weight: 0.4052g Extraction date: 12/15/22 11:04:33 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053608HEA Reviewed On : 12/16/22 12:01:25 Instrument Used : DA-ICPMS-003 Batch Date : 12/15/22 10:10:42 Running on : 12/15/22 15:34:09 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com


Sample : DA21215004-007
Harvest/Lot ID: SA-HEJ-120622-A087
Batch# : 5237 6791 7624 3805
Sampled : 12/14/22
Ordered : 12/14/22

Sample Size Received : 9 units
Total Amount : 1926 units
Completed : 12/17/22 **Expires:** 12/17/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	13.52	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 1879, 1440	Weight: 0.504g	Extraction date: 12/16/22 13:36:02		Extracted by: 1879	
Analysis Method : SOP.T.40.090				Reviewed On : 12/17/22 00:31:05 Batch Date : 12/16/22 13:39:25		Analysis Method : SOP.T.40.021				Reviewed On : 12/16/22 13:44:33 Batch Date : 12/15/22 11:32:59	
Analytical Batch : DA053687FIL						Analytical Batch : DA053627MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 12/16/22 13:45:35						Running on : 12/16/22 13:33:55					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.57	PASS	0.65
Analyzed by: 2926, 585, 1440	Weight: 0.653g	Extraction date: 12/15/22 15:10:44	Extracted by: 2926		
Analysis Method : SOP.T.40.019			Reviewed On : 12/16/22 12:02:48		
Analytical Batch : DA053631WAT					
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 12/15/22 11:34:46		
Running on : 12/15/22 14:52:13					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.