



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21215004-008
Harvest/Lot ID: HYB-NT-101222-C0060
Batch#: 3945 3498 0992 2163
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 9185 6918 7164 2982
Batch Date: 09/14/22
Sample Size Received: 18 units
Total Amount: 1987 units
Retail Product Size: 1.5 gram
Ordered : 12/14/22
Sampled : 12/14/22
Completed: 12/17/22
Sampling Method: SOP.T.20.010

Dec 17, 2022 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtr
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
13.137%

Total THC/Container : 197.055 mg


Total CBD
0.09%

Total CBD/Container : 1.35 mg


Total Cannabinoids
15.535%

Total Cannabinoids/Container : 233.025 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.703	14.179	0.04	0.058	0.092	0.066	0.254	0.033	0.027	0.026	0.057
mg/unit	10.545	212.685	0.6	0.87	1.38	0.99	3.81	0.495	0.405	0.39	0.855
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3112, 585, 53, 1440

Weight:
0.1954g

Extraction date:
12/15/22 13:09:15

Extracted by:
3605,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053615POT
Instrument Used : DA-LC-002 (Flower)
Running on : 12/15/22 14:18:46

Reviewed On : 12/16/22 11:55:11
Batch Date : 12/15/22 10:43:26

Dilution : 400
Reagent : 121422.R50; 071222.01; 121422.R48
Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21215004-008
Harvest/Lot ID: HYB-NT-101222-C0060
Batch# : 3945 3498 0992
 2163

Sampled : 12/14/22

Ordered : 12/14/22

Sample Size Received : 18 units

Total Amount : 1987 units

Completed : 12/17/22 **Expires:** 12/17/23

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.14	0.476		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	<0.3	<0.02		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	<0.3	<0.02	
BETA-MYRCENE	0.007	0.51	0.034		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.63	0.042	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	<0.3	<0.02	
LINALOOL	0.007	0.915	0.061		Analyzed by: 2076, 53, 1440 Weight: 0.9375g Extraction date: 12/15/22 16:28:07 Extracted by: 2076				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053612TER Instrument Used : DA-GCMS-004 Running on : 12/16/22 09:19:38 Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 14725401 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOPULEGOL	0.007	ND	ND		Reviewed On : 12/17/22 16:10:23 Batch Date : 12/15/22 10:25:08				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.755	0.117						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02						
FARNESENE	0	0.165	0.011						
ALPHA-BISABOLOL	0.007	0.54	0.036						
ALPHA-PINENE	0.007	0.825	0.055						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.45	0.03						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.05	0.07						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.3	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.3	0.02						
Total (%)				0.476					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA21215004-008
Harvest/Lot ID: HYB-NT-101222-C0060
Batch# : 3945 3498 0992
 2163

Sample Size Received : 18 units
Total Amount : 1987 units
Completed : 12/17/22 Expires: 12/17/23
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	1.045g	12/15/22 14:55:52	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053620PES			Reviewed On : 12/16/22 11:34:19		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 12/15/22 10:48:12		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 12/15/22 15:45:19					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622.R07; 121422.R01; 092820.59					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440, 53	1.045g	12/15/22 14:55:52	585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053622VOL			Reviewed On : 12/16/22 11:32:40		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 12/15/22 10:49:24		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R02; 092820.59					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21215004-008
 Harvest/Lot ID: HYB-NT-101222-C0060
 Batch# : 3945 3498 0992
 2163
 Sample Size Received : 18 units
 Total Amount : 1987 units
 Completed : 12/17/22 Expires: 12/17/23
 Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
	PASSED						PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 585, 53, 1440 Weight: 1.045g Extraction date: 12/15/22 14:55:52 Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	400	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 3390, 3621, 53, 1440	Weight: 0.9942g	Extraction date: 12/15/22 12:20:11		Extracted by: 3390		Analytical Batch : DA053621MYC Reviewed On : 12/16/22 11:33:28					
Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Instrument Used : DA-LCMS-004 (MYC) Batch Date : 12/15/22 10:49:21					
Analytical Batch : DA053601MIC						Running on : N/A					
Instrument Used : DA-265 Gene-UP RTPCR						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Running on : 12/15/22 15:42:16											
Dilution : N/A											
Reagent : 100122.R04; 091422.08; 100722.13											
Consumables : 500124											
Pipette : N/A											
Analyzed by: 3390, 3336, 53, 1440	Weight: 0.8011g	Extraction date: 12/15/22 15:49:28		Extracted by: 3390,3621,3336							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA053634TYM						Reviewed On : 12/17/22 16:24:02					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 12/15/22 15:45:50					
Running on : 12/15/22 17:29:57											
Dilution : 10											
Reagent : 092022.25											
Consumables : 004103											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

Heavy Metals						PASSED					
											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 585, 1440, 53	Weight: 0.4351g	Extraction date: 12/15/22 11:05:22		Extracted by: 3619							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA053608HEA						Reviewed On : 12/16/22 12:01:27					
Instrument Used : DA-ICPMS-003						Batch Date : 12/15/22 10:10:42					
Running on : 12/15/22 15:34:09											
Dilution : 50											
Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35											
Consumables : 179436; 210508058; 210803-059											
Pinette : DA-061; DA-106; DA-216											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com


Sample : DA21215004-008
Harvest/Lot ID: HYB-NT-101222-C0060
Batch# : 3945 3498 0992
Sampled : 12/14/22
Ordered : 12/14/22

Sample Size Received : 18 units
Total Amount : 1987 units
Completed : 12/17/22 **Expires:** 12/17/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	8.64	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 1879, 1440	Weight: 0.496g	Extraction date: 12/16/22 13:36:02		Extracted by: 1879	
Analysis Method : SOP.T.40.090				Reviewed On : 12/17/22 00:31:07 Batch Date : 12/16/22 13:39:25		Analysis Method : SOP.T.40.021				Reviewed On : 12/16/22 13:44:34 Batch Date : 12/15/22 11:32:59	
Analytical Batch : DA053687FIL						Analytical Batch : DA053627MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 12/16/22 13:45:35						Running on : 12/16/22 13:33:55					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.461	PASS	0.65
Analyzed by: 2926, 585, 1440	Weight: 0.63g	Extraction date: 12/15/22 15:10:44	Extracted by: 2926		
Analysis Method : SOP.T.40.019			Reviewed On : 12/16/22 12:02:50 Batch Date : 12/15/22 11:34:46		
Analytical Batch : DA053631WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Running on : 12/15/22 14:52:13					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.