



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA21215004-009  
Harvest/Lot ID: HYB-GP-102022-C0062  
Batch#: 0720 3367 4087 1823  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Tampa Processing  
Seed to Sale#: 7437 5844 6430 6805  
Batch Date: 10/03/22  
Sample Size Received: 26 units  
Total Amount: 1490 units  
Retail Product Size: 1 gram  
Ordered: 12/14/22  
Sampled: 12/14/22  
Completed: 12/17/22  
Sampling Method: SOP.T.20.010

Dec 17, 2022 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides <b>PASSED</b>	Heavy Metals <b>PASSED</b>	Microbials <b>PASSED</b>	Mycotoxins <b>PASSED</b>	Residuals Solvents <b>NOT TESTED</b>	Filtration <b>PASSED</b>	Water Activity <b>PASSED</b>	Moisture <b>PASSED</b>	Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------

	<b>Total THC</b> <b>20.022%</b> Total THC/Container : 200.22 mg		<b>Total CBD</b> <b>0.328%</b> Total CBD/Container : 3.28 mg		<b>Total Cannabinoids</b> <b>23.821%</b> Total Cannabinoids/Container : 238.17 mg
--	---	---	--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.622	22.122	0.042	0.327	0.135	0.08	0.355	0.023	<0.01	0.011	0.104
mg/unit	6.22	221.22	0.42	3.27	1.35	0.8	3.55	0.23	<0.1	0.11	1.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 1665, 53, 3605, 1440	Weight: 0.1994g	Extraction date: 12/15/22 13:09:15	Extracted by: 3605,3112
--	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA053615POT  
Instrument Used : DA-LC-002 (Flower)  
Running on : 12/15/22 14:18:46

Reviewed On : 12/17/22 21:47:57  
Batch Date : 12/15/22 10:43:26

Dilution : 400  
Reagent : 121422.R50; 071222.01; 121422.R48  
Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270  
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample : DA21215004-009**
**Harvest/Lot ID: HYB-GP-102022-C0062**
**Batch# : 0720 3367 4087**  
 1823

**Sampled : 12/14/22**
**Ordered : 12/14/22**
**Sample Size Received : 26 units**
**Total Amount : 1490 units**
**Completed : 12/17/22 Expires: 12/17/23**
**Sample Method : SOP.T.20.010**

Page 2 of 5



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.94	1.094		CAMPHOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	0.22	0.022		BORNEOL	0.013	<0.4	<0.04	
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	0.26	0.026		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.21	0.121	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.3	0.03	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	1.33	0.133		Analyzed by: 2076, 53, 1440      Weight: 0.8954g      Extraction date: 12/15/22 16:28:08      Extracted by: 2076				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053612TER Instrument Used : DA-GCMS-004 Running on : 12/16/22 09:19:38 Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 14725401 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOPULEGOL	0.007	ND	ND		Reviewed On : 12/17/22 16:10:35 Batch Date : 12/15/22 10:25:08				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.39	0.439						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.2	0.02						
FARNESENE	0	0.1	0.01						
ALPHA-BISABOLOL	0.007	1.3	0.13						
ALPHA-PINENE	0.007	<0.2	<0.02						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.24	0.024						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.09	0.109						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.3	0.03						
<b>Total (%)</b>			<b>1.094</b>						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

**Sample : DA21215004-009**
**Harvest/Lot ID: HYB-GP-102022-C0062**
**Batch# : 0720 3367 4087**  
 1823

**Sampled : 12/14/22**
**Ordered : 12/14/22**
**Sample Size Received : 26 units**
**Total Amount : 1490 units**
**Completed : 12/17/22 Expires: 12/17/23**
**Sample Method : SOP.T.20.010**

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.9626g	12/15/22 14:55:52	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053620PES			Reviewed On : 12/16/22 11:34:23		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 12/15/22 10:48:12		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 12/15/22 15:45:19					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622.R07; 121422.R01; 092820.59					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440, 53	0.9626g	12/15/22 14:55:52	585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053622VOL			Reviewed On : 12/16/22 11:32:42		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 12/15/22 10:49:24		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 121222.R02; 092820.59					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis




**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA21215004-009  
 Harvest/Lot ID: HYB-GP-102022-C0062

 Batch# : 0720 3367 4087  
 1823  
 Sample Size Received : 26 units  
 Total Amount : 1490 units  
 Completed : 12/17/22 Expires: 12/17/23  
 Ordered : 12/14/22  
 Sample Method : SOP.T.20.010

Page 4 of 5

<div><div></div><div>Microbial</div><div>PASSED</div></div>						<div><div></div><div>Mycotoxins</div><div>PASSED</div></div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 585, 53, 1440    Weight: 0.9626g    Extraction date: 12/15/22 14:55:52    Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	1200	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053621MYC    Reviewed On : 12/16/22 11:33:28 Instrument Used : DA-LCMS-004 (MYC)    Batch Date : 12/15/22 10:49:21 Running on : N/A					
Analyzed by: 3390, 3621, 53, 1440    Weight: 0.8937g    Extraction date: 12/15/22 12:20:12    Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053601MIC    Reviewed On : 12/17/22 10:17:14 Instrument Used : DA-265 Gene-UP RTPCR    Batch Date : 12/15/22 09:27:25 Running on : 12/15/22 15:42:16						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A Reagent : 100122.R04; 091422.08; 100722.13 Consumables : 500124 Pipette : N/A						<div><div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Analyzed by: 3390, 3336, 53, 1440    Weight: 0.8459g    Extraction date: 12/15/22 15:49:34    Extracted by: 3390,3621,3336						Metal    LOD    Units    Result    Pass / Fail    Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053634TYM    Reviewed On : 12/17/22 16:24:13 Instrument Used : Incubator (25-27C) DA-097    Batch Date : 12/15/22 15:45:50 Running on : 12/15/22 17:29:57						TOTAL CONTAMINANT LOAD METALS    0.11    ppm    ND    PASS    1.1 ARSENIC    0.02    ppm    ND    PASS    0.2 CADMIUM    0.02    ppm    ND    PASS    0.2 LEAD    0.05    ppm    ND    PASS    0.5 MERCURY    0.02    ppm    ND    PASS    0.2					
Dilution : 10 Reagent : 092022.25 Consumables : 004103 Pipette : N/A						Analyzed by: 1022, 585, 1440, 53    Weight: 0.4056g    Extraction date: 12/15/22 11:06:28    Extracted by: 3619					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053608HEA    Reviewed On : 12/16/22 12:01:28 Instrument Used : DA-ICPMS-003    Batch Date : 12/15/22 10:10:42 Running on : 12/15/22 15:34:09					
						Dilution : 50 Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA21215004-009  
**Harvest/Lot ID:** HYB-GP-102022-C0062

**Batch# :** 0720 3367 4087  
 1823

**Sampled :** 12/14/22  
**Ordered :** 12/14/22

**Sample Size Received :** 26 units

**Total Amount :** 1490 units

**Completed :** 12/17/22 **Expires:** 12/17/23

**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	10.54	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 1879, 1440	Weight: 0.503g	Extraction date: 12/16/22 13:36:02		Extracted by: 1879	
Analysis Method : SOP.T.40.090				Reviewed On : 12/17/22 00:31:08 Batch Date : 12/16/22 13:39:25		Analysis Method : SOP.T.40.021				Reviewed On : 12/16/22 13:44:34 Batch Date : 12/15/22 11:32:59	
Analytical Batch : DA053687FIL						Analytical Batch : DA053627MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 12/16/22 13:45:35						Running on : 12/16/22 13:33:55					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.492	PASS	0.65
Analyzed by: 2926, 585, 1440	Weight: 0.6g	Extraction date: 12/15/22 15:10:44		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 12/16/22 12:02:51 Batch Date : 12/15/22 11:34:46		
Analytical Batch : DA053631WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 12/15/22 14:52:13					
Dilution : N/A					
Reagent : 121421.21					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.