

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix: Derivative

Certificate of Analysis

Sample: DA21216006-005 Harvest/Lot ID: 2964 8581 3449 7854

Batch#: 5072 3654 8257 9060

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 2964 8581 3449 7854

Batch Date: 12/15/22

Sample Size Received: 15.5 gram

Total Amount: 2916 gram Retail Product Size: .5 gram

Ordered: 12/15/22 Sampled: 12/15/22 Completed: 12/20/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

COMPLIANCE FOR RETAIL

Dec 20, 2022 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS







Pesticides PASSED

Heavy Metals **PASSED**



Microbials

PASSED

PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC

93.23%



Total CBD

Total CBD/Container: 1.165 mg

Reviewed On: 12/19/22 10:21:54 Batch Date: 12/16/22 10:48:49



Total Cannabinoids

Total Cannabinoids/Container: 488.965



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	93.23	ND	0.233	ND	0.195	1.598	ND	1.135	0.665	ND	0.737
mg/g	932.3	ND	2.33	ND	1.95	15.98	ND	11.35	6.65	ND	7.37
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3605, 1665, 5				Weight: 0.0991g		Extraction date: 12/16/22 12:34:56				Extracted by: 3605	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA053657POT Instrument Used : DA-LC-007

Running on: 12/16/22 12:35:51

Dilution: 400 Reagent: 120122.R22; 071222.01; 121422.R49

Consumables: 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22

Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g Sour Diesel

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21216006-005

Harvest/Lot ID: 2964 8581 3449 7854

Batch#: 5072 3654 8257

Sampled: 12/15/22 Ordered: 12/15/22 Sample Size Received: 15.5 gram

Total Amount: 2916 gram Completed: 12/20/22 Expires: 12/20/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	(%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)	
TOTAL TERPENES	0.007	18.53	1.853		CAMPHOR	0.013	ND	ND		
TOTAL TERPINEOL	0.007	< 0.2	< 0.02		BORNEOL	0.013	< 0.4	< 0.04		
CAMPHENE	0.007	< 0.2	< 0.02		GERANIOL	0.007	< 0.2	< 0.02		
BETA-MYRCENE	0.007	4.5	0.45		PULEGONE	0.007	ND	ND		
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	< 0.2	< 0.02		ALPHA-HUMULENE	0.007	1.16	0.116		
CIMENE	0.007	0.31	0.031		TRANS-NEROLIDOL	0.007	< 0.2	< 0.02		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	< 0.2	< 0.02		
INALOOL	0.007	1.54	0.154		Analyzed by:	Weight:	Extrac	tion date	e:	Extracted by
ENCHONE	0.007	ND	ND		2076, 53, 585, 1440	0.9183g		22 16:5		2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30					
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA05367 Instrument Used : DA-GCM				n: 12/20/22 14: 12/16/22 10:57	
IEXAHYDROTHYMOL	0.007	ND	ND		Running on : 12/17/22 12:1		Batt	n Date :	12/10/22 10.5/	7.50
IEROL	0.007	ND	ND		Dilution: 10		\times		$\forall \forall \forall$	
ERANYL ACETATE	0.007	ND	ND		Reagent: 120722.08					
BETA-CARYOPHYLLENE	0.007	4.13	0.413		Consumables : 210414634;	MKCN9995; CE012	3; R1KB	14270		
ALENCENE	0.007	ND	ND		Pipette : N/A		\mathcal{A}		\sim	
CIS-NEROLIDOL	0.007	< 0.2	< 0.02		Terpenoid testing is performed	utilizing Gas Chromai	tography I	Mass Spe	ctrometry.	
EDROL	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	< 0.2	< 0.02							
ARNESENE	0	0.24	0.024							
LPHA-BISABOLOL	0.007	0.22	0.022							
LPHA-PINENE	0.007	0.36	0.036							
ABINENE	0.007	ND	ND							
BETA-PINENE	0.007	0.52	0.052							
ALPHA-TERPINENE	0.007	ND	ND							
IMONENE	0.007	4.59	0.459							
AMMA-TERPINENE	0.007	ND	ND							
ERPINOLENE	0.007	0.47	0.047							
SABINENE HYDRATE	0.007	ND	ND							
		0.49	0.049							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22



Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative



DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA21216006-005

Harvest/Lot ID: 2964 8581 3449 7854

Batch#:5072 3654 8257 9060

Sampled: 12/15/22 Ordered: 12/15/22 Sample Size Received: 15.5 gram

Total Amount : 2916 gram

Completed: 12/20/22 Expires: 12/20/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND						PASS	
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3		ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEOUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm			
DSCALID	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	IZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEOUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.1	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
	0.01	ppm	0.2	PASS	ND	/			PPM	0.1		ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	/ /	177	PASS	
AMINOZIDE			0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm		PASS		Analyzed by:	Weight:	Extra	ction date	e:	Extracted	by:
METHOATE	0.01	ppm	0.1		ND	3379, 585, 53, 1440	0.2791g	12/16	5/22 16:28:	37	3379,450,	585
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.3	30.101.FL (Gaines	ville), SOP.1	.30.102.FL	(Davie), SOF	P.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	/_/ / /				<u> </u>	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0536				l On :12/19/2 te :12/16/22		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM Running on : 12/16/22 15:			Batch Da	te:12/10/22	11:35:23	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	40.40					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 121522.R03; 12	1222 R02: 12062	2 R07· 121	422 R01 · 0	92820 59		
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-0		2.1107, 121	+22.1t01, 0	32020.33		
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094;	DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ager			Chromato	graphy Triple-	Quadrupole Ma	iss
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance						
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by	
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 53, 1440	0.2791g	12/16/22 1			3379,450,58	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0536 Instrument Used : DA-GCI				n:12/19/22 :12/16/22 11		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A	413-001	De	accii Date	12/10/22 11		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 121222.R02; 09	2820.59: 120122	.R67: 1206:	22.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-0		,				
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager	nts is performed ut	ilizing Gas C	hromatogra	aphy Triple-Qu	uadrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21216006-005

Harvest/Lot ID: 2964 8581 3449 7854

Batch#: 5072 3654 8257

Sampled: 12/15/22 Ordered: 12/15/22

Sample Size Received: 15.5 gram Total Amount: 2916 gram

Completed: 12/20/22 Expires: 12/20/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	<30
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Assoluted by:	W-I-ba	Protoco attack at all attacks	1/1/1	// // //	Francisco de la lacción

Extraction date: Analyzed by: Weight: Extracted by: 850, 53, 1440 12/20/22 12:35:07

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA053784SOL Instrument Used : DA-GCMS-002 **Running on:** 12/20/22 13:37:04

Dilution: 1

Reagent: 071420.56 Consumables: R2017.167; KF140

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 12/20/22 13:46:04 Batch Date: 12/19/22 15:26:39

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample: DA21216006-005

Harvest/Lot ID: 2964 8581 3449 7854

Batch#: 5072 3654 8257 9060

Sampled: 12/15/22 Ordered: 12/15/22 Sample Size Received: 15.5 gram

Total Amount: 2916 gram Completed: 12/20/22 Expires: 12/20/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



AFLATOXIN G2

0

Mycotoxins

PASSED

PASS 0.02

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621 3336 2682 53 1440	Weight:		ion date:	Extract	ed by:

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 12/19/22 08:48:39

Analytical Batch : DA053637MIC
Instrument Used : DA-265 Gene-UP RTPCR Batch Date: 12/16/22 08:03:33

Running on: 12/16/22 16:05:58

Dilution: N/A Reagent: 100122.R04; 091422.08; 100722.13

Consumables: 500124 Pipette: N/A

Analyzed by: 3336, 2682, 53, 1440	Weight: 0.907g	Extraction date: 12/16/22 16:03:18	Extracted by: 3621,3336,2682

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Reviewed On: 12/18/22 17:26:41 Analytical Batch : DA053692TYM Instrument Used : Incubator (25-27C) DA-097 Batch Date: 12/16/22 15:54:56 Running on: 12/16/22 16:03:31

Dilution: 10 Reagent: 092022.25 Consumables: 005104 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

980					
Analyte	LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	mag	ND	PASS	0.02

Analyzed by: 3379, 585, 53, 1440 Weight: Extraction date: Extracted by: 12/16/22 16:28:37 0.2791q 3379.450.585

ppm

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Reviewed On: 12/19/22 12:40:45 Analytical Batch: DA053672MYC Instrument Used : DA-LCMS-003 (MYC) Batch Date: 12/16/22 11:38:27 Running on: 12/16/22 15:48:55

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTA	MINANT LOAD MET	ALS 0.11	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
LEAD		0.05	ppm	ND	PASS	0.5	
MERCURY		0.02	ppm	ND	PASS	0.2	
Analyzed by: 1022, 53, 1440	Weight: 0.4191g	Extraction dat 12/16/22 12:2			tracted b 022,3619	y:	

Analysis Method: SOP T 30 082 FL SOP T 40 082 FL

Analytical Batch : DA053653HEA Reviewed On: 12/18/22 07:02:19 Instrument Used: DA-ICPMS-003 Running on: 12/16/22 14:09:24 Batch Date: 12/16/22 10:24:57

Dilution: 50

Reagent: 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA21216006-005

Harvest/Lot ID: 2964 8581 3449 7854

Batch#: 5072 3654 8257 9060

Sampled: 12/15/22 Ordered: 12/15/22

Sample Size Received: 15.5 gram Total Amount: 2916 gram

Completed: 12/20/22 Expires: 12/20/23 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA053688FIL Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 12/17/22 00:31:52 **Batch Date:** 12/16/22 13:39:37 Running on: 12/16/22 13:45:40

Dilution: N/A Reagent: N/A

Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 12/16/22 17:20:24 Batch Date: 12/16/22 13:27:56

Analyte Water Activity	0.	D	Units aw	Result 0.465	P/F PASS	Action Leve 0.85
Analyzed by: 2926, 1879, 1440	Weight: 0.285q		extraction			ctracted by:

12/16/22 14:51:31

Analysis Method : SOP.T.40.019
Analytical Batch : DA053686WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : 12/16/22 14:46:03

Dilution : N/A Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/20/22