



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA21217003-003
Harvest/Lot ID: 1060 0293 1717 2779
Batch#: 5603 9071 0146 3035
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Seed to Sale#: 1060 0293 1717 2779
Batch Date: 10/31/22
Sample Size Received: 31 units
Total Amount: 2965 units
Retail Product Size: 0.5 gram
Ordered: 12/16/22
Sampled: 12/16/22
Completed: 12/20/22
Sampling Method: SOP.T.20.010

Dec 20, 2022 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
------------------------------------------------------------------------------------	--------------------	---------------



Analyzed by: 1665, 53, 1440
Weight: 0.0846g
Extraction date: 12/19/22 09:19:02
Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053738POT
Instrument Used : DA-LC-003 (Derivatives)
Running on : 12/19/22 10:37:25
Reviewed On : 12/20/22 09:39:43
Batch Date : 12/17/22 22:27:48

Dilution : 400
Reagent : 070121.27
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21217003-003
Harvest/Lot ID: 1060 0293 1717 2779
Batch# : 5603 9071 0146
 3035

Sampled : 12/16/22
Ordered : 12/16/22

Sample Size Received : 31 units
Total Amount : 2965 units
Completed : 12/20/22 **Expires:** 12/20/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.97	1.794		CAMPOR	0.013	0.42	0.084	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	0.365	0.073	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.76	0.152		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	<0.1	<0.02		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.485	0.097		ALPHA-HUMULENE	0.007	0.25	0.05	
OCIMENE	0.007	0.875	0.175		TRANS-NEROLIDOL	0.007	0.24	0.048	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	0.155	0.031		Analyzed by: 3379, 53, 1440 Weight: 1.162g Extraction date: 12/19/22 14:30:43 Extracted by: 3379				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0537497ER Instrument Used : DA-GCMS-004 Running on : 12/19/22 14:32:05 Reviewed On : 12/20/22 11:38:17 Batch Date : 12/19/22 08:46:02				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	0.235	0.047						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.375	0.075						
VALENCENE	0.007	0.27	0.054						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	0.155	0.031						
CARYOPHYLLENE OXIDE	0.007	0.245	0.049						
FARNESENE	0	0.035	0.007						
ALPHA-BISABOLOL	0.007	0.285	0.057						
ALPHA-PINENE	0.007	0.125	0.025						
SABINENE	0.007	0.16	0.032						
BETA-PINENE	0.007	0.13	0.026						
ALPHA-TERPINENE	0.007	0.1	0.02						
LIMONENE	0.007	0.385	0.077						
GAMMA-TERPINENE	0.007	<0.1	<0.02						
TERPINOLENE	0.007	2.715	0.543						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.205	0.041						
Total (%)			1.794						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21217003-003
 Harvest/Lot ID: 1060 0293 1717 2779

 Batch# : 5603 9071 0146
 3035

 Sampled : 12/16/22
 Ordered : 12/16/22

Sample Size Received : 31 units

Total Amount : 2965 units

Completed : 12/20/22 Expires: 12/20/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by:	585, 53, 1440	Weight:	0.2256g	Extraction date:	12/19/22 14:24:48
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053752PES				
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on :	12/19/22 14:35:13				
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent :	121222.R01; 121222.R02; 120622.R07; 121422.R01; 092820.59				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analized by:	450, 53, 1440, 585	Weight:	0.2256g	Extraction date:	12/19/22 14:24:48
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053754VOL				
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-006				
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on :	N/A				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution :	250				
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent :	121222.R02; 092820.59; 120122.R67; 120622.R24				
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146				
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21217003-003
Harvest/Lot ID: 1060 0293 1717 2779
Batch# : 5603 9071 0146
Sampled : 12/16/22
Ordered : 12/16/22

Sample Size Received : 31 units
Total Amount : 2965 units
Completed : 12/20/22 **Expires:** 12/20/23
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	<30
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0282g

Extraction date:
 12/20/22 12:35:11

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053784SOL
Instrument Used : DA-GCMS-002
Running on : 12/20/22 13:37:04

Reviewed On : 12/20/22 13:48:39
Batch Date : 12/19/22 15:26:39

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21217003-003
Harvest/Lot ID: 1060 0293 1717 2779
Batch# : 5603 9071 0146
Sample Size Received : 31 units
Total Amount : 2965 units
Completed : 12/20/22 **Expires:** 12/20/23
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 1440 Weight: 0.2256g Extraction date: 12/19/22 14:24:48 Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053753MYC Reviewed On : 12/20/22 10:20:56 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 12/19/22 09:44:54 Running on : 12/19/22 14:35:18					
Analyzed by: 3621, 53, 1440 Weight: 0.995g Extraction date: 12/17/22 12:49:40 Extracted by: 3621 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053710MIC Reviewed On : 12/20/22 08:59:14 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/17/22 09:15:12 Running on : 12/17/22 16:10:14 Dilution : N/A Reagent : 091422.08; 100722.13 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1879, 53, 1440 Weight: 0.5587g Extraction date: 12/17/22 13:00:39 Extracted by: 3619,1879											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053718HEA Reviewed On : 12/20/22 12:01:13 Instrument Used : DA-ICPMS-003 Batch Date : 12/17/22 11:14:11 Running on : 12/19/22 12:18:00											
Dilution : 50 Reagent : 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21217003-003
Harvest/Lot ID: 1060 0293 1717 2779
Batch# : 5603 9071 0146
Sampled : 12/16/22
Ordered : 12/16/22

Sample Size Received : 31 units
Total Amount : 2965 units
Completed : 12/20/22 **Expires:** 12/20/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053743FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/18/22 13:56:03	Reviewed On : 12/18/22 14:05:15 Batch Date : 12/18/22 13:41:02
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.545	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 53, 1440	0.425g	12/17/22 15:35:47	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053715WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/17/22 15:35:58	Reviewed On : 12/18/22 07:58:36 Batch Date : 12/17/22 11:00:11
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.