



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928
Batch#: 7854 1215 5151 4461
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 8625 5086 2934 5928
Batch Date: 10/31/22
Sample Size Received: 16 gram
Total Amount: 1473 units
Retail Product Size: 1 gram
Ordered : 12/19/22
Sampled : 12/19/22
Completed: 12/22/22
Sampling Method: SOP.T.20.010

Dec 22, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

91.376%

Total THC/Container : 913.76 mg



Total CBD

0.255%

Total CBD/Container : 2.55 mg



Total Cannabinoids

95.761%

Total Cannabinoids/Container : 957.61 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.273	0.118	0.255	ND	0.264	1.322	ND	1.216	0.693	ND	0.62
mg/unit	912.73	1.18	2.55	ND	2.64	13.22	ND	12.16	6.93	ND	6.2
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 585, 1440, 53

Weight:
 0.105g

Extraction date:
 12/20/22 12:08:21

Extracted by:
 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053797POT
 Instrument Used : DA-LC-007
 Running on : 12/20/22 12:32:20

Reviewed On : 12/21/22 11:57:58
 Batch Date : 12/20/22 09:16:18

Dilution : 400
 Reagent : 120122.R22; 070121.27; 121422.R49
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928
Batch# : 7854 1215 5151
Sample Size Received : 16 gram
Total Amount : 1473 units
Completed : 12/22/22 **Expires:** 12/22/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	29.33	2.933		CAMPHOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	0.99	0.099	
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	0.81	0.081	
BETA-MYRCENE	0.007	3.82	0.382		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	1.04	0.104		ALPHA-HUMULENE	0.007	0.91	0.091	
OCIMENE	0.007	0.74	0.074		TRANS-NEROLIDOL	0.007	0.66	0.066	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	0.59	0.059	
LINALOOL	0.007	0.88	0.088		Analyzed by: 3379, 585, 53, 1440 Weight: 0.8588g Extraction date: 12/20/22 14:21:00 Extracted by: 3379				
FENCHONE	0.007	0.28	0.028		Analysis Method : SOP.T.20.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053803TER Instrument Used : DA-GCMS-004 Running on : 12/20/22 14:22:40 Reviewed On : 12/21/22 11:50:36 Batch Date : 12/20/22 10:13:17				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	0.6	0.06						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.08	0.208						
VALENCENE	0.007	1.31	0.131						
CIS-NEROLIDOL	0.007	0.75	0.075						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.83	0.083						
FARNESENE	0	0.1	0.01						
ALPHA-BISABOLOL	0.007	1	0.1						
ALPHA-PINENE	0.007	1.52	0.152						
SABINENE	0.007	0.33	0.033						
BETA-PINENE	0.007	0.25	0.025						
ALPHA-TERPINENE	0.007	<0.2	<0.02						
LIMONENE	0.007	8.4	0.84						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.5	0.05						
Total (%)			2.933						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928

Batch# : 7854 1215 5151
 4461

Sampled : 12/19/22
Ordered : 12/19/22

Sample Size Received : 16 gram

Total Amount : 1473 units

Completed : 12/22/22 **Expires:** 12/22/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by:	Weight:	Extraction date:	Extracted by:
585, 53, 1440	0.2574g	12/20/22 14:13:53	585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA053804PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 12/20/22 14:16:02

Dilution : 250

Reagent : 121922.R01; 121922.R03; 120622.R07; 121422.R01; 092820.59

Consumables : 6676024-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:	Weight:	Extraction date:	Extracted by:
450, 585, 1440, 53	0.2574g	12/20/22 14:13:53	585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA053806VOL

Instrument Used : DA-GCMS-001

Running on : N/A

Dilution : 250

Reagent : 121922.R03; 092820.59; 120122.R67; 120622.R24

Consumables : 6676024-02; 14725401

Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928
Batch# : 7854 1215 5151
Sample Size Received : 16 gram
Total Amount : 1473 units
Completed : 12/22/22 **Expires:** 12/22/23
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	<30
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 53, 1440

Weight:
 0.0249g

Extraction date:
 12/21/22 14:32:13

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053831SOL
Instrument Used : DA-GCMS-003
Running on : 12/21/22 14:53:37

Reviewed On : 12/21/22 15:08:07
Batch Date : 12/20/22 15:11:57

Dilution : 1
Reagent : 071420.56
Consumables : 27296; R2017.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928
Batch# : 7854 1215 5151
Sample Size Received : 16 gram
Total Amount : 1473 units
Completed : 12/22/22 **Expires:** 12/22/23
Ordered : 12/19/22 **Sample Method :** SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 1440 Weight: 0.2574g Extraction date: 12/20/22 14:13:53 Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053805MYC Reviewed On : 12/21/22 14:35:22 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 12/20/22 10:19:28 Running on : 12/20/22 14:16:22					
Analyzed by: 3621, 3390, 53, 1440 Weight: 0.8754g Extraction date: 12/20/22 12:09:17 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053792MIC Reviewed On : 12/22/22 10:53:10 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 12/20/22 08:12:23 Running on : 12/20/22 18:02:41 Dilution : N/A Reagent : 091422.08; 100722.13 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1879, 53, 1440 Weight: 0.4166g Extraction date: 12/20/22 12:41:44 Extracted by: 53,1879											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053821HEA Reviewed On : 12/22/22 10:49:44 Instrument Used : DA-ICPMS-003 Batch Date : 12/20/22 10:57:49 Running on : 12/20/22 16:16:17 Dilution : N/A Reagent : 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21220004-009
Harvest/Lot ID: 8625 5086 2934 5928
Batch# : 7854 1215 5151 4461
Sampled : 12/19/22
Ordered : 12/19/22

Sample Size Received : 16 gram
Total Amount : 1473 units
Completed : 12/22/22 **Expires:** 12/22/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA053818FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 12/20/22 21:37:55
Reviewed On : 12/20/22 21:50:08
Batch Date : 12/20/22 10:56:30

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.476	PASS	0.85

Analyzed by: 1879, 585, 1440	Weight: 0.3653g	Extraction date: 12/20/22 14:34:22	Extracted by: 3807
----------------------------------------	---------------------------	----------------------------------------------	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA053825WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 12/21/22 11:42:52
Reviewed On : 12/20/22 16:41:46
Batch Date : 12/20/22 11:13:56

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.