



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21221003-004
Harvest/Lot ID: 9867 9029 3158 1350
Batch#: 4839 3605 9906 1296
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 9867 9029 3158 1350
Batch Date: 10/31/22
Sample Size Received: 6 units
Total Amount: 1281 units
Retail Product Size: 30 gram
Ordered : 12/20/22
Sampled : 12/20/22
Completed: 12/23/22
Sampling Method: SOP.T.20.010

Dec 23, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
1.922%

Total THC/Container : 576.6 mg



Total CBD
0.005%

Total CBD/Container : 1.5 mg



Total Cannabinoids
2.039%

Total Cannabinoids/Container : 611.7 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.872	0.058	0.005	ND	0.002	0.032	0.003	0.028	0.015	ND	0.024
mg/unit	561.6	17.4	1.5	ND	0.6	9.6	0.9	8.4	4.5	ND	7.2
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 53, 1440

Weight:
 3.0817g

Extraction date:
 12/21/22 11:06:56

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA053842POT
 Instrument Used : DA-LC-007
 Running on : 12/21/22 11:20:31

Reviewed On : 12/22/22 15:40:00
 Batch Date : 12/21/22 08:58:10

Dilution : 400
 Reagent : 071222.01; 122122.R29; 122122.R26
 Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-004
Harvest/Lot ID: 9867 9029 3158 1350

Batch# : 4839 3605 9906
 1296

Sampled : 12/20/22
Ordered : 12/20/22

Sample Size Received : 6 units
Total Amount : 1281 units
Completed : 12/23/22 **Expires:** 12/23/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.5	0.025		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<6	<0.02		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	<6	<0.02	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<6	<0.02	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.9	0.023						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CECROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
FARNESENE	0	0.6	0.002						
ALPHA-BISABOLOL	0.007	<6	<0.02						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
Total (%)			0.025						

Analyzed by: 3379, 53, 1440 **Weight:** 0.9567g **Extraction date:** 12/21/22 13:47:48 **Extracted by:** 3379
Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch: DA0538497ER
Instrument Used: DA-GCMS-004
Running on: 12/21/22 13:50:07
Reviewed On: 12/22/22 13:40:50
Batch Date: 12/21/22 09:28:47
Dilution: 10
Reagent: 120722.08
Consumables: 210414634; MKCN9995; CE0123; R1KB14270
Pipette: N/A
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21221003-004
 Harvest/Lot ID: 9867 9029 3158 1350

 Batch# : 4839 3605 9906
 1296

 Sampled : 12/20/22
 Ordered : 12/20/22

Sample Size Received : 6 units

Total Amount : 1281 units

Completed : 12/23/22 Expires: 12/23/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROCONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 0.234g	Extraction date: 12/21/22 14:33:48	Extracted by: 585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053853PES			Reviewed On : 12/22/22 12:16:39		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/21/22 09:48:40		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 12/21/22 14:35:08					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 121922.R01; 121922.R03; 120622.R07; 122122.R01; 092820.59					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by: 450, 53, 1440	Weight: 0.234g	Extraction date: 12/21/22 14:33:48	Extracted by: 585		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : DA053858VOL			Reviewed On : 12/22/22 12:11:56		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 12/21/22 09:52:20		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Running on : N/A					
KRESOXIM-METHYL	0.01	ppm	2	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	3	PASS	ND	Reagent : 121922.R03; 092820.59; 120122.R67; 120622.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-004
Harvest/Lot ID: 9867 9029 3158 1350

Batch# : 4839 3605 9906
 1296

Sampled : 12/20/22
Ordered : 12/20/22

Sample Size Received : 6 units

Total Amount : 1281 units

Completed : 12/23/22 **Expires:** 12/23/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0245g

Extraction date:
 12/22/22 13:29:06

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053879SOL
Instrument Used : DA-GCMS-003
Running on : 12/22/22 14:05:07

Reviewed On : 12/22/22 15:30:03
Batch Date : 12/21/22 15:07:02

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21221003-004
 Harvest/Lot ID: 9867 9029 3158 1350
 Batch# : 4839 3605 9906
 Sample Size Received : 6 units
 Total Amount : 1281 units
 Completed : 12/23/22 Expires: 12/23/23
 Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9083g	Extraction date: 12/21/22 11:03:55	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA053836MIC						Analytical Batch : DA053857MYC					
Instrument Used : DA-265 Gene-UP RTPCR						Instrument Used : DA-LCMS-003 (MYC)					
Running on : 12/21/22 11:20:21						Running on : 12/21/22 14:35:03					
Dilution : N/A											
Reagent : 091422.08; 100722.13; 122122.R81											
Consumables : 500124											
Pipette : N/A											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.9707g	Extraction date: 12/21/22 11:19:51	Extracted by: 3621			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA053845TYM						Analytical Batch : DA053839HEA					
Instrument Used : Incubator (25-27C) DA-097						Instrument Used : DA-ICPMS-003					
Running on : 12/21/22 13:54:42						Running on : 12/21/22 13:09:12					
Dilution : N/A											
Reagent : 071122.R03											
Consumables : 004103											
Pipette : N/A											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	<0.1	PASS	3
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.411g	Extraction date: 12/21/22 10:47:33	Extracted by: 3619		
Analytical Batch : DA053839HEA					
Instrument Used : DA-ICPMS-003					
Running on : 12/21/22 13:09:12					
Dilution : 50					
Reagent : 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-106; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-004
Harvest/Lot ID: 9867 9029 3158 1350
Batch# : 4839 3605 9906
Sample Size Received : 6 units
Total Amount : 1281 units
Completed : 12/23/22 **Expires:** 12/23/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053856FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/21/22 09:53:11	Reviewed On : 12/21/22 09:54:17 Batch Date : 12/21/22 09:51:43
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.424	TESTED	

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 1440	1.718g	12/21/22 11:43:55	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053825WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/21/22 11:42:52	Reviewed On : 12/21/22 14:43:35 Batch Date : 12/20/22 11:13:56
---	---

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.