



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21221003-006
Harvest/Lot ID: 2964 5034 0053 1672
Batch#: 5633 9577 2590 7049
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 2964 5034 0053 1672
Batch Date: 09/14/22
Sample Size Received: 16 units
Total Amount: 1505 units
Retail Product Size: 1 gram
Ordered : 12/20/22
Sampled : 12/20/22
Completed: 12/23/22
Sampling Method: SOP.T.20.010

Dec 23, 2022 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

Cannabinoid
PASSED

Total THC
87.347%

Total THC/Container : 873.47 mg


Total CBD
0.179%

Total CBD/Container : 1.79 mg


Total Cannabinoids
91.989%

Total Cannabinoids/Container : 919.89 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.216	0.15	0.179	ND	0.334	1.488	ND	1.111	0.665	ND	0.846
mg/unit	872.16	1.5	1.79	ND	3.34	14.88	ND	11.11	6.65	ND	8.46
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
0.1047g

Extraction date:
12/21/22 11:06:56

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA053842POT

Instrument Used : DA-LC-007

Running on : 12/21/22 11:20:31

Reviewed On : 12/22/22 15:41:48

Batch Date : 12/21/22 08:58:10

Dilution : 400

Reagent : 071222.01; 122122.R29; 122122.R26

Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-006
Harvest/Lot ID: 2964 5034 0053 1672
Batch# : 5633 9577 2590 7049
Sampled : 12/20/22
Ordered : 12/20/22

Sample Size Received : 16 units
Total Amount : 1505 units
Completed : 12/23/22 **Expires:** 12/23/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.7	1.97		CAMPOR	0.013	1.09	0.109	
TOTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	0.97	0.097	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.62	0.162		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	<0.2	<0.02		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	1.12	0.112		ALPHA-HUMULENE	0.007	0.67	0.067	
OCIMENE	0.007	1.88	0.188		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	0.56	0.056	
LINALOOL	0.007	0.36	0.036		Analyzed by: 3379, 53, 1440 Weight: 0.8672g Extraction date: 12/21/22 13:47:48 Extracted by: 3379 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA0538497ER Instrument Used: DA-GCMS-004 Reviewed On: 12/22/22 13:46:15 Running on: 12/21/22 13:50:07 Batch Date: 12/21/22 09:28:47 Dilution: 10 Reagent: 120722.08 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	0.6	0.06						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.71	0.071						
VALENCENE	0.007	0.7	0.07						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.61	0.061						
FARNESENE	0	<0.018	<0.0018						
ALPHA-BISABOLOL	0.007	0.73	0.073						
ALPHA-PINENE	0.007	0.24	0.024						
SABINENE	0.007	0.32	0.032						
BETA-PINENE	0.007	0.31	0.031						
ALPHA-TERPINENE	0.007	0.24	0.024						
LIMONENE	0.007	0.81	0.081						
GAMMA-TERPINENE	0.007	<0.2	<0.02						
TERPINOLENE	0.007	5.03	0.503						
SABINENE HYDRATE	0.007	0.3	0.03						
FENCHYL ALCOHOL	0.007	0.54	0.054						
Total (%)			1.97						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21221003-006
 Harvest/Lot ID: 2964 5034 0053 1672

 Batch# : 5633 9577 2590
 7049
 Sample Size Received : 16 units
 Total Amount : 1505 units
 Completed : 12/23/22 Expires: 12/23/23
 Ordered : 12/20/22
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CLOFENPROX	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed by:	585, 53, 1440	Weight:	0.2131g	Extraction date:	12/21/22 14:33:49
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	12/22/22 12:16:17
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053853PES			Batch Date :	12/21/22 09:48:40
FIPRONIL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				
FLONICAMID	0.01	ppm	0.1	PASS	ND	Running on :	12/21/22 14:35:08				
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Dilution :	250				
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Reagent :	121922.R01; 121922.R03; 120622.R07; 122122.R01; 092820.59				
IMAZALIL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed by:	450, 53, 1440	Weight:	0.2131g	Extraction date:	12/21/22 14:33:49
METALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On :	12/22/22 12:12:06
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA053858VOL			Batch Date :	12/21/22 09:52:20
METHOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-006				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Running on :	N/A				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Dilution :	250				
NALED	0.01	ppm	0.25	PASS	ND	Reagent :	121922.R03; 092820.59; 120122.R67; 120622.R24				
						Consumables :	6676024-02; 14725401				
						Pipette :	DA-080; DA-146				
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-006
Harvest/Lot ID: 2964 5034 0053 1672

Batch# : 5633 9577 2590
 7049

Sampled : 12/20/22
Ordered : 12/20/22

Sample Size Received : 16 units

Total Amount : 1505 units

Completed : 12/23/22 **Expires:** 12/23/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0263g

Extraction date:
 12/22/22 13:29:07

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053879SOL
Instrument Used : DA-GCMS-003
Running on : 12/22/22 14:05:07

Reviewed On : 12/22/22 15:30:51
Batch Date : 12/21/22 15:07:02

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-006
Harvest/Lot ID: 2964 5034 0053 1672
Batch# : 5633 9577 2590
 7049

Sampled : 12/20/22
Ordered : 12/20/22



Sample Size Received : 16 units



Total Amount : 1505 units



Completed : 12/23/22 **Expires:** 12/23/23

Sample Method : SOP.T.20.010

Page 5 of 6

<div> Microbial</div>						<div> PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
SALMONELLA SPECIFIC GENE			Not Present	PASS							
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
ASPERGILLUS TERREUS			Not Present	PASS							
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 3390, 53, 1440		Weight: 1.032g	Extraction date: 12/21/22 11:03:56		Extracted by: 3621						
Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA053836MIC						Reviewed On : 12/23/22 11:54:32					
Instrument Used : DA-265 Gene-UP RTPCR						Batch Date : 12/21/22 08:04:12					
Running on : 12/21/22 11:20:21											
Dilution : N/A											
Reagent : 091422.08; 100722.13; 122122.R81											
Consumables : 500124											
Pipette : N/A											
Analyzed by: 3390, 3621, 53, 1440		Weight: 0.805g	Extraction date: 12/21/22 11:19:51		Extracted by: 3621						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA053845TYM						Reviewed On : 12/23/22 12:21:12					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 12/21/22 09:07:19					
Running on : 12/21/22 13:54:42											
Dilution : N/A											
Reagent : 071122.R03											
Consumables : 004103											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div> Mycotoxins</div>						<div> PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 585, 53, 1440		Weight: 0.2131g	Extraction date: 12/21/22 14:33:49		Extracted by: 585						
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Analytical Batch : DA053857MYC						Reviewed On : 12/22/22 12:07:31					
Instrument Used : DA-LCMS-003 (MYC)						Batch Date : 12/21/22 09:52:17					
Running on : 12/21/22 14:35:03											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

<div> Heavy Metals</div>						<div> PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1879, 53, 1440		Weight: 0.4854g	Extraction date: 12/21/22 10:38:07		Extracted by: 3619						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA053839HEA						Reviewed On : 12/22/22 11:41:45					
Instrument Used : DA-ICPMS-003						Batch Date : 12/21/22 08:46:09					
Running on : 12/21/22 13:09:12											
Dilution : 50											
Reagent : 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35											
Consumables : 179436; 210508058; 210803-059											
Pinette : DA-061: DA-106: DA-216											

<div><div></div><div>Hg</div></div>			Heavy Metals		PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
LEAD	0.05	ppm	ND	PASS	0.5	
MERCURY	0.02	ppm	ND	PASS	0.2	
Analyzed by: 1879, 53, 1440	Weight: 0.4854g	Extraction date: 12/21/22 10:38:07		Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA053839HEA			Reviewed On : 12/22/22 11:41:45			
Instrument Used : DA-ICPMS-003			Batch Date : 12/21/22 08:46:09			
Running on : 12/21/22 13:09:12						
Dilution : 50						
Reagent : 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35						
Consumables : 179436; 210508058; 210803-059						
Pipette : DA-061; DA-106; DA-216						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21221003-006
Harvest/Lot ID: 2964 5034 0053 1672
Batch# : 5633 9577 2590 7049
Sampled : 12/20/22
Ordered : 12/20/22

Sample Size Received : 16 units
Total Amount : 1505 units
Completed : 12/23/22 **Expires:** 12/23/23
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA053856FIL Instrument Used : Filth/Foreign Material Microscope Running on : 12/21/22 09:53:11	Reviewed On : 12/21/22 09:54:18 Batch Date : 12/21/22 09:51:43
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.466	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 1440	0.698g	12/21/22 11:43:56	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA053825WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 12/21/22 11:42:52	Reviewed On : 12/21/22 14:43:37 Batch Date : 12/20/22 11:13:56
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.