

Certificate of Analysis

COMPLIANCE FOR RETAIL

Dec 23, 2022 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Sour Diesel RSO Syringe 1g Sour Diesel Matrix: Derivative



Sample: DA21221003-007 Harvest/Lot ID: 1906 6752 4341 3758

Batch#: 1767 6672 0977 1576

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 1906 6752 4341 3758

Batch Date: 09/14/22

Sample Size Received: 16 units

Total Amount: 931 units Retail Product Size: 1 gram

Ordered: 12/20/22 Sampled: 12/20/22 Completed: 12/23/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS









PASSED



Microbials

PASSED



PASSED



PASSED



Filth

PASSED





PASSED

THCV

0.342

3.42

0.001

%



TESTED

PASSED

MISC.

mg/unit

LOD

Cannabinoid



Total THC

73.561%



CBDA

ND

ND

%

0.001

D8-THC

0.22

0.001

2.2

%

Total CBD Total CBD/Container: 2.25 mg

2.076

20.76

0.001

%



CBN

0.96

9.6

%

0.001

Total Cannabinoids 8.608%

CBDV

ND

ND

0.001

CBC

1.207

12.07

0.001

%

Total Cannabinoids/Container: 786.08

THCA D9-THC 0.138

Analyzed by: 1665, 53, 1440
Analysis Method: SOP.T.40.031, SOP.T.30.03

73.44 734.4

0.001

Analytical Batch : DA053842 Instrument Used : DA-LC-007

Running on: 12/21/22 11:20:31

Dilution: 400 Reagent: 071222.01; 122122.R29; 122122.R26

Consumables: 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270

1.38

0.001

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.225

2.25

%

0.001

Extraction date: 12/21/22 11:06:57 Reviewed On: 12/22/22 15:42:05 Batch Date: 12/21/22 08:58:10

CBGA

ND

ND

0.001



Testing 97164

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Signature



Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Sour Diesel RSO Syringe 1g Sour Diesel

Matrix : Derivative

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21221003-007

Harvest/Lot ID: 1906 6752 4341 3758

Batch#: 1767 6672 0977

Sampled: 12/20/22 Ordered: 12/20/22 Sample Size Received: 16 units

Total Amount: 931 units

Completed: 12/23/22 Expires: 12/23/23 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	23.17	2.317		CAMPHOR	0.013	0.97	0.097		
TOTAL TERPINEOL	0.007	0.51	0.051		BORNEOL	0.013	0.93	0.093		
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	1.99	0.199		PULEGONE	0.007	ND	ND		
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	0.43	0.043		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.89	0.189		
CIMENE	0.007	0.36	0.036		TRANS-NEROLIDOL	0.007	2.09	0.209		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	0.52	0.052		
LINALOOL	0.007	0.93	0.093		Analyzed by: Weight:		Extraction dat	e:		Extracted by:
ENCHONE	0.007	ND	ND		3379, 53, 1440 1.00640		12/21/22 13:4			3379
SOPULEGOL	0.007	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.06	51A.FL				
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA053849TER				2/22/22 13:49:27	
IEXAHYDROTHYMOL	0.007	0.5	0.05		Instrument Used : DA-GCMS-004 Running on : 12/21/22 13:50:07		Batch	Date : 12/.	21/22 09:28:47	
EROL	0.007	0.5	0.05		Dilution: 10					
ERANYL ACETATE	0.007	ND	ND		Reagent: 120722.08					
ETA-CARYOPHYLLENE	0.007	4.14	0.414		Consumables: 210414634; MKCN9995; CE0123;	R1KB14270				
ALENCENE	0.007	0.63	0.063		Pipette : N/A					
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatog	raphy Mass Spect	rometry.			
EDROL	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	0.57	0.057							
ARNESENE	0	0.74	0.074							
LPHA-BISABOLOL	0.007	2.13	0.213							
LPHA-PINENE	0.007	< 0.2	< 0.02							
ABINENE	0.007	0.24	0.024							
ETA-PINENE	0.007	< 0.2	< 0.02							
LPHA-TERPINENE	0.007	ND	ND							
IMONENE	0.007	1.96	0.196							
AMMA-TERPINENE	0.007	ND	ND							
ERPINOLENE	0.007	0.48	0.048							
SABINENE HYDRATE	0.007	ND	ND							
FENCHYL ALCOHOL	0.007	0.66	0.066							
otal (%)			2.317						A-A-	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/23/22



Kaycha Labs

Sour Diesel RSO Syringe 1g

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21221003-007

Harvest/Lot ID: 1906 6752 4341 3758

Batch#: 1767 6672 0977

Sampled: 12/20/22 Ordered: 12/20/22

Sample Size Received: 16 units Total Amount: 931 units

Pesticide

Completed: 12/23/22 Expires: 12/23/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Res
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHLORMEOUAT CHLORIDE	0.01	ppm	1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND
FENHEXAMID	0.01	ppm	0.1	PASS	ND
FENOXYCARB	0.01	ppm	0.1	PASS	ND
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND
FIPRONIL	0.01	ppm	0.1	PASS	ND
FLONICAMID	0.01	ppm	0.1	PASS	ND
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND
MALATHION	0.01	ppm	0.2	PASS	ND
METALAXYL	0.01	ppm	0.1	PASS	ND
METHIOCARB	0.01	ppm	0.1	PASS	ND
	0.01	ppm	0.1	PASS	ND
METHOMYL MEVINPHOS	0.01	ppm	0.1	PASS	ND
	0.01		0.1	PASS	ND
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND
NALED	0.01	ppm	0.25	PASS	ND

PASSED

Pass/Fail Result

Testing for agricultural a	gents is performed uti	lizing Liquio	Chromato	graphy Triple	e-Quadrupole !	Mass
Dilution: 250 Reagent: 121922.R01; Consumables: 667602 Pipette: DA-093; DA-09	4-02	2.R07; 122	122.R01; 0	92820.59		
SOP.T.40.102.FL (Davie Analytical Batch : DA05 Instrument Used : DA-L Running on : 12/21/22			d On :12/22 ate :12/21/2	/22 12:16:24 2 09:48:40		
Analysis Method : SOP.						(Gainesville
Analyzed by: 585, 53, 1440	Weight: 0.2605g		on date: 2 14:33:49		Extract 585	ed by:
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
CAPTAN *		0.07	PPM	0.7	PASS	ND
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
PENTACHLORONITROE	ENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
PROPICONAZOLE		0.01	mag	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PHOSMET PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS PASS	ND ND
OXAMYL		0.01	ppm	0.5 0.1		ND ND
01/11/1/		0.01		0.5	PASS	ND

LOD Units

Action

Spectrometry in accordance with F.S. Rule 64ER20-39.

Weight: **Extraction date** Extracted by: 12/21/22 14:33:49 0.2605g 4-30., 3-5, 1440 0.2003 12/21/22 14:33:49 585

Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
Analytical Batch : DA053858VOL
Instrument Used :DA-GCMS-006 Batch Date :12/21/22 09:52:20

Running on :N/A

Dilution: 250
Reagent: 121922.R03; 092820.59; 120122.R67; 120622.R24

Consumables: 6676024-02; 14725401 Pipette: DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/23/22



Kaycha Labs

Sour Diesel RSO Syringe 1g Sour Diesel Matrix : Derivative



DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21221003-007 Harvest/Lot ID: 1906 6752 4341 3758

Batch#: 1767 6672 0977

Sampled: 12/20/22 Ordered: 12/20/22

Sample Size Received: 16 units Total Amount: 931 units

Completed: 12/23/22 Expires: 12/23/23 Sample Method: SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	8.0	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
				<i></i>	

Extraction date: Analyzed by: Weight: Extracted by: 850, 53, 1440 12/22/22 13:29:07

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA053879SOL Instrument Used : DA-GCMS-003 Running on: 12/22/22 14:05:07

Dilution: 1

Reagent: 071420.56 Consumables: R2017.167; KF140

Pipette: DA-309 25uL Syringe 35028

Reviewed On: 12/22/22 15:31:35 Batch Date: 12/21/22 15:07:02

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/23/22



Kaycha Labs

Sour Diesel RSO Syringe 1g

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date:

12/21/22 14:33:49

Units

maa

ppm

ppm

ppm

Result

ND

ND

ND

Reviewed On: 12/22/22 12:07:36

Batch Date: 12/21/22 09:52:17

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA21221003-007 Harvest/Lot ID: 1906 6752 4341 3758

Batch#: 1767 6672 0977

Sampled: 12/20/22 Ordered: 12/20/22

Batch Date: 12/21/22 08:28:27

Sample Size Received: 16 units Total Amount: 931 units

Completed: 12/23/22 Expires: 12/23/23 Sample Method: SOP.T.20.010

Page 5 of 6

Fail

PASS

PASS

PASS

PASS

PASS

585

Extracted by:



Microbial

PASSED

Extracted by



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Analyzed by: 585, 53, 1440

Analyte

Mycotoxins

Weight:

0.2605g

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA053857MYC Instrument Used : DA-LCMS-003 (MYC)

Running on: 12/21/22 14:35:03

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621 3336 3390 53 1440	Weight:		tion date:	Extract	ed by:

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 12/23/22 12:27:27

Weight

Analytical Batch : DA053837MIC
Instrument Used : DA-265 Gene-UP RTPCR Running on: 12/21/22 11:20:17

Dilution: N/A

Analyzed by

Reagent: 091422.08; 100722.13; 122122.R81

Consumables: 500124

Pipette: N/A

	н		-
		Hg	
-			•

Heavy Metals

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

PASSED

Posult Pass / Action

12/21/22 11:18:04	3621
Reviewed On: 1	2/23/22 12:27:35 21/22 09:08:06
	12/21/22 11:18:04 , SOP.T.40.209.FL

Extraction date

метаг		LOD	Units	Kesuit	Fail	Level
TOTAL CONTAMIN	ANT LOAD META	ALS 0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by: 1879, 53, 1440	Weight: 0.4445g	Extraction da 12/21/22 10:			Extracted 3619	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA053839HEA Instrument Used: DA-ICPMS-003 Running on: 12/21/22 13:09:12 Reviewed On: 12/22/22 11:41:53 Batch Date: 12/21/22 08:46:09

Dilution: 50

Reagent: 112222.R82; 080222.R36; 121622.R05; 121722.R01; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/23/22



Kaycha Labs

Sour Diesel RSO Syringe 1g

Sour Diesel Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA21221003-007

Harvest/Lot ID: 1906 6752 4341 3758

Sample Size Received: 16 units

Sample Method: SOP.T.20.010

Completed: 12/23/22 Expires: 12/23/23

Total Amount: 931 units

Batch#: 1767 6672 0977

Ordered: 12/20/22

Reviewed On: 12/21/22 09:54:19 **Batch Date:** 12/21/22 09:51:43

Reviewed On: 12/21/22 14:43:38 Batch Date: 12/20/22 11:13:56

Sampled: 12/20/22

Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS **Extraction date:** Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA053856FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 12/21/22 09:53:11

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.1	aw	0.502	PASS	0.85
Analyzed by: 2926, 585, 1440	Weight: 0.504g		Extraction date: 12/21/22 11:43:56			tracted by:

Analysis Method : SOP.T.40.019
Analytical Batch : DA053825WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $12/21/22 \ 11:42:52$

Dilution : N/A Reagent: 100522.08 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/23/22