



Certificate of Analysis

COMPLIANCE FOR RETAIL





Sample: DA21213004-006
Harvest/Lot ID: 7263 9712 4457 1732
Batch#: 8032 3320 9492 0284
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 7263 9712 4457 1732
Batch Date: 08/15/22
Sample Size Received: 14 units
Total Amount: 4377 units
Retail Product Size: 63.7340 gram
Ordered : 12/12/22
Sampled : 12/12/22
Completed: 12/15/22
Sampling Method: SOP.T.20.010


Dec 15, 2022 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|---|--|--|--|--|--|---|--|--|--|
|  |  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents PASSED |  Filtration PASSED |  Water Activity PASSED |  Moisture NOT TESTED |  Terpenes NOT TESTED |

| | | |
|--|--------------------|---------------|
|  | Cannabinoid | PASSED |
|--|--------------------|---------------|

| | | | | | |
|--|--|---|---|---|--|
|  | Total THC 0.142% Total THC/Container : 90.502 mg |  | Total CBD ND Total CBD/Container : 0 mg |  | Total Cannabinoids 0.149% Total Cannabinoids/Container : 94.964 mg |
|--|--|---|---|---|--|

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.142 | ND | ND | ND | ND | 0.004 | ND | 0.003 | ND | ND | ND |
| mg/unit | 90.502 | ND | ND | ND | ND | 2.549 | ND | 1.912 | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

| | | | |
|---------------------------------------|---------------------------|--|------------------------------|
| Analyzed by: 3335, 53, 3379 | Weight: 3.1645g | Extraction date: 12/13/22 13:09:27 | Extracted by: 3335 |
|---------------------------------------|---------------------------|--|------------------------------|

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053490POT
Instrument Used : DA-LC-007
Running on : 12/13/22 13:12:40

Reviewed On : 12/14/22 09:26:15
Batch Date : 12/13/22 10:07:08

Dilution : 40
Reagent : 071222.48; 071222.01; 100622.35
Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21213004-006
Harvest/Lot ID: 7263 9712 4457 1732

Batch# : 8032 3320 9492
 0284

Sampled : 12/12/22
Ordered : 12/12/22

Sample Size Received : 14 units

Total Amount : 4377 units

Completed : 12/15/22 **Expires:** 12/15/23

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|----------------------------------|---------------|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 3 | PASS | ND | PYRIDABEN | 0.01 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 3 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| BOSCALID | 0.01 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | CAPTAN * | 0.07 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTZINE | 0.01 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 3 | PASS | ND | Analyzed by: | 585, 53, 3379 | Weight: | 0.809g | Extraction date: | 12/13/22 15:39:13 |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | Extracted by: | 585 |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | | | | | | |
| FENHEXAMID | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 1 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | | | | | | |
| MALATHION | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| METALAXYL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.01 | ppm | 0.5 | PASS | ND | | | | | | |

Analyzed by: 585, 53, 3379 **Weight:** 0.809g **Extraction date:** 12/13/22 15:39:13 **Extracted by:** 585
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch : DA053511PES **Reviewed On :** 12/15/22 08:08:51
Instrument Used : DA-LCMS-003 (PES) **Batch Date :** 12/13/22 11:06:30
Running on : 12/13/22 15:42:21
Dilution : 250
Reagent : 121222.R01; 121222.R02; 120622.R07; 120722.R01; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.
Analyzed by: 3379, 585 **Weight:** 0.809g **Extraction date:** 12/13/22 15:39:13 **Extracted by:** 585
Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)
Analytical Batch : DA053513VOL **Reviewed On :** 12/14/22 14:07:30
Instrument Used : DA-GCMS-001 **Batch Date :** 12/13/22 11:07:33
Running on : 12/13/22 16:58:36
Dilution : 250
Reagent : 121222.R02; 092820.59; 120122.R67; 120622.R24
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21213004-006
Harvest/Lot ID: 7263 9712 4457 1732

Batch# : 8032 3320 9492 0284

Sampled : 12/12/22
Ordered : 12/12/22

Sample Size Received : 14 units

Total Amount : 4377 units

Completed : 12/15/22 **Expires:** 12/15/23

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | <30 |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |

Analyzed by:
 850, 585, 3379

Weight:
 0.0276g

Extraction date:
 12/14/22 10:51:05

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA053525SOL
Instrument Used : DA-GCMS-003
Running on : 12/14/22 11:41:42

Reviewed On : 12/14/22 12:25:51
Batch Date : 12/13/22 15:01:10

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21213004-006
 Harvest/Lot ID: 7263 9712 4457 1732

 Batch# : 8032 3320 9492
 0284

 Sampled : 12/12/22
 Ordered : 12/12/22




Sample Size Received : 14 units

Total Amount : 4377 units

Completed : 12/15/22 Expires: 12/15/23

Sample Method : SOP.T.20.010

Page 4 of 5

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 3621, 3336, 53, 3379 Weight: 0.9646g Extraction date: 12/13/22 12:29:02 Extracted by: 3621 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053481MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/13/22 16:41:27 Dilution : N/A Reagent : 091422.04; 101322.13 Consumables : 500124 Pipette : N/A | | | | | | Analyzed by: 585, 53, 3379 Weight: 0.809g Extraction date: 12/13/22 15:39:13 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053512MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/13/22 15:42:20 Reviewed On : 12/15/22 07:45:32 Batch Date : 12/13/22 11:07:30 | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
|  Heavy Metals PASSED | | | | | | | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.11 | ppm | ND | PASS | 5 | | | | | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 | | | | | | |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 3 | | | | | | |
| Analyzed by: 1022, 53, 3379 Weight: 0.5954g Extraction date: 12/13/22 13:08:03 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053500HEA Instrument Used : DA-ICPMS-003 Running on : 12/13/22 17:24:31 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 | | | | | | Analyzed by: 1022, 53, 3379 Weight: 0.5954g Extraction date: 12/13/22 13:08:03 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053500HEA Instrument Used : DA-ICPMS-003 Running on : 12/13/22 17:24:31 Dilution : 50 Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21213004-006
Harvest/Lot ID: 7263 9712 4457 1732
Batch# : 8032 3320 9492 0284
Sampled : 12/12/22
Ordered : 12/12/22

Sample Size Received : 14 units
Total Amount : 4377 units
Completed : 12/15/22 **Expires:** 12/15/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.5 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 3379 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090
Analytical Batch : DA053527FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 12/13/22 16:46:20
Reviewed On : 12/13/22 16:47:54
Batch Date : 12/13/22 16:39:45

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-----|-------|--------|------|--------------|
| Water Activity | 0.1 | aw | 0.522 | PASS | 0.85 |

| | | | |
|----------------------------------|-------------------|---------------------------------------|----------------------------|
| Analyzed by: 2926, 1879, 3379 | Weight: 9.614g | Extraction date: 12/13/22 16:44:10 | Extracted by: 2926,1879 |
|----------------------------------|-------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.40.019
Analytical Batch : DA053522WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 12/13/22 15:30:54
Reviewed On : 12/14/22 07:36:13
Batch Date : 12/13/22 13:24:00

Dilution : N/A
Reagent : 121421.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 5.515 | 25 |

| | | | |
|-------------------------------|--------------------------|--|------------------------|
| Analyzed by 3335, 53, 3379 | Average Weight 6.036g | Extraction date : 12/13/22 10:58:18 | Extracted By : 3335 |
|-------------------------------|--------------------------|--|------------------------|

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA053488HOM
Instrument Used : DA-LC-006
Running on : 12/13/22 10:59:07
Reviewed On : 12/14/22 09:21:48
Batch Date : 12/13/22 09:40:18

Dilution : 40
Reagent : 121322.R05; 071222.48; 121322.R02; 100622.35
Consumables : 239146; CE123; 12265-115CC; 61633-125C6-125E; R1KB14270
Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.