



Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample: DA21229008-003
Harvest/Lot ID: 5774 5350 1673 5405
Batch#: 5932 8918 9269 7432
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 5774 5350 1673 5405
Batch Date: 02/03/22
Sample Size Received: 12 units
Total Amount: 2205 units
Retail Product Size: 65.8545 gram
Ordered : 12/29/22
Sampled : 12/29/22
Completed: 01/03/23
Sampling Method: SOP.T.20.010
PASSED
Pages 1 of 5

Jan 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0.073%
Total THC/Container : 48.074 mg

Total CBD
0.065%
Total CBD/Container : 42.805 mg

Total Cannabinoids
0.147%
Total Cannabinoids/Container : 96.806 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.073	ND	0.065	ND	ND	0.004	ND	0.002	ND	ND	0.003
mg/unit	48.073	ND	42.805	ND	ND	2.634	ND	1.317	ND	ND	1.975
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 1440

Weight:
3.0187g

Extraction date:
12/30/22 15:23:50

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA054173POT

Instrument Used : DA-LC-007

Running on : 12/30/22 15:25:45

Reviewed On : 01/03/23 14:02:05

Batch Date : 12/30/22 14:42:30

Dilution : 40

Reagent : 122122.01; 122722.R02; 071222.46; 071222.01; 122722.R03

Consumables : 239146; 280670723; CE0123; 210803-059; 61633-125C6-125E; R1KB14270

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21229008-003
 Harvest/Lot ID: 5774 5350 1673 5405

 Batch# : 5932 8918 9269
 7432

 Sampled : 12/29/22
 Ordered : 12/29/22

Sample Size Received : 12 units

Total Amount : 2205 units

Completed : 01/03/23 Expires: 01/03/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	585, 53, 1440	Weight:	0.9985g	Extraction date:	12/30/22 15:57:14
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	3379,585
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA054165PES				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Running on :	12/31/22 12:39:40				
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution :	250				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent :	122722.R16; 122322.R05; 122722.R21; 122822.R01; 092820.59				
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables :	6676024-02				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analyzed by:	450, 585, 1440, 53	Weight:	0.9985g	Extraction date:	12/30/22 15:57:14
HEXYTHIAZOX	0.01	ppm	2	PASS	ND					Extracted by:	3379,585
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch :	DA054167VOL				
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used :	DA-GCMS-006				
MALATHION	0.01	ppm	2	PASS	ND	Running on :	N/A				
METALAXYL	0.01	ppm	3	PASS	ND	Dilution :	250				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent :	122322.R05; 092820.59; 120122.R67; 120622.R24				
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146				
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21229008-003
Harvest/Lot ID: 5774 5350 1673 5405
Batch# : 5932 8918 9269
Sample Size Received : 12 units
Total Amount : 2205 units
Completed : 01/03/23 **Expires:** 01/03/24
Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440, 53

Weight:
 0.0299g

Extraction date:
 12/30/22 16:04:35

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA054176SOL
Instrument Used : DA-GCMS-002
Running on : 01/02/23 09:10:40

Reviewed On : 01/02/23 14:37:43
Batch Date : 12/30/22 15:49:34

Dilution : 1
Reagent : 071420.56
Consumables : 27296; R2017.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21229008-003
 Harvest/Lot ID: 5774 5350 1673 5405
 Batch# : 5932 8918 9269 7432
 Sampled : 12/29/22
 Ordered : 12/29/22

 Sample Size Received : 12 units
 Total Amount : 2205 units
 Completed : 01/03/23 Expires: 01/03/24
 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 53, 1440 Weight: 0.9836g Extraction date: 12/30/22 15:02:49 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054141MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 12/30/22 15:45:00 Dilution : N/A Reagent : 092022.41; 110822.R31; 052422.10 Consumables : N/A Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.9985g Extraction date: 12/30/22 15:57:14 Extracted by: 3379,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054166MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/31/22 12:39:46 Dilution : 250 Reagent : 122722.R16; 122322.R05; 122722.R21; 122822.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/02/23 14:41:04 Batch Date : 12/30/22 12:14:03						Reviewed On : 01/02/23 15:17:59 Batch Date : 12/30/22 13:40:39					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
Analyzed by: 3619, 1879, 53, 1440 Weight: 0.5138g Extraction date: 12/30/22 14:06:30 Extracted by: 3619,1879 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054155HEA Instrument Used : DA-ICPMS-003 Running on : 12/30/22 21:53:10 Dilution : 50 Reagent : 122822.R42; 080222.R36; 122722.R07; 122922.R02; 122722.R05; 122722.R06; 122322.R25; 121522.R29; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21229008-003
Harvest/Lot ID: 5774 5350 1673 5405
Batch# : 5932 8918 9269 7432
Sampled : 12/29/22
Ordered : 12/29/22

Sample Size Received : 12 units
Total Amount : 2205 units
Completed : 01/03/23 **Expires:** 01/03/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 22

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440 **Weight:** NA **Extraction date:** N/A **Extracted by:** N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA054199FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : N/A
Reviewed On : 12/30/22 22:29:13
Batch Date : 12/30/22 22:21:12

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.698	PASS	0.85

Analyzed by: 3807, 53, 1440 **Weight:** NA **Extraction date:** N/A **Extracted by:** N/A

Analysis Method : SOP.T.40.019
Analytical Batch : DA054170WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 12/30/22 22:22:51
Reviewed On : 01/02/23 15:29:09
Batch Date : 12/30/22 14:11:56

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.473	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.359	25

Analyzed by 3605, 1665, 53, 1440 **Average Weight** 6.566g **Extraction date :** 12/30/22 12:05:17 **Extracted By :** 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA054140HOM
Instrument Used : DA-LC-005
Running on : 12/30/22 13:30:46
Reviewed On : 01/03/23 14:44:31
Batch Date : 12/30/22 11:10:39

Dilution : 40
Reagent : 122122.01; 122822.R40; 071222.46; 122822.R38
Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277
Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.