



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21229008-008
Harvest/Lot ID: HYB-WR-112322-C0067
Batch#: 6667 7680 2621 8154
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Tampa Processing
Seed to Sale#: 0185 9016 0654 6481
Batch Date: 10/26/22
Sample Size Received: 18 units
Total Amount: 1440 units
Retail Product Size: 1.5 gram
Ordered: 12/29/22
Sampled: 12/29/22
Completed: 01/03/23
Sampling Method: SOP.T.20.010

Jan 03, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 21.373% Total THC/Container : 320.595 mg		Total CBD 0.102% Total CBD/Container : 1.53 mg		Total Cannabinoids 24.919% Total Cannabinoids/Container : 373.785 mg
--	--	---	--	---	--

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.754	23.511	0.032	0.08	0.104	0.061	0.284	0.024	0.027	ND	0.042
mg/unit	11.31	352.665	0.48	1.2	1.56	0.915	4.26	0.36	0.405	ND	0.63
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 53, 1440	Weight: 0.214g	Extraction date: 12/30/22 14:11:38	Extracted by: 1665
-------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054148POT Instrument Used : DA-LC-002 (Flower) Running on : 12/30/22 14:16:06	Reviewed On : 12/31/22 12:44:23 Batch Date : 12/30/22 12:40:33
--	---

Dilution : 400 Reagent : 122022.R16; 070621.18; 122022.R13 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA21229008-008
Harvest/Lot ID: HYB-WR-112322-C0067
Batch# : 6667 7680 2621
Sample Size Received : 18 units
Total Amount : 1440 units
Completed : 01/03/23 **Expires:** 01/03/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.855	0.657		PULEGONE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.33	0.022		ISOPULEGOL	0.007	ND	ND	
CIS-NEROLIDOL	0.007	ND	ND		FENCHYL ALCOHOL	0.007	0.465	0.031	
ALPHA-BISABOLOL	0.007	<0.3	<0.02		CAMPOR	0.007	ND	ND	
ALPHA-PINENE	0.007	0.705	0.047		CARYOPHYLLENE OXIDE	0.007	ND	ND	
CEDROL	0.007	ND	ND		ALPHA-TERPINENE	0.007	ND	ND	
CAMPENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
SABINENE	0.007	ND	ND		GUAJOL	0.007	0.66	0.044	
ALPHA-HUMULENE	0.007	<0.3	<0.02						
TRANS-NEROLIDOL	0.007	ND	ND						
BETA-PINENE	0.007	0.81	0.054						
LIMONENE	0.007	3.6	0.24						
LINALOOL	0.007	0.78	0.052						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
OCIMENE	0.007	<0.3	<0.02						
GERANYL ACETATE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
FARNESENE	0	0.255	0.017						
BETA-MYRCENE	0.007	0.855	0.057						
BORNEOL	0.013	ND	ND						
ALPHA-PHELLANDRENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
NEROL	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.395	0.093						
ISOBORNEOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
Total (%)			0.657						

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0541507R Instrument Used : DA-GCMS-005 Running on : 12/30/22 22:26:45 Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	Weight: 0.8995g Extraction date: 12/30/22 22:24:09 Extracted by: 2076
--	--

 Reviewed On : 01/03/23 10:17:21
 Batch Date : 12/30/22 12:53:29



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA21229008-008

Harvest/Lot ID: HYB-WR-112322-C0067

 Batch# : 6667 7680 2621
 8154

Sample Size Received : 18 units

Total Amount : 1440 units

Completed : 01/03/23 Expires: 01/03/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.9693g	12/30/22 15:58:01	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054162PES			Reviewed On : 01/02/23 15:52:20		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/30/22 13:37:23		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 12/31/22 12:39:41					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 122722.R16; 122322.R05; 122722.R21; 122822.R01; 092820.59					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440, 53	0.9693g	12/30/22 15:58:01	3379,585		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054164VOL			Reviewed On : 01/02/23 14:47:37		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 12/30/22 13:38:46		
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 122322.R05; 092820.59; 120122.R67; 120622.R24					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA21229008-008
 Harvest/Lot ID: HYB-WR-112322-C0067
 Batch# : 6667 7680 2621 8154
 Sampled : 12/29/22
 Ordered : 12/29/22

 Sample Size Received : 18 units
 Total Amount : 1440 units
 Completed : 01/03/23 Expires: 01/03/24
 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 1440 Weight: 0.9693g Extraction date: 12/30/22 15:58:01 Extracted by: 3379,585					
TOTAL YEAST AND MOLD	10	CFU/g	510	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054163MYC Reviewed On : 01/02/23 15:48:27 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 12/30/22 13:38:42 Running on : 12/31/22 12:40:00					
Analyzed by: 3336, 3621, 53, 1440 Weight: 1.8487g Extraction date: 12/30/22 15:02:50 Extracted by: 3336 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054141MIC Reviewed On : 01/03/23 12:23:05 Instrument Used : PathogenDx Scanner DA-111 Batch Date : 12/30/22 12:14:03 Running on : 12/30/22 15:45:00 Dilution : N/A Reagent : 092022.41; 110822.R31; 052422.10 Consumables : N/A Pipette : N/A						Dilution : 250 Reagent : 122722.R16; 122322.R05; 122722.R21; 122822.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3621, 585, 1440 Weight: 1.8487g Extraction date: 12/30/22 15:02:50 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054174TYM Reviewed On : 01/02/23 14:49:17 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 12/30/22 15:03:03 Running on : 12/30/22 15:45:38 Dilution : N/A Reagent : 092022.41 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	<0.1	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1879, 53, 1440 Weight: 0.4254g Extraction date: 12/30/22 13:48:36 Extracted by: 3619,1879 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054151HEA Reviewed On : 01/02/23 15:42:15 Instrument Used : DA-ICPMS-003 Batch Date : 12/30/22 12:54:08 Running on : 12/30/22 21:53:03 Dilution : 50 Reagent : 122822.R42; 080222.R36; 122722.R07; 122922.R02; 122722.R05; 122722.R06; 122322.R25; 121522.R29; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com


Sample : DA21229008-008
Harvest/Lot ID: HYB-WR-112322-C0067
Batch# : 6667 7680 2621 8154
Sampled : 12/29/22
Ordered : 12/29/22

Sample Size Received : 18 units
Total Amount : 1440 units
Completed : 01/03/23 **Expires:** 01/03/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	9.18	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3807, 53, 1440	Weight: 0.501g	Extraction date: 01/03/23 09:18:15		Extracted by: 3807	
Analysis Method : SOP.T.40.090			Reviewed On : 12/30/22 22:29:27 Batch Date : 12/30/22 22:20:37			Analysis Method : SOP.T.40.021			Reviewed On : 01/03/23 10:02:52 Batch Date : 12/30/22 14:14:32		
Analytical Batch : DA054198FIL						Analytical Batch : DA054172MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : N/A						Running on : 12/30/22 22:22:25					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.425	PASS	0.65
Analyzed by: 3807, 53, 1440	Weight: 0.788g	Extraction date: 12/30/22 20:53:44	Extracted by: 3807		
Analysis Method : SOP.T.40.019			Reviewed On : 01/03/23 10:11:49		
Analytical Batch : DA054171WAT			Batch Date : 12/30/22 14:13:13		
Instrument Used : DA-028 Rotronic HygroPalm					
Running on : 12/30/22 22:22:52					
Dilution : N/A					
Reagent : 100522.08					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.