



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30104004-008  
Harvest/Lot ID: SA-LES-122022-A089

Batch#: 4190 7362 7220 9718

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Seed to Sale# 1537 6198 4048 9155

Batch Date: 12/15/22

Sample Size Received: 56 gram

Total Amount: 4027 units

Retail Product Size: 3.5 gram

Ordered : 01/03/23

Sampled : 01/03/23

Completed: 01/06/23

Sampling Method: SOP.T.20.010

**PASSED**

Pages 1 of 5

Jan 06, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US




### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**



**Cannabinoid**

**PASSED**



Total THC

**17.971%**

Total THC/Container : 628.985 mg



Total CBD

**0.058%**

Total CBD/Container : 2.03 mg



Total Cannabinoids

**21.2%**

Total Cannabinoids/Container : 742 mg

%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
mg/unit	0.282	20.17	ND	0.067	0.032	0.096	0.485	0.012	ND	ND	0.056
LOD	9.87	705.95	ND	2.345	1.12	3.36	16.975	0.42	ND	ND	1.96
%	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001

Analyzed by:  
1665, 53, 1440

Weight:  
0.2121g

Extraction date:  
01/04/23 11:29:24

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA054270POT  
Instrument Used : DA-LC-002 (Flower)  
Running on : 01/04/23 11:32:28

Reviewed On : 01/05/23 09:41:00  
Batch Date : 01/04/23 10:30:35

Dilution : 400  
Reagent : 122022.R16; 070621.18; 122022.R13  
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270  
Pipette : DA-079; DA-080; DA-108

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30104004-008  
Harvest/Lot ID: SA-LES-122022-A089

Batch# : 4190 7362 7220  
9718

Sampled : 01/03/23  
Ordered : 01/03/23

Sample Size Received : 56 gram

Total Amount : 4027 units

Completed : 01/06/23 Expires: 01/06/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	55.755	1.593		ALPHA-HUMULENE	0.007	3.22	0.092	
TOTAL TERPINEOL	0.007	0.875	0.025		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.275	0.065		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.05	0.03	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	2.03	0.058		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	14	0.4		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	1.47	0.042	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440 Weight: 1.1262g Extraction date: 01/04/23 14:09:00 Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054260TER Instrument Used : DA-GCMS-004 Running on : 01/05/23 09:38:19 Reviewed On : 01/06/23 11:28:35 Batch Date : 01/04/23 09:53:35				
LIMONENE	0.007	13.055	0.373		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	3.465	0.099						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	3.675	0.105						
FENCHYL ALCOHOL	0.007	1.085	0.031						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.38	0.268						
FARNESENE	0	0.175	0.005						
<b>Total (%)</b>			<b>1.593</b>						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30104004-008  
 Harvest/Lot ID: SA-LES-122022-A089

 Batch# : 4190 7362 7220  
 9718

 Sampled : 01/03/23  
 Ordered : 01/03/23

Sample Size Received : 56 gram

Total Amount : 4027 units

Completed : 01/06/23 Expires: 01/06/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by:	585, 3379, 795, 1440	Weight:	1.054g	Extraction date:	01/04/23 12:21:25
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA054252PES			Reviewed On :	01/05/23 15:20:37
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	01/04/23 09:23:44
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on :	01/04/23 13:47:03				
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution :	25				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent :	010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analized by:	450, 795, 1440, 585	Weight:	1.054g	Extraction date:	01/04/23 12:21:25
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.152.FL (Davie)				
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA054262VOL			Reviewed On :	01/05/23 15:19:42
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-006			Batch Date :	01/04/23 10:01:02
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on :	N/A				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution :	25				
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent :	122322.R05; 092820.59; 120122.R67; 120622.R24				
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146				
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 585, 3379, 795, 1440 Weight: 1.054g Extraction date: 01/04/23 12:21:25 Extracted by: 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA054252PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 01/04/23 13:47:03

Dilution : 25

Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59

Consumables : 6676024-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 795, 1440, 585 Weight: 1.054g Extraction date: 01/04/23 12:21:25 Extracted by: 450,585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA054262VOL

Instrument Used : DA-GCMS-006

Running on : N/A

Dilution : 25

Reagent : 122322.R05; 092820.59; 120122.R67; 120622.R24

Consumables : 6676024-02; 14725401

Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30104004-008  
**Harvest/Lot ID:** SA-LES-122022-A089

**Batch# :** 4190 7362 7220  
 9718

**Sampled :** 01/03/23  
**Ordered :** 01/03/23



**Sample Size Received :** 56 gram

**Total Amount :** 4027 units


**Completed :** 01/06/23 **Expires:** 01/06/24

**Sample Method :** SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	300	PASS	100000						
<b>Analyzed by:</b> 3390, 3621, 585, 1440 <b>Weight:</b> 0.9826g <b>Extraction date:</b> 01/04/23 11:33:54 <b>Extracted by:</b> 3390 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA054254MIC <b>Instrument Used :</b> DA-265 Gene-UP RTPCR <b>Running on :</b> 01/04/23 12:02:05 <b>Dilution :</b> N/A <b>Reagent :</b> 122122.R81; 100722.13 <b>Consumables :</b> 500124 <b>Pipette :</b> N/A						<b>Analyzed by:</b> 585, 3379, 1440 <b>Weight:</b> 1.054g <b>Extraction date:</b> 01/04/23 12:21:25 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA054261MYC <b>Instrument Used :</b> DA-LCMS-003 (MYC) <b>Running on :</b> 01/04/23 13:47:13 <b>Dilution :</b> 25 <b>Reagent :</b> 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59 <b>Consumables :</b> 6676024-02 <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analyzed by:</b> 3336, 53, 1440 <b>Weight:</b> 0.9724g <b>Extraction date:</b> 01/04/23 12:17:28 <b>Extracted by:</b> 3390,3336 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA054295TYM <b>Instrument Used :</b> Incubator (25-27C) DA-097 <b>Running on :</b> 01/04/23 12:45:06 <b>Dilution :</b> 10 <b>Reagent :</b> 092022.42 <b>Consumables :</b> 004103 <b>Pipette :</b> N/A						<b>Analyzed by:</b> 1022, 53, 1440, 585 <b>Weight:</b> 0.446g <b>Extraction date:</b> 01/04/23 10:47:04 <b>Extracted by:</b> 3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA054256HEA <b>Instrument Used :</b> DA-ICPMS-003 <b>Running on :</b> 01/04/23 14:06:26 <b>Dilution :</b> 50 <b>Reagent :</b> 122822.R42; 123022.R14; 122922.R02; 122722.R05; 122322.R25; 123022.R15; 100622.35; 122722.R07; 122722.R06 <b>Consumables :</b> 179436; 210508058; 210803-059 <b>Pipette :</b> DA-061; DA-106; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	0.2

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com


**Sample :** DA30104004-008  
**Harvest/Lot ID:** SA-LES-122022-A089  
**Batch# :** 4190 7362 7220 9718  
**Sampled :** 01/03/23  
**Ordered :** 01/03/23

**Sample Size Received :** 56 gram  
**Total Amount :** 4027 units  
**Completed :** 01/06/23 **Expires:** 01/06/24  
**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	13.16	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 2926, 1879, 1440	Weight: 0.494g	Extraction date: 01/04/23 14:43:18	Extracted by: 2926		
Analysis Method : SOP.T.40.090			Reviewed On : 01/04/23 19:58:30 Batch Date : 01/04/23 19:32:36			Analysis Method : SOP.T.40.021			Reviewed On : 01/04/23 19:40:36 Batch Date : 01/04/23 11:12:07		
Analytical Batch : DA054309FIL						Analytical Batch : DA054291MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 01/04/23 19:42:00						Running on : 01/04/23 14:39:16					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : PS-14					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.509	PASS	0.65
Analyzed by: 2926, 1879, 1440	Weight: 1.067g	Extraction date: 01/04/23 13:31:12		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 01/04/23 19:35:08 Batch Date : 01/03/23 09:15:30		
Analytical Batch : DA054213WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Running on : 01/03/23 09:54:08					
Dilution : N/A					
Reagent : 100522.08					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.