

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sundae Driver WF 3.5G (1/8oz) Sundae Driver Matrix: Flower

Sample: DA30104004-009 Harvest/Lot ID: ID-SUD-122022-A089

Batch#: 7680 5797 2689 3208

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Seed to Sale# 5467 7455 9532 3694

Batch Date: 12/15/22

Sample Size Received: 42 gram Total Amount: 3044 units

> Retail Product Size: 3.5 gram Ordered: 01/03/23 Sampled: 01/03/23

Completed: 01/06/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Jan 06, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED





Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Residuals Solvents



Filth PASSED



Water Activity PASSED



Moisture PASSED



MISC.

TESTED

PASSED



Cannabinoid

Total THC

14.847%



Total CBD 0.049%

Total CBD/Container: 1.715 mg



Total Cannabinoids

Total Cannabinoids/Container: 621.565



Reviewed On: 01/05/23 09:41:47 Batch Date: 01/04/23 10:30:35

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054270POT Instrument Used : DA-LC-002 (Flower)

Running on: 01/04/23 11:32:28

mg/unit

LOD

Dilution : 400
Reagent : 122022.R16; 070621.18; 122022.R13
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-080; DA-108

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/06/23



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

Sundae Driver WF 3.5G (1/8oz) Sundae Driver

Matrix : Flower



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA30104004-009

Harvest/Lot ID: ID-SUD-122022-A089

Batch#: 7680 5797 2689 3208

Sampled: 01/03/23 Ordered: 01/03/23 Sample Size Received : 42 gram

Total Amount: 3044 units Completed: 01/06/23 Expires: 01/06/24

Sample Method : SOP.T.20.010


PASSED

Page 2 of 5



Terpenes

TESTED



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/06/23



Kaycha Labs

Sundae Driver WF 3.5G (1/8oz)

Sundae Driver Matrix : Flower



DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30104004-009

Harvest/Lot ID: ID-SUD-122022-A089

Batch#: 7680 5797 2689

Sampled: 01/03/23 Ordered: 01/03/23 Sample Size Received: 42 gram Total Amount: 3044 units

Completed: 01/06/23 Expires: 01/06/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|-----------------|-----------|--------|---|---------------|-------------|------------------------------|---------------|----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | mag | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PRALLETHRIN | | | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | | | |
| СЕРНАТЕ | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | | | | 0.3 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | | | |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| LOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| AZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weight | . Ew | traction da | *** | Extracte | al lever |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 585, 3379, 795, 1440 0.85210 | | /04/23 12:2 | | 450,585 | u by. |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gaines | | | | | Gainesv |
| OFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | ,, | | (==:::), ==: | \\\\\ | |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA054252PES | | | d On: 01/05/2 | | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Da | te :01/04/23 | 09:23:44 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Running on : 01/04/23 13:47:03 | | | | | |
| NPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 25 Reagent: 010323.R11; 122322.R05; 12272 | 2 021, 010 | 422 BO1. O | 02020 50 | | |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6676024-02 | Z.RZ1; U1U | 423.RU1; U | 92020.59 | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed ut | lizing Liquid | Chromato | graphy Triple- | Quadrupole Ma | SS |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance with F.S. Rule 64E | R20-39. | | · / · / | / / | |
| MAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | | raction dat | | Extracte | d by: |
| MIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | 450, 795, 1440, 585 0.8521g | | 04/23 12:21 | | 450,585 | |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gaines) | | | | | |
| ALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analytical Batch : DA054262VOL Instrument Used : DA-GCMS-006 | | | n:01/05/23 1 :01/04/23 10 | | |
| ETALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Running on : N/A | ь | accii Date | .01/04/23 10 | .01.02 | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 25 | | | | | |
| ETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 122322.R05; 092820.59; 120122 | R67; 1206 | 22.R24 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6676024-02; 14725401 | | | | | |
| YCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146 | | | | | |
| ALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed ut in accordance with F.S. Rule 64ER20-39. | lizing Gas (| Chromatogra | aphy Triple-Qu | adrupole Mass | Spectro |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/06/23



Kaycha Labs

Sundae Driver WF 3.5G (1/8oz)

Sundae Driver Matrix : Flower



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30104004-009

Harvest/Lot ID: ID-SUD-122022-A089

Batch#: 7680 5797 2689

Sampled: 01/03/23 Ordered: 01/03/23 Sample Size Received: 42 gram Total Amount: 3044 units

Completed: 01/06/23 Expires: 01/06/24 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|------------------------------------|------|------|------------|-------------|------------------|-----------------|
| ESCHERICHIA COLI SHIGI SPP | ELLA | | | Not Present | PASS | |
| SALMONELLA SPECIFIC O | ENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATU | S | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | | 10 | CFU/g | 10 | PASS | 100000 |
| Analyzed by: 3390, 3621, 585, 1440 | | ght: | Extraction | | Extracte 3390 | ed by: |
| 3390, 3021, 303, 1440 | 1.00 | 315g | 01/04/23 | 11:55:55 | 3390 | |

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Reviewed On: 01/06/23 11:30:01 Analytical Batch : DA054254MIC
Instrument Used : DA-265 Gene-UP RTPCR Batch Date: 01/04/23 09:27:27 Running on: 01/04/23 12:02:05

Dilution: N/A

Reagent: 122122.R81; 100722.13

Consumables: 500124 Pipette: N/A

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|----------------|---------|-------------------|---------------|
| 3336, 53, 1440 | 0.8518g | 01/04/23 12:17:29 | 3390,3336 |

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA054295TYM Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 01/06/23 11:55:37 Batch Date: 01/04/23 12:02:50 Running on: 01/04/23 12:45:06

Dilution: 10 Reagent: 092022.42 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| 080 | | | | | |
|--------------|-------|-------|--------|----------------|-----------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |

Analyzed by: 585, 3379, 1440 Weight: Extraction date: Extracted by: 0.8521g 01/04/23 12:21:26 450.585

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 01/05/23 13:13:09 Analytical Batch: DA054261MYC Batch Date : 01/04/23 10:00:58

Instrument Used : DA-LCMS-003 (MYC) Running on: 01/04/23 13:47:13

Dilution: 25

Reagent: 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Consumables: 6676024-02 Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail PASS PASS PASS | Action Level | |
|--|----------------|-------------------|----------------------|--|-----------------|--|
| TOTAL CONTAMINANT LOAD META | LS 0.11 | ppm ppm ppm | ND ND ND ND | | 1.1 | |
| ARSENIC | 0.02 | | | | 0.2 | |
| CADMIUM | 0.02 | | | | 0.2 | |
| LEAD | 0.05 | ppm | | | 0.5 | |
| MERCURY | 0.02 | ppm | ppm ND | | 0.2 | |
| Analyzed by: Weight: 1022, 53, 1440, 585 0.44890 | | | | Extracte 3619 | d by: | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA054256HEA Instrument Used : DA-ICPMS-003 Running on: 01/04/23 14:06:26

Reviewed On: 01/05/23 13:40:42 Batch Date : 01/04/23 09:35:57

Reagent: 122822.R42; 123022.R14; 122922.R02; 122722.R05; 122322.R25; 123022.R15;

100622.35; 122722.R07; 122722.R06 Consumables : 179436; 210508058; 210803-059 Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/06/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Sundae Driver WF 3.5G (1/8oz)

Sundae Driver Matrix: Flower



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30104004-009

Harvest/Lot ID: ID-SUD-122022-A089

Batch#: 7680 5797 2689

Sampled: 01/03/23 Ordered: 01/03/23 Sample Size Received: 42 gram

Total Amount: 3044 units Completed: 01/06/23 Expires: 01/06/24

Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

2926

Reviewed On: 01/04/23 19:40:36 **Batch Date:** 01/04/23 11:12:07

LOD Analyte Units Result P/F Action Level Analyte LOD Units Result P/F Action Level PASS Filth and Foreign Material 0.5 % ND PASS 1 **Moisture Content** 9.9 15 1 % Analyzed by: 2926, 1879, 1440 Weight: 0.496g **Extraction date:** Extracted by: Extraction date: Extracted by: 01/04/23 14:43:19

Analysis Method: SOP.T.40.090

Analytical Batch: DA054309FIL Instrument Used: Filth/Foreign Material Microscope

NA

Running on: 01/04/23 19:42:00

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Reviewed On: 01/04/23 19:58:31 **Batch Date:** 01/04/23 19:32:36

Reviewed On: 01/04/23 19:35:08

Batch Date: 01/03/23 09:15:30

N/A

Analysis Method: SOP.T.40.021 Analytical Batch : DA054291MOI Instrument Used : DA-003 Moisture Analyzer

Running on: 01/04/23 14:39:16

Dilution: N/A

Reagent: 101920.06; 100622.35 Consumables : PS-14

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

| Analyte | L(0. | OD Units | Result | P/F | Action Level |
|----------------------------------|-------------------|------------------------|--------|------|--------------|
| Water Activity | | 1 aw | 0.536 | PASS | 0.65 |
| Analyzed by: 2926, 1879, 1440 | Weight: 0.892g | Extraction 01/04/23 | | | ktracted by: |

Analysis Method : SOP.T.40.019
Analytical Batch : DA054213WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $01/03/23 \ 09:54:08$

Dilution : N/A Reagent: 100522.08 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/06/23