



Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample: DA30105004-007
Harvest/Lot ID: 0836 6713 5545 4628
Batch#: 0836 6713 5545 4628
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Seed to Sale# 6405 9269 8029 3639
Batch Date: 11/04/23
Sample Size Received: 15.5 gram
Total Amount: 2793 units
Retail Product Size: .5 gram
Ordered : 01/04/23
Sampled : 01/04/23
Completed: 01/08/23
Sampling Method: SOP.T.20.010
PASSED
Pages 1 of 6

Jan 08, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtr
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
91.306%
Total THC/Container : 456.53 mg

Total CBD
0.317%
Total CBD/Container : 1.585 mg

Total Cannabinoids
97.34%
Total Cannabinoids/Container : 486.7 mg

D9-THC
91.278

mg/unit

456.39
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
THCA
0.032
0.16
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
CBD
0.303
1.515
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
CBDA
0.017
0.085
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
D8-THC
0.269
1.345
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
CBG
2.511
12.555
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
CBGA
0.071
0.355
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
CBN
1.422
7.11
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001
0.001



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30105004-007
Harvest/Lot ID: 0836 6713 5545 4628

Batch# : 0836 6713 5545
4628

Sampled : 01/04/23
Ordered : 01/04/23

Sample Size Received : 15.5 gram

Total Amount : 2793 units

Completed : 01/08/23 Expires: 01/08/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.905	1.181		ALPHA-HUMULENE	0.007	<0.1	<0.02	
TOTAL TERPINEOL	0.007	<0.1	<0.02		VALENCENE	0.007	0.2	0.04	
ALPHA-PINENE	0.007	0.195	0.039		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.27	0.054		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.46	0.092		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.29	0.058		ALPHA-BISABOLOL	0.007	0.255	0.051	
3-CARENE	0.007	<0.1	<0.02		Analyzed by: 2076, 585, 1440 Weight: 1.0353g Extraction date: 01/05/23 13:41:12 Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054330TER Instrument Used : DA-GCMS-005 Running on : N/A Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Reviewed On : 01/08/23 14:15:53 Batch Date : 01/05/23 09:22:11				
LIMONENE	0.007	0.53	0.106		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.39	0.078						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	1.49	0.298						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	<0.1	<0.02						
FENCHYL ALCOHOL	0.007	<0.1	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	0.79	0.158						
BETA-CARYOPHYLLENE	0.007	0.81	0.162						
FARNESENE	0	0.225	0.045						
Total (%)				1.181					




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30105004-007
 Harvest/Lot ID: 0836 6713 5545 4628
 Batch# : 0836 6713 5545
 Sample Size Received : 15.5 gram
 Total Amount : 2793 units
 Completed : 01/08/23 Expires: 01/08/24
 Sample Method : SOP.T.20.010

Page 3 of 6

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CLOFENPROX	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 53, 1440 Weight: 0.29g Extraction date: 01/05/23 11:29:15 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA054333PES Reviewed On : 01/06/23 13:06:28 Instrument Used : DA-LCMS-003 (PES) Batch Date : 01/05/23 09:42:09 Running on : 01/05/23 13:56:02 Dilution : 250 Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1440, 585 Weight: 0.29g Extraction date: 01/05/23 11:29:15 Extracted by: 450,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA054336VOL Reviewed On : 01/06/23 12:49:37 Instrument Used : DA-GCMS-006 Batch Date : 01/05/23 09:43:50 Running on : N/A Dilution : 250 Reagent : 122322.R05; 092820.59; 120122.R67; 120622.R24 Consumables : 6676024-02; 14725401 Pipette : DA-080; DA-146 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30105004-007

Harvest/Lot ID: 0836 6713 5545 4628

Batch# : 0836 6713 5545 4628

Sampled : 01/04/23

Ordered : 01/04/23

Sample Size Received : 15.5 gram

Total Amount : 2793 units

Completed : 01/08/23 **Expires:** 01/08/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440

Weight:
 0.0275g

Extraction date:
 01/05/23 15:36:34

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA054348SOL

Instrument Used : DA-GCMS-002

Running on : 01/06/23 13:55:15

Reviewed On : 01/06/23 15:20:17

Batch Date : 01/05/23 15:24:33

Dilution : 1

Reagent : 071420.56

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30105004-007
 Harvest/Lot ID: 0836 6713 5545 4628
 Batch# : 0836 6713 5545
 Sample Size Received : 15.5 gram
 Total Amount : 2793 units
 Completed : 01/08/23 Expires: 01/08/24
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 3379, 53, 1440 Weight: 0.29g Extraction date: 01/05/23 11:29:15 Extracted by: 450,585					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054335MYC Reviewed On : 01/06/23 12:43:03 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 01/05/23 09:43:46 Running on : 01/05/23 13:56:07 Dilution : 250 Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3390, 585, 1440 Weight: 0.875g Extraction date: 01/05/23 10:27:56 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054323MIC Reviewed On : 01/08/23 14:10:24 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 01/05/23 08:52:21 Running on : 01/05/23 11:03:39 Dilution : N/A Reagent : 122122.R81; 091422.07; 101322.16 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.825g Extraction date: 01/05/23 11:13:57 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054329TYM Reviewed On : 01/08/23 14:16:07 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 01/05/23 09:21:48 Running on : 01/05/23 12:17:01 Dilution : 10 Reagent : 092022.34 Consumables : 004103 Pipette : N/A						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4275g Extraction date: 01/05/23 09:57:34 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054327HEA Reviewed On : 01/06/23 13:41:02 Instrument Used : DA-ICPMS-003 Batch Date : 01/05/23 09:15:06 Running on : 01/05/23 13:44:48 Dilution : 50 Reagent : 122822.R42; 123022.R14; 122722.R07; 122922.R02; 122722.R05; 122722.R06; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30105004-007
Harvest/Lot ID: 0836 6713 5545 4628
Batch# : 0836 6713 5545
Sample Size Received : 15.5 gram
Total Amount : 2793 units
Completed : 01/08/23 **Expires:** 01/08/24
Sample Method : SOP.T.20.010
Sampled : 01/04/23
Ordered : 01/04/23

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA054350FIL Instrument Used : Filth/Foreign Material Microscope Running on : 01/05/23 19:59:17	Reviewed On : 01/05/23 20:02:24 Batch Date : 01/05/23 19:37:42
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.503	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 1879, 1440	0.606g	01/05/23 13:48:09	2926

Analysis Method : SOP.T.40.019 Analytical Batch : DA054342WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 01/05/23 13:47:07	Reviewed On : 01/05/23 19:36:36 Batch Date : 01/05/23 10:22:12
---	---

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.