



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30106003-001
Harvest/Lot ID: 1916 2645 0868 5967
Batch#: 1916 2645 0868 5967
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility:
Seed to Sale# 9545 7757 0280 7613
Batch Date: 11/18/22
Sample Size Received: 16 gram
Total Amount: 1448 units
Retail Product Size: 1 gram
Ordered : 01/05/23
Sampled : 01/05/23
Completed: 01/09/23
Sampling Method: SOP.T.20.010

Jan 09, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
92.934%

Total THC/Container : 929.34 mg


Total CBD
0.342%

Total CBD/Container : 3.42 mg


Total Cannabinoids
98.806%

Total Cannabinoids/Container : 988.06 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.916	0.021	0.342	ND	0.15	3.033	ND	1.823	0.521	ND	ND
mg/unit	929.16	0.21	3.42	ND	1.5	30.33	ND	18.23	5.21	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3112, 1665, 53, 1440

 Weight:
 0.1023g

 Extraction date:
 01/06/23 09:55:13

 Extracted by:
 3335, 3112

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA054361POT
 Instrument Used : DA-LC-007
 Running on : 01/06/23 10:24:31

 Reviewed On : 01/09/23 10:16:17
 Batch Date : 01/06/23 07:51:35

 Dilution : 400
 Reagent : 122722.R14; 071222.01; 122722.R12
 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30106003-001
Harvest/Lot ID: 1916 2645 0868 5967

Batch# : 1916 2645 0868 5967

Sampled : 01/05/23
Ordered : 01/05/23

Sample Size Received : 16 gram

Total Amount : 1448 units

Completed : 01/09/23 Expires: 01/09/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.97	1.097		ALPHA-HUMULENE	0.007	<0.2	<0.02	
TOTAL TERPINEOL	0.007	0.2	0.02		VALENCENE	0.007	0.46	0.046	
ALPHA-PINENE	0.007	0.36	0.036		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	0.6	0.06		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.96	0.096		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.63	0.063		ALPHA-BISABOLOL	0.007	<0.2	<0.02	
3-CARENE	0.007	<0.2	<0.02		Analyzed by: 2076, 53, 1440 Weight: 1.0671g Extraction date: 01/06/23 12:22:49 Extracted by: 2076,3807				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0543737ER Instrument Used : DA-GCMS-004 Running on : 01/06/23 16:17:29 Reviewed On : 01/09/23 10:16:14 Batch Date : 01/06/23 09:57:56				
LIMONENE	0.007	1.15	0.115		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.85	0.085						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	3.22	0.322						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.21	0.021						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.87	0.187						
FARNESENE	0	0.46	0.046						
Total (%)			1.097						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30106003-001
 Harvest/Lot ID: 1916 2645 0868 5967

 Batch# : 1916 2645 0868
 5967

 Sampled : 01/05/23
 Ordered : 01/05/23

Sample Size Received : 16 gram

Total Amount : 1448 units

Completed : 01/09/23 Expires: 01/09/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	585, 53, 2023, 1440	Weight:	0.2263g	Extraction date:	01/06/23 12:44:47
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	585,3379
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 585, 53, 2023, 1440 Weight: 0.2263g Extraction date: 01/06/23 12:44:47 Extracted by: 585,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA054368PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 01/06/23 13:36:47

Dilution : 250

Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59

Consumables : 6676024-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 53, 1440, 2023 Weight: 0.2263g Extraction date: 01/06/23 12:44:47 Extracted by: 585,3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA054371VOL

Instrument Used : DA-GCMS-006

Running on : N/A

Dilution : 250

Reagent : 122322.R05; 092820.59; 120122.R67; 120622.R24

Consumables : 6676024-02; 14725401

Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30106003-001
Harvest/Lot ID: 1916 2645 0868 5967
Batch# : 1916 2645 0868 5967

Sampled : 01/05/23

Ordered : 01/05/23

Sample Size Received : 16 gram

Total Amount : 1448 units

Completed : 01/09/23 **Expires:** 01/09/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440, 2023

Weight:
 0.0262g

Extraction date:
 01/09/23 12:34:53

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA054406SOL
Instrument Used : DA-GCMS-003
Running on : 01/09/23 13:05:47

Reviewed On : 01/09/23 13:22:03
Batch Date : 01/06/23 14:49:46

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30106003-001
 Harvest/Lot ID: 1916 2645 0868 5967
 Batch# : 1916 2645 0868 5967
 Sample Size Received : 16 gram
 Total Amount : 1448 units
 Completed : 01/09/23 Expires: 01/09/24
 Sample Method : SOP.T.20.010

Page 5 of 6

<div>Microbial</div> <div>PASSED</div>						<div><div></div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 2023, 1440Weight: 0.2263gExtraction date: 01/06/23 12:44:47Extracted by: 585,3379					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 3621, 3390, 53, 1440Weight: 0.8009gExtraction date: 01/06/23 10:20:45Extracted by: 3621,3390						Analytical Batch : DA054370MYCReviewed On : 01/09/23 09:09:31Batch Date : 01/06/23 09:14:18					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Instrument Used : DA-LCMS-003 (MYC)Running on : 01/06/23 13:36:54					
Analytical Batch : DA054363MICReviewed On : 01/09/23 11:56:06						Dilution : 250					
Instrument Used : DA-265 Gene-UP RTPCRBatch Date : 01/06/23 08:36:28						Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59					
Running on : 01/06/23 10:37:03						Consumables : 6676024-02					
Dilution : N/A						Pipette : DA-093; DA-094; DA-219					
Reagent : 122122.R81; 091422.07; 100722.13						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Consumables : 500124											
Pipette : N/A											
Analyzed by: 3336, 3702, 53, 1440Weight: 0.8609gExtraction date: 01/06/23 11:05:31Extracted by: 3621,3390						<div><div></div>Heavy Metals</div> <div>PASSED</div>					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal					
Analytical Batch : DA054364TYMReviewed On : 01/09/23 09:00:43						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : Incubator (25-27C) DA-097Batch Date : 01/06/23 08:38:26						ARSENIC					
Running on : 01/06/23 12:30:15						CADMIUM					
Dilution : 10						LEAD					
Reagent : 092022.34						MERCURY					
Consumables : 006107											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30106003-001
Harvest/Lot ID: 1916 2645 0868 5967
Batch# : 1916 2645 0868 5967

Sampled : 01/05/23

Ordered : 01/05/23

Sample Size Received : 16 gram

Total Amount : 1448 units

Completed : 01/09/23 **Expires:** 01/09/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA054392FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 01/06/23 11:48:49

Reviewed On : 01/06/23 11:58:40

Batch Date : 01/06/23 11:45:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.466	PASS	0.85

Analyzed by: 2926, 1879, 1440	Weight: 0.301g	Extraction date: 01/06/23 11:19:12	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA054342WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 01/05/23 13:47:07

Reviewed On : 01/06/23 12:02:47

Batch Date : 01/05/23 10:22:12

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.