



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993
Batch#: 8132 7746 1930 7993
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility:
Seed to Sale# 3552 1122 8426 8013
Batch Date: 11/16/23
Sample Size Received: 16 gram
Total Amount: 1488 units
Retail Product Size: 1 gram
Ordered : 01/07/23
Sampled : 01/07/23
Completed: 01/11/23
Sampling Method: SOP.T.20.010

Jan 11, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
87.218%

Total THC/Container : 872.18 mg


Total CBD
0.277%

Total CBD/Container : 2.77 mg


Total Cannabinoids
92.535%

Total Cannabinoids/Container : 925.35 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.095	0.141	0.259	0.021	0.443	1.267	0.062	1.122	0.611	ND	1.514
mg/unit	870.95	1.41	2.59	0.21	4.43	12.67	0.62	11.22	6.11	ND	15.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0956g

Extraction date:
01/09/23 09:28:14

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA054437POT
 Instrument Used : DA-LC-007
 Running on : 01/09/23 10:32:45

Reviewed On : 01/10/23 11:22:08
 Batch Date : 01/07/23 20:22:59

Dilution : 400
 Reagent : 122722.R14; 070621.18; 122722.R12
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993

Batch# : 8132 7746 1930
7993

Sampled : 01/07/23
Ordered : 01/07/23

Sample Size Received : 16 gram

Total Amount : 1488 units

Completed : 01/11/23 Expires: 01/11/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.08	1.708		ALPHA-HUMULENE	0.007	0.2	0.02	
TOTAL TERPINEOL	0.007	ND	ND		VALENCENE	0.007	0.29	0.029	
ALPHA-PINENE	0.007	0.34	0.034		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.44	0.044		GUAJOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.09	0.209		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	1.31	0.131		ALPHA-BISABOLOL	0.007	0.4	0.04	
3-CARENE	0.007	0.2	0.02		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINENE	0.007	<0.2	<0.02		2076, 53, 1440	1.1522g	01/09/23 16:48:22	2076	
LIMONENE	0.007	0.71	0.071		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND		Analytical Batch : DA0544787ER				
OCIMENE	0.007	2.3	0.23		Instrument Used : DA-GCMS-004				
GAMMA-TERPINENE	0.007	<0.2	<0.02		Running on : 01/10/23 15:11:26				
SABINENE HYDRATE	0.007	ND	ND		Dilution : 10				
TERPINOLENE	0.007	7.13	0.713		Reagent : 120722.08				
FENCHONE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
LINALOOL	0.007	<0.2	<0.02		Pipette : N/A				
FENCHYL ALCOHOL	0.007	<0.2	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.67	0.167						
FARNESENE	0	<0.018	<0.0018						
Total (%)			1.708						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993

Batch# : 8132 7746 1930 7993

Sampled : 01/07/23
Ordered : 01/07/23

Sample Size Received : 16 gram

Total Amount : 1488 units

Completed : 01/11/23 **Expires:** 01/11/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analized by: 585, 53, 1440	Weight: 0.2366g	Extraction date: 01/09/23 13:43:24		Extracted by: 585	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054457PES			Reviewed On : 01/11/23 12:20:22		
ETOXENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :01/08/23 14:35:25		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Running on :01/09/23 13:35:23					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analized by: 450, 53, 1440, 585	Weight: 0.2366g	Extraction date: N/A		Extracted by: 585,450	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On : 01/11/23 12:15:51		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch :DA054459VOL			Batch Date :01/08/23 14:37:09		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006					
MALATHION	0.01	ppm	0.2	PASS	ND	Running on :N/A					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 122322.R05; 092820.59; 120122.R67; 120622.R24					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993

Batch# : 8132 7746 1930 7993

Sampled : 01/07/23
Ordered : 01/07/23

Sample Size Received : 16 gram

Total Amount : 1488 units

Completed : 01/11/23 **Expires:** 01/11/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0279g

Extraction date:
 01/11/23 10:26:14

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA054502SOL
Instrument Used : DA-GCMS-002
Running on : 01/10/23 17:15:25

Reviewed On : 01/11/23 13:41:24
Batch Date : 01/09/23 14:45:31

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993
Batch# : 8132 7746 1930 7993
Sample Size Received : 16 gram
Total Amount : 1488 units
Completed : 01/11/23 Expires: 01/11/24
Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial						 Mycotoxins					
PASSED						PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 585, 53, 1440 Weight: 0.2366g Extraction date: N/A Extracted by: 585					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054458MYC Reviewed On : 01/11/23 08:55:53 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 01/08/23 14:37:07 Running on : 01/09/23 13:35:30 Dilution : 250 Reagent : 010323.R11; 122322.R05; 122722.R21; 010423.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3702, 3390, 3621, 53, 1440 Weight: 0.872g Extraction date: 01/08/23 15:47:16 Extracted by: 3702,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054442MIC Reviewed On : 01/11/23 12:49:42 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 01/08/23 09:41:33 Running on : 01/09/23 09:19:32 Dilution : N/A Reagent : 122122.R81; 091422.07; 100722.13 Consumables : 500124 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.872g Extraction date: 01/08/23 15:44:18 Extracted by: 3702,3390,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054443TYM Reviewed On : 01/10/23 16:23:51 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 01/08/23 09:46:53 Running on : 01/09/23 09:20:02 Dilution : 10 Reagent : 120722.03 Consumables : 004103 Pipette : N/A						 Heavy Metals					
PASSED						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4299g Extraction date: 01/09/23 09:47:46 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054450HEA Reviewed On : 01/09/23 16:26:56 Instrument Used : DA-ICPMS-003 Batch Date : 01/08/23 13:30:56 Running on : 01/09/23 14:33:17 Dilution : 50 Reagent : 122822.R42; 121922.R11; 010623.R07; 122922.R02; 010623.R05; 010623.R06; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30107015-005
Harvest/Lot ID: 8132 7746 1930 7993
Batch# : 8132 7746 1930 7993
Sampled : 01/07/23
Ordered : 01/07/23

Sample Size Received : 16 gram
Total Amount : 1488 units
Completed : 01/11/23 **Expires:** 01/11/24
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA054448FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 01/09/23 11:22:58
Reviewed On : 01/09/23 11:39:30
Batch Date : 01/08/23 12:34:11

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.429	PASS	0.85

Analyzed by: 1879, 2926, 585, 1440	Weight: 0.469g	Extraction date: 01/09/23 12:59:23	Extracted by: 3807
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA054479WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 01/09/23 18:43:02
Reviewed On : 01/10/23 13:51:58
Batch Date : 01/09/23 10:34:29

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.