



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30110009-007
Harvest/Lot ID: ID-BIS-112222-A085
Batch#: 7139 7636 4738 1701
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9092 0951 9631 9742
Batch Date: 11/18/22
Sample Size Received: 18 gram
Total Amount: 27 gram
Retail Product Size: 1.5 gram
Ordered: 01/09/23
Sampled: 01/09/23
Completed: 01/12/23
Sampling Method: SOP.T.20.010

Jan 12, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
19.253%

Total THC/Container : 288.795 mg



Total CBD
0.064%

Total CBD/Container : 0.96 mg



Total Cannabinoids
22.71%

Total Cannabinoids/Container : 340.65 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.737	21.114	ND	0.073	0.085	0.129	0.482	0.018	ND	ND	0.072
mg/g	7.37	211.14	ND	0.73	0.85	1.29	4.82	0.18	ND	ND	0.72
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 585, 1440

Weight:
 0.2045g

Extraction date:
 01/10/23 11:26:22

Extracted by:
 3605,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA054523POT
 Instrument Used : DA-LC-002
 Running on : 01/10/23 11:31:56

Reviewed On : 01/11/23 15:02:43
 Batch Date : 01/10/23 09:46:26

Dilution : 400
 Reagent : 010323.R18; 071222.01; 010323.R15
 Consumables : 239146; CE0123; 61633-125C6-125E; 61630-123C6-123E; 0000185478
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30110009-007
Harvest/Lot ID: ID-BIS-112222-A085

Batch# : 7139 7636 4738
 1701

Sampled : 01/09/23
Ordered : 01/09/23

Sample Size Received : 18 gram

Total Amount : 27 gram

Completed : 01/12/23 **Expires:** 01/12/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007	7.87	0.787		ALPHA-HUMULENE	0.007	1.1	0.11	
TOTAL TERPINEOL	0.007	0.21	0.021		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND		GUAJOL	0.007	ND	ND	
BETA-MYRCENE	0.007	ND	ND		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	0.64	0.064	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440 Weight: 0.9395g Extraction date: 01/11/23 12:07:35 Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054526TER Reviewed On : 01/12/23 15:42:47 Instrument Used : DA-GCMS-004 Batch Date : 01/10/23 09:52:24 Running on : 01/11/23 11:59:11				
LIMONENE	0.007	0.22	0.022		Dilution : N/A Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 14725401 Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.5	0.05						
FENCHYL ALCOHOL	0.007	0.2	0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.84	0.384						
FARNESENE	0	1.16	0.116						
Total (%)			0.787						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30110009-007
Harvest/Lot ID: ID-BIS-112222-A085

Batch# : 7139 7636 4738
 1701

Sampled : 01/09/23
Ordered : 01/09/23

Sample Size Received : 18 gram

Total Amount : 27 gram

Completed : 01/12/23 **Expires:** 01/12/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	1.1811g	N/A	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054517PES			Reviewed On : 01/12/23 10:12:47		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/10/23 09:40:24		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 01/10/23 11:29:00					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 010923.R01; 122322.R05; 122722.R21; 010423.R01; 092820.59					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	3379, 585, 450, 1440	1.1811g	N/A	450		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054576VOL			Reviewed On : 01/12/23 10:25:13		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 01/11/23 10:37:29		
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : 01/11/23 16:10:00					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 011023.R35; 092820.59; 010623.R33; 010623.R38					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT




 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30110009-007
Harvest/Lot ID: ID-BIS-112222-A085
Batch# : 7139 7636 4738
 1701

Sampled : 01/09/23
Ordered : 01/09/23

Sample Size Received : 18 gram
Total Amount : 27 gram
Completed : 01/12/23 **Expires:** 01/12/24
Sample Method : SOP.T.20.010

Page 4 of 5

<div>Microbial</div> <div>PASSED</div>						<div><div></div>Mycotoxins</div> <div>PASSED</div>																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level																																										
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																										
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																										
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																										
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																										
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																										
ASPERGILLUS NIGER			Not Present	PASS																																																	
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000																																																
Analyzed by: 3621, 3336, 53, 1440 Weight: 1.1741g Extraction date: 01/10/23 11:25:53 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054515MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/10/23 13:01:50 Dilution : N/A Reagent : 122122.R81; 091422.07; 100722.13 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 1.1811g Extraction date: N/A Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054518MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/10/23 14:03:54 Dilution : 250 Reagent : 010923.R01; 122322.R05; 122722.R21; 010423.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																															
Analyzed by: 3336, 585, 1440 Weight: 1.1083g Extraction date: 01/10/23 12:43:03 Extracted by: 3621,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054540TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/10/23 13:02:02 Dilution : 10 Reagent : 120722.03 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<div><div></div>Heavy Metals</div> <div>PASSED</div> <table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.11</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td><0.1</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.05</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td colspan="6">Analyzed by: 1022, 53, 1440 Weight: 0.4456g Extraction date: 01/10/23 11:33:20 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054531HEA Instrument Used : DA-ICPMS-003 Running on : 01/10/23 14:26:33 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.1	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	LEAD	0.05	ppm	ND	PASS	0.5	MERCURY	0.02	ppm	ND	PASS	0.2	Analyzed by: 1022, 53, 1440 Weight: 0.4456g Extraction date: 01/10/23 11:33:20 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054531HEA Instrument Used : DA-ICPMS-003 Running on : 01/10/23 14:26:33 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1																																																
ARSENIC	0.02	ppm	<0.1	PASS	0.2																																																
CADMIUM	0.02	ppm	ND	PASS	0.2																																																
LEAD	0.05	ppm	ND	PASS	0.5																																																
MERCURY	0.02	ppm	ND	PASS	0.2																																																
Analyzed by: 1022, 53, 1440 Weight: 0.4456g Extraction date: 01/10/23 11:33:20 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054531HEA Instrument Used : DA-ICPMS-003 Running on : 01/10/23 14:26:33 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com


Sample : DA30110009-007
Harvest/Lot ID: ID-BIS-112222-A085
Batch# : 7139 7636 4738
 1701
Sampled : 01/09/23
Ordered : 01/09/23

Sample Size Received : 18 gram
Total Amount : 27 gram
Completed : 01/12/23 **Expires:** 01/12/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	7.35	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 2926, 585, 1440	Weight: 0.503g	Extraction date: 01/10/23 15:46:13	Extracted by: 2926		
Analysis Method : SOP.T.40.090			Reviewed On : 01/11/23 15:17:24 Batch Date : 01/11/23 08:06:57			Analysis Method : SOP.T.40.021			Reviewed On : 01/11/23 15:01:19 Batch Date : 01/10/23 14:43:26		
Analytical Batch : DA054552FIL						Analytical Batch : DA054543MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 01/11/23 15:13:05						Running on : 01/10/23 15:45:46					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 100622.35					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.41	PASS	0.65
Analyzed by: 2926, 1879, 1440	Weight: 0.817g	Extraction date: 01/10/23 14:22:22	Extracted by: 2926		
Analysis Method : SOP.T.40.019			Reviewed On : 01/11/23 07:54:47 Batch Date : 01/10/23 11:44:59		
Analytical Batch : DA054535SWAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 01/10/23 14:09:11					
Dilution : N/A					
Reagent : 100522.08					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.