



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30112002-007
Harvest/Lot ID: 2525 1958 3706 9291
Batch#: 6708 0733 3261 9879
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# N/A
Batch Date: 11/29/22
Sample Size Received: 16 units
Total Amount: 1463 units
Retail Product Size: 1 gram
Ordered : 01/11/23
Sampled : 01/11/23
Completed: 01/14/23
Sampling Method: SOP.T.20.010

Jan 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.149%

Total THC/Container : 871.49 mg



Total CBD

0.301%

Total CBD/Container : 3.01 mg



Total Cannabinoids

93.027%

Total Cannabinoids/Container : 930.27 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.085	0.074	0.301	ND	0.547	1.862	0.068	1.643	0.56	ND	0.887
mg/unit	870.85	0.74	3.01	ND	5.47	18.62	0.68	16.43	5.6	ND	8.87
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53

Weight:
0.1182g

Extraction date:
01/12/23 10:58:39

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA054615POT
 Instrument Used : DA-LC-007
 Running on : 01/12/23 11:00:02

Reviewed On : 01/13/23 19:50:35
 Batch Date : 01/12/23 09:13:49

Dilution : 400
 Reagent : 071222.01; 011023.R28; 011023.R27
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30112002-007
Harvest/Lot ID: 2525 1958 3706 9291

Batch# : 6708 0733 3261
 9879

Sampled : 01/11/23
Ordered : 01/11/23

Sample Size Received : 16 units

Total Amount : 1463 units

Completed : 01/14/23 **Expires:** 01/14/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.42	1.942		ALPHA-HUMULENE	0.007	0.52	0.052	
TOTAL TERPINEOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.99	0.099		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.77	0.077		GUAJOL	0.007	ND	ND	
BETA-MYRCENE	0.007	5.29	0.529		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	<0.2	<0.02	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 585, 53 Weight: 0.9099g Extraction date: 01/12/23 13:59:30 Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.20.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054633TER Instrument Used : DA-GCMS-005 Running on : 01/12/23 14:46:07 Reviewed On : 01/14/23 18:15:54 Batch Date : 01/12/23 10:31:59				
LIMONENE	0.007	5.7	0.57		Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
OCIMENE	0.007	1.26	0.126						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	0.2	0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.4	0.14						
FENCHYL ALCOHOL	0.007	0.48	0.048						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.6	0.26						
FARNESENE	0	0.21	0.021						
Total (%)				1.942					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30112002-007
 Harvest/Lot ID: 2525 1958 3706 9291

 Batch# : 6708 0733 3261
 9879

 Sampled : 01/11/23
 Ordered : 01/11/23

Sample Size Received : 16 units

Total Amount : 1463 units

Completed : 01/14/23 Expires: 01/14/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53	0.2507g	01/12/23 14:20:39	585,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA054624PES			Reviewed On :	01/13/23 18:53:37
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	01/12/23 09:40:46
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :	01/12/23 13:30:42				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution :	250				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent :	010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59				
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	450, 53, 585	0.2507g	01/12/23 14:20:39	585,450		
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA054626VOL			Reviewed On :	01/13/23 18:48:28
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-006			Batch Date :	01/12/23 09:42:32
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on :	N/A				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution :	250				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent :	011023.R35; 092820.59; 010623.R33; 010623.R38				
NALED	0.01	ppm	0.25	PASS	ND	Consumables :	6676024-02; 14725401				
						Pipette :	DA-080; DA-146				
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30112002-007
Harvest/Lot ID: 2525 1958 3706 9291

Batch# : 6708 0733 3261
 9879

Sampled : 01/11/23
Ordered : 01/11/23

Sample Size Received : 16 units

Total Amount : 1463 units

Completed : 01/14/23 **Expires:** 01/14/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 585

Weight:
 0.0249g

Extraction date:
 01/12/23 11:20:39

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA054637SOL
Instrument Used : DA-GCMS-003
Running on : 01/12/23 16:59:21

Reviewed On : 01/13/23 19:51:59
Batch Date : 01/12/23 11:18:21

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30112002-007
Harvest/Lot ID: 2525 1958 3706 9291
Batch# : 6708 0733 3261
 9879

Sampled : 01/11/23
Ordered : 01/11/23




Sample Size Received : 16 units

Total Amount : 1463 units

Completed : 01/14/23 **Expires:** 01/14/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div>  Microbial PASSED </div>						<div>  Mycotoxins PASSED </div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 53 Weight: 1.018g Extraction date: 01/12/23 12:13:52 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054616MIC Reviewed On : 01/14/23 11:55:04 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 01/12/23 09:15:03 Running on : 01/12/23 13:35:36 Dilution : N/A Reagent : 122122.R81; 091422.07; 100722.13 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53 Weight: 0.2507g Extraction date: 01/12/23 14:20:39 Extracted by: 585,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054625MYC Reviewed On : 01/13/23 18:33:28 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 01/12/23 09:42:31 Running on : 01/12/23 13:31:16 Dilution : 250 Reagent : 010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3390, 53 Weight: 0.81g Extraction date: 01/12/23 13:35:24 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054644TYM Reviewed On : 01/13/23 19:44:21 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 01/12/23 13:34:18 Running on : 01/12/23 13:38:58 Dilution : N/A Reagent : 092022.36 Consumables : 004103 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<div>  Heavy Metals PASSED </div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1022, 53, 585 Weight: 0.5122g Extraction date: 01/12/23 11:24:02 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054620HEA Reviewed On : 01/13/23 18:44:21 Instrument Used : DA-ICPMS-003 Batch Date : 01/12/23 09:32:54 Running on : 01/12/23 20:23:00 Dilution : 50 Reagent : 122822.R42; 121922.R11; 010623.R07; 011123.R31; 010623.R05; 010623.R06; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30112002-007
Harvest/Lot ID: 2525 1958 3706 9291
Batch# : 6708 0733 3261 9879
Sampled : 01/11/23
Ordered : 01/11/23

Sample Size Received : 16 units
Total Amount : 1463 units
Completed : 01/14/23 **Expires:** 01/14/24
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 3379, 585, 53	Weight: NA	Extraction date: N/A	Extracted by: N/A
-------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA054640FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : N/A
Reviewed On : 01/12/23 13:35:50
Batch Date : 01/12/23 13:24:06

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.492	PASS	0.85

Analyzed by: 2926, 53	Weight: 0.396g	Extraction date: 01/12/23 13:51:09	Extracted by: 2926
--------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA054636WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 01/12/23 13:50:26
Reviewed On : 01/13/23 18:27:32
Batch Date : 01/12/23 10:45:33

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.