

Certificate of Analysis

COMPLIANCE FOR RETAIL

Jan 16, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel Matrix: Derivative



Sample: DA30113003-008 Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644 8217

Cultivation Facility: Processing Facility:

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 9296 3095 4786 9657

Batch Date: 06/30/22

Sample Size Received: 6 gram

Total Amount: 1374 gram Retail Product Size: 11.25 gram

Ordered: 01/12/23

Sampled: 01/12/23 Completed: 01/16/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





PASSED



PASSED



PASSED



PASSED



Residuals Solvents PASSED



PASSED



PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid





Total CBD 0.026%

Total CBD/Container: 2.925 mg



Total Cannabinoids

Total Cannabinoids/Container: 492.637



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	
%	3.783	ND	0.023	0.004	0.089	0.179	0.005	0.189	0.032	ND	0.075	
mg/g	37.83	ND	0.23	0.04	0.89	1.79	0.05	1.89	0.32	ND	0.75	
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
nalyzed by: 665, 53, 1440			Weight: 2.9921g	- //	Extraction of 01/13/23 1				Extracted 3112,1665			T

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054655POT Instrument Used : DA-LC-007

Running on: 01/13/23 15:28:40

Reviewed On: 01/16/23 09:56:06 Batch Date: 01/13/23 11:50:49

Dilution: 400
Reagent: 011023.R28; 071222.01; 011023.R27

Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

um cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23



Kaycha Labs

Sour Diesel Drops 11.25g

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30113003-008 Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644

Sampled: 01/12/23 Ordered: 01/12/23 Sample Size Received: 6 gram Total Amount: 1374 gram

Completed: 01/16/23 Expires: 01/16/24 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	% Result (%)	Terpenes LOD mg/g % Result (%) (%)
TOTAL TERPENES	0.007	0.81	0.081	ALPHA-HUMULENE 0.007 ND ND
TOTAL TERPINEOL	0.007	ND	ND	VALENCENE 0.007 ND ND
ALPHA-PINENE	0.007	ND	ND	CIS-NEROLIDOL 0.007 ND ND
CAMPHENE	0.007	ND	ND	TRANS-NEROLIDOL 0.007 ND ND
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE 0.007 ND ND
BETA-PINENE	0.007	ND	ND	GUAIOL 0.007 ND ND
BETA-MYRCENE	0.007	0.26	0.026	CEDROL 0.007 ND ND
ALPHA-PHELLANDRENE	0.007	ND	ND	ALPHA-BISABOLOL 0.007 ND ND
3-CARENE	0.007	ND	ND	Analyzed by: Weight: Extraction date: Extracted by
LPHA-TERPINENE	0.007	ND	ND	2076, 585, 1440 1.0175g 01/13/23 20:04:24 2076
IMONENE	0.007	0.3	0.03	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
UCALYPTOL	0.007	ND	ND	Analytical Batch : DA054680TER Reviewed On : 01/16/23 13:42:15
OCIMENE	0.007	ND	ND	Instrument Used: DA-GCMS-005 Batch Date: 01/13/23 12:27:37 Running on: 01/14/23 11:14:09
AMMA-TERPINENE	0.007	ND	ND	Dilution: 10
ABINENE HYDRATE	0.007	ND	ND	Reagent: 120722.08
ERPINOLENE	0.007	ND	ND	Consumables: 210414634; MKCN9995; CE0123; R1KB14270
ENCHONE	0.007	ND	ND	Pipette: N/A
NALOOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.
ENCHYL ALCOHOL	0.007	ND	ND	
SOPULEGOL	0.007	ND	ND	
AMPHOR	0.007	ND	ND	
OBORNEOL	0.007	ND	ND	
ORNEOL	0.013	ND	ND	
IEXAHYDROTHYMOL	0.007	ND	ND	
IEROL	0.007	ND	ND	
ULEGONE	0.007	ND	ND	
ERANIOL	0.007	ND	ND	
ERANYL ACETATE	0.007	ND	ND	
LPHA-CEDRENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.25	0.025	
ARNESENE	0	< 0.018	<0.0018	
otal (%)		0.081		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA30113003-008

Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644

Sampled: 01/12/23 Ordered: 01/12/23 Sample Size Received: 6 gram Total Amount: 1374 gram

Completed: 01/16/23 Expires: 01/16/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND					0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm			
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE		0.01	ppm	1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEOUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND			0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	THIACLOPRID			7' \ / \	1		ND
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm		PASS	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBEN	IZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
DIAZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND		/l/_			/ · V		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 0.2091g	Extractio 01/13/23			Extracted 585.795	by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3				Davio) SOP		Cainocvillo)
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	10.101.1 L (Gaines)	/IIIe), 301.1	.50.102.1 L	Davie, 301	.1.40.101.11 (dairiesville),
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA0546	92PES		Reviewed	On:01/15/2	3 15:14:38	
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCN			Batch Dat	e:01/13/23	13:58:33	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 01/14/23 00:	12:39					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250	1000 005 10070	2 221 2111	122 002 00	2020 50		
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 010923.R01; 01 Consumables: 6676024-0		2.R21; 011.	123.R02; 09	2820.59		
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette: DA-093; DA-094;						
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural ager		lizina Liauid	Chromatog	raphy Triple-0	Quadrupole Ma	SS
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance			\			
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extra	ction date		Extracted	by:
IMIDACLOPRID	0.01	ppm	1	PASS	ND	450, 53, 1440, 585	0.2091g	01/13	3/23 18:06:0	16	585,795	
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.3						
MALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA0546 Instrument Used : DA-GCI				:01/15/23 1		
METALAXYL	0.01	ppm	3	PASS	ND	Running on : N/A	VI3-000	Do	attri Date :	01/13/23 14:	02:11	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 011023.R35; 09	2820.59: 010623	R33: 01132	23.R05			
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-0			X			
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146						
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule		lizing Gas C	hromatogra	ohy Triple-Qu	adrupole Mass	Spectrometry

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30113003-008 Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644

Sampled: 01/12/23 Ordered: 01/12/23 Sample Size Received: 6 gram Total Amount: 1374 gram

Completed: 01/16/23 Expires: 01/16/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 3379, 850, 585, 1440	Weight: 0.0258g	Extraction date: 01/13/23 23:33:15			Extracted by: 3379

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA054691SOL Instrument Used : DA-GCMS-003

Running on : $01/13/23 \ 20:32:46$

Dilution: 1

Reagent: 071420.56 Consumables: R2017.167; KF140

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 01/16/23 12:30:36 Batch Date: 01/13/23 13:48:37

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23



Kaycha Labs

Sour Diesel Drops 11.25g

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample: DA30113003-008

Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644

Sampled: 01/12/23 Ordered: 01/12/23 Sample Size Received: 6 gram Total Amount: 1374 gram

Completed: 01/16/23 Expires: 01/16/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Extracted by:

Batch Date : 01/13/23 14:02:04

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA C	OLI SHIGELLA			Not Present	PASS	
SALMONELLA S	PECIFIC GENE			Not Present	PASS	
ASPERGILLUS F	LAVUS			Not Present	PASS	
ASPERGILLUS F	UMIGATUS			Not Present	PASS	
ASPERGILLUS T	ERREUS			Not Present	PASS	
ASPERGILLUS N	IGER			Not Present	PASS	
TOTAL YEAST A	ND MOLD	10	CFU/g	<10	PASS	100000
		- //				

Analyzed by: 3390, 53, 1440 Weight: 0.973g Extraction date 01/13/23 14:28:15 3621

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 01/15/23 12:40:04

Analytical Batch: DA054661MIC

Instrument Used : PathogenDx Scanner DA-111

Running on : N/A

Dilution: N/A Reagent: 092022.36; 110822.R31; 052422.10

Consumables : N/A Pipette: N/A

Analyzed by: 3390, 3702, 585, 1440

Weight: Extraction date: Extracted by: 3621.3390 0.973g N/A

Batch Date: 01/13/23 11:58:14

Batch Date: 01/13/23 14:23:46

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Reviewed On: 01/16/23 14:18:45

Analytical Batch : DA054709TYM Instrument Used : Incubator (25-27C) DA-097

Running on: 01/14/23 16:58:48

Dilution: 10 Reagent: 092022.36

Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

0						
Analyte	-38	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02

Extraction date:

Analyzed by: 585, 53, 1440 0.2091g 01/13/23 18:06:06 585,795 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 01/15/23 15:10:25

Weight:

Analytical Batch: DA054695MYC Instrument Used : DA-LCMS-003 (MYC)

Running on: 01/14/23 00:12:57

Dilution: 250 Reagent: 010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59

Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	AD METALS	0.11	ppm	ND	PASS	5
ARSENIC		0.02	ppm	ND	PASS	1.5
CADMIUM		0.02	ppm	ND	PASS	0.5
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	3
Analyzed by: Weight: 1022, 53, 1440, 585 0.4487g		Extraction 01/13/23			Extracte 1022	d by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA054684HEA Instrument Used : DA-ICPMS-003 Running on: 01/14/23 15:56:31

Reviewed On: 01/15/23 12:29:41 Batch Date: 01/13/23 12:47:45

Reagent: 122822.R42; 121922.R11; 010623.R07; 011123.R31; 010623.R05; 010623.R06;

122322.R25; 123022.R15
Consumables: 179436; 210508058; 210803-059

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel

Sour Diesel Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA30113003-008

Harvest/Lot ID: 9296 3095 4786 9657

Batch#: 4146 9748 2644 8217

Sampled: 01/12/23 Ordered: 01/12/23

Reviewed On: 01/15/23 12:53:39 Batch Date: 01/15/23 12:49:52 Sample Size Received: 6 gram
Total Amount: 1374 gram

Completed: 01/16/23 Expires: 01/16/24 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte Filth and Foreig	LOD 0.5	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: Weight: 53, 1440 1g			tion date: /23 12:51:2		Ext 53	racted by:

Analysis Method: SOP.T.40.090

Analytical Batch: DA054754FIL Instrument Used: Filth/Foreign Material Microscope

Instrument Used : Filth/Foreign Material Microscope Running on : N/A

Dilution: N/A Reagent: N/A Consumables: N/A

Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Consumables: PS-14

Water Activity

PASSED

Analyte Water Activity		LOD Units 0.1 aw		Result 0.412	P/F TESTED	Action Level
Analyzed by: 3807, 53, 1440	Weight: 1.225g		traction da /15/23 19:		Extr 380	racted by: 7
Analysis Method : SO Analytical Batch : DAI Instrument Used : DA Running on : N/A	054710WAT	Hygropa	lm		On: 01/16/23: 01/13/23: 1	
Dilution: N/A Reagent: 100522 08						

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/16/23