



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30113003-011
Harvest/Lot ID: 3397 4340 1862 9549
Batch#: 1244 1962 5146 8080
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility : Tampa Cultivation
Seed to Sale# 3397 4340 1862 9549
Batch Date: 11/16/22
Sample Size Received: 15 gram
Total Amount: 4435 gram
Retail Product Size: 63.8400 gram
Ordered : 01/12/23
Sampled : 01/12/23
Completed: 01/17/23
Sampling Method: SOP.T.20.010


Jan 17, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes NOT TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 0.145% Total THC/Container : 92.568 mg		Total CBD 0.004% Total CBD/Container : 2.554 mg		Total Cannabinoids 0.154% Total Cannabinoids/Container : 98.314 mg
--	--	---	---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.145	ND	0.004	ND	ND	ND	ND	0.003	ND	ND	0.002
mg/g	1.45	ND	0.04	ND	ND	ND	ND	0.03	ND	ND	0.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 1665, 53, 1440	Weight: 2.9354g	Extraction date: N/A	Extracted by: 1665
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054765POT Instrument Used : DA-LC-007 Running on : 01/17/23 10:43:50	Reviewed On : 01/17/23 13:43:07 Batch Date : 01/16/23 23:20:46		
Dilution : 40 Reagent : 010323.01; 011223.R07; 030322.03; 070121.27; 011223.R06 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30113003-011
Harvest/Lot ID: 3397 4340 1862 9549

Batch# : 1244 1962 5146 **Sample Size Received :** 15 gram
 8080 **Total Amount :** 4435 gram
Sampled : 01/12/23 **Completed :** 01/17/23 **Expires:** 01/17/24
Ordered : 01/12/23 **Sample Method :** SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROCONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.8637g	01/13/23 18:13:02	795,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA054705PES			Reviewed On : 01/16/23 09:23:19		
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/13/23 14:10:13		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 01/14/23 00:12:02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59					
FLONICAMID	0.01	ppm	2	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	450, 53, 1440	0.8637g	01/13/23 18:13:02	795,585		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On : 01/16/23 09:20:03		
METALAXYL	0.01	ppm	3	PASS	ND	Analytical Batch : DA054707VOL			Batch Date : 01/13/23 14:12:07		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-GCMS-006					
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Reagent : 011023.R35; 092820.59; 010623.R33; 011323.R05					
NALED	0.01	ppm	0.5	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30113003-011
Harvest/Lot ID: 3397 4340 1862 9549
Batch# : 1244 1962 5146
Sample Size Received : 15 gram
Total Amount : 4435 gram
Completed : 01/17/23 **Expires:** 01/17/24
Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 3379, 850, 53, 1440

Weight:
 0.0277g

Extraction date:
 01/13/23 23:29:05

Extracted by:
 3379

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA054693SOL
Instrument Used : DA-GCMS-002
Running on : 01/13/23 20:32:41

Reviewed On : 01/16/23 09:27:19
Batch Date : 01/13/23 13:58:37

Dilution : 1
Reagent : 071420.56
Consumables : R2017.167; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30113003-011
Harvest/Lot ID: 3397 4340 1862 9549
Batch# : 1244 1962 5146
Sample Size Received : 15 gram
Total Amount : 4435 gram
Completed : 01/17/23 **Expires:** 01/17/24
Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 53, 1440 Weight: 0.9747g Extraction date: 01/13/23 14:28:16 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054661MIC Instrument Used : PathogenDx Scanner DA-111 Running on : N/A Dilution : N/A Reagent : 092022.36; 110822.R31; 052422.10 Consumables : N/A Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.8637g Extraction date: 01/13/23 18:13:02 Extracted by: 795,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054706MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/14/23 00:12:43 Dilution : 250 Reagent : 010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3702, 585, 1440 Weight: 0.9747g Extraction date: N/A Extracted by: 3621,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054709TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/14/23 16:58:48 Dilution : 10 Reagent : 092022.36 Consumables : 004103 Pipette : N/A						Analyzed by: 1022, 53, 1440 Weight: 0.5737g Extraction date: 01/13/23 17:03:11 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054685HEA Instrument Used : DA-ICPMS-003 Running on : 01/14/23 16:27:05 Dilution : 50 Reagent : 122822.R42; 121922.R11; 010623.R07; 011123.R31; 010623.R05; 010623.R06; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 12265-115CC Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30113003-011
Harvest/Lot ID: 3397 4340 1862 9549
Batch# : 1244 1962 5146 8080
Sampled : 01/12/23
Ordered : 01/12/23

Sample Size Received : 15 gram
Total Amount : 4435 gram
Completed : 01/17/23 **Expires:** 01/17/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
53, 1440	1g	01/15/23 13:07:35	53

Analysis Method : SOP.T.40.090 Analytical Batch : DA054755FIL Instrument Used : Filth/Foreign Material Microscope Running on : N/A	Reviewed On : 01/15/23 13:09:38 Batch Date : 01/15/23 13:06:13
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.568	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
53, 1440	11.745g	01/16/23 13:53:50	N/A

Analysis Method : SOP.T.40.019 Analytical Batch : DA054595SWAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 01/11/23 12:11:26	Reviewed On : 01/16/23 13:46:31 Batch Date : 01/11/23 11:05:00
--	---

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	6.22	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3605, 1665, 53, 1440	6.718g	01/13/23 13:39:32	3605

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : DA054664HOM Instrument Used : DA-LC-001 (Homo) Running on : 01/13/23 13:40:26	Reviewed On : 01/16/23 09:58:50 Batch Date : 01/13/23 11:59:57
--	---

Dilution : 40
Reagent : 010323.01; 011123.R37; 071222.46; 011123.R34
Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277
Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.