

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30113017-005 Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619 1924

Cultivation Facility:

Processing Facility: Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 7730 9757 2512 0841

Batch Date: 10/04/22

Sample Size Received: 31 gram

Total Amount: 2897 gram Retail Product Size: 0.5 gram

Ordered: 01/13/23

Sampled: 01/13/23 Completed: 01/17/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Jan 17, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS







PASSED



PASSED



PASSED



Residuals Solvents PASSED



PASSED



PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid





Total CBD 0.315%

Total CBD/Container: 1.575 mg

Reviewed On: 01/16/23 13:20:28 Batch Date: 01/13/23 22:38:07



Total Cannabinoids

Total Cannabinoids/Container: 456.04



D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	
% 84.874	4 0.107	0.315	ND	0.612	2.09	ND	1.598	0.615	ND	0.997	
mg/g 848.74	1.07	3.15	ND	6.12	20.9	ND	15.98	6.15	ND	9.97	
LOD 0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
%	%	%	%	%	%	%	%	%	%	%	

Extraction date: 01/13/23 23:10:13 Extracted by: 3335,1665 Analyzed by: 1665, 3335, 585, 1440

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054737POT Instrument Used : DA-LC-003

Running on: 01/13/23 23:14:42

Dilution: 400
Reagent: 011223.R08; 070621.18; 011223.R05

Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

um cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA30113017-005

Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619 1924

Sampled: 01/13/23 Ordered: 01/13/23 Sample Size Received: 31 gram Total Amount: 2897 gram

Completed: 01/17/23 Expires: 01/17/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

					X						
Terpenes	LOD (%)	mg/g	% I	Result (%)	Terpenes		LOD (%)	mg/g	%	Result (%)	
TOTAL TERPENES	0.007	28.03	2.803		ALPHA-HUMULENE		0.007	0.37	0.037		
TOTAL TERPINEOL	0.007	ND	ND		VALENCENE		0.007	ND	ND		
ALPHA-PINENE	0.007	1.65	0.165		CIS-NEROLIDOL		0.007	ND	ND		
CAMPHENE	0.007	0.21	0.021		TRANS-NEROLIDOL		0.007	ND	ND		
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXID	E	0.007	ND	ND		
BETA-PINENE	0.007	1.67	0.167		GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	5.21	0.521		CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL		0.007	<0.2	<0.02		
B-CARENE	0.007	ND	ND		Analyzed by:	Weight:	//	Extractio	n date:	++++	Extracted by:
LPHA-TERPINENE	0.007	ND	ND		2076, 585, 1440	1.0055g		01/15/23	13:31:2	:3	2076
IMONENE	0.007	13.54	1.354		Analysis Method : SOP.T.3		OP.T.40				
UCALYPTOL	0.007	ND	ND		Analytical Batch : DA0547					n: 01/17/23 12:2	
OCIMENE	0.007	2.35	0.235		Instrument Used : DA-GCI Running on : 01/15/23 13			Bato	:h Date :	01/13/23 22:43:	52
SAMMA-TERPINENE	0.007	ND	ND		Dilution: 10	.52.55	$\overline{}$	+	$/\!\!\!/$	\longrightarrow	
SABINENE HYDRATE	0.007	ND	ND		Reagent: 120722.08						
TERPINOLENE	0.007	ND	ND		Consumables: 21041463	4; MKCN9995	5; CE012	23; R1KB	14270		
ENCHONE	0.007	ND	ND		Pipette : N/A			$\lambda \Delta$		X A	\times
INALOOL	0.007	0.58	0.058		Terpenoid testing is performe	ed utilizing Gas	s Chroma	itography l	Mass Spe	ctrometry.	
ENCHYL ALCOHOL	0.007	0.44	0.044		1////						
SOPULEGOL	0.007	ND	ND		// //						
CAMPHOR	0.013	ND	ND								
SOBORNEOL	0.007	ND	ND		11 /1 //						
BORNEOL	0.013	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
ALPHA-CEDRENE	0.007	ND	ND								
BETA-CARYOPHYLLENE	0.007	1.82	0.182								
FARNESENE	0	0.19	0.019								
otal (%)		2	2.803								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30113017-005

Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619

Sampled: 01/13/23 Ordered: 01/13/23 Sample Size Received: 31 gram Total Amount: 2897 gram

Completed: 01/17/23 Expires: 01/17/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN					PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1		
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND			0.01		0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm			
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROB	ENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND		Weight:			<i>/ /</i>	Futur et a	1.6
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	0.2192g		on date: 3 00:14:33		Extracted 585	a by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.				(Davie) SOP		Gainesv
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		·c/, 501 1.	.50.1202.1.2	(Davie), Do.		ouiiico i
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA05	4694PES		Reviewed	on:01/16/2	23 10:05:43	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-L			Batch Da	te :01/13/23	14:01:58	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 01/14/23 0	00:12:34					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	011000 DOE 10070	2 221 011	122 002 0	02020 50		
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 010923.R01; Consumables: 667602		Z.KZ1; U11.	123.RUZ; U	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-09						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ac		lizina Liauio	Chromato	graphy Triple-	Quadrupole Ma	SS
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordar			\	, , , , , , , , , ,		`\/
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight		xtraction o	date:	Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 53, 1440, 585	0.2192		/A		585,450	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.						
IALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA05 Instrument Used : DA-G				n:01/16/23 1 :01/13/23 14		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A	3C1412-000	В	aten Date	101/13/23 14	103:45	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 25						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 011023.R35;	092820.59: 010623	R33: 0113:	23.R05			
IEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 667602						
NYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-14	16					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agin accordance with F.S. R		lizing Gas C	Chromatogra	aphy Triple-Qu	iadrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA30113017-005 Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619

Sampled: 01/13/23 Ordered: 01/13/23 Sample Size Received: 31 gram Total Amount: 2897 gram

Completed: 01/17/23 Expires: 01/17/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 3379, 850, 585, 1440	Weight: 0.0211g	Extractio 01/13/23		77	Extracted by: 3379

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA054718SOL Instrument Used : DA-GCMS-003 Running on: 01/13/23 23:29:33

Dilution: 1

Reagent: 071420.56 Consumables: R2017.167; KF140 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 01/16/23 13:03:14 Batch Date: 01/13/23 14:53:37

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23



Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30113017-005

Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619

Sampled: 01/13/23 Ordered: 01/13/23 Sample Size Received: 31 gram Total Amount: 2897 gram

Completed: 01/17/23 Expires: 01/17/24 Sample Method: SOP.T.20.010

Page 5 of 6

PASS

Extracted by:



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 2682, 53, 1440, 585	Weight: 0.932a	Extractio 01/14/23	on date: 3 16:53:41	Extract 3390	ed by:

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 01/15/23 16:38:09

Analytical Batch : DA054743MIC
Instrument Used : PathogenDx Scanner DA-111

Running on : 01/14/23 16:58:57

Dilution: N/A

Reagent: 120722.01; 110822.R31; 052422.10

Consumables : N/A Pipette: N/A

Analyzed by: 3390, 3702, 585, 1440

Weight:	Extraction date:	Extracted b
0.932g	01/14/23 16:53:41	3390

Batch Date: 01/14/23 00:37:54

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Reviewed On: 01/16/23 13:20:30 Analytical Batch : DA054747TYM Instrument Used : Incubator (25-27C) DA-097 Batch Date: 01/14/23 16:54:24 **Running on :** 01/14/23 16:58:45

Dilution: 10 Reagent: 120722.01 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

360				7.5	5<
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	mag	ND	PASS	0.02

0.002

Extraction date:

ppm

Analyzed by: 585, 53, 1440 0.2192g N/A Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Weight:

Reviewed On: 01/15/23 15:45:59 Analytical Batch: DA054697MYC Instrument Used : DA-LCMS-003 (MYC) Batch Date: 01/13/23 14:03:42 Running on: 01/14/23 00:12:47

Dilution: 250

AFLATOXIN G2

Reagent: 010923.R01; 011023.R35; 122722.R21; 011123.R02; 092820.59

Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD	METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
	Weight:	Extraction			Extracte	d by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA054745HEA Instrument Used : DA-ICPMS-003 Running on: 01/15/23 10:39:47

Reviewed On: 01/15/23 16:28:40 Batch Date : 01/14/23 10:24:37

Reagent: 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02;

122322.R25; 123022.R15; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Static Charge Cartridge Concentrate 0.5g Static Charge

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30113017-005

Harvest/Lot ID: 7730 9757 2512 0841

Batch#: 9560 3365 4619

Sampled: 01/13/23 Ordered: 01/13/23 Sample Size Received: 31 gram Total Amount: 2897 gram

Completed: 01/17/23 Expires: 01/17/24 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Analyzed by: 585, 53, 1440 Weight: Extraction date: Extracted by:

Analysis Method: SOP.T.40.090 Analytical Batch: DA054757FIL

Reviewed On: 01/15/23 17:00:44 **Batch Date:** 01/15/23 16:15:06 Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 01/16/23 13:20:37

Batch Date: 01/13/23 22:58:58

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.1	aw	0.402	PASS	0.85
Analyzed by: 3807, 585, 1440			xtraction o			tracted by:

Analysis Method : SOP.T.40.019
Analytical Batch : DA054741WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : 01/16/23 11:20:15

Dilution : N/A Reagent: 100522.08 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/17/23