



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30118003-006

Harvest/Lot ID: 1262 6699 0932 8755

Batch#: 3864 6404 2712 5724

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale#: 1262 6699 0932 8755

Batch Date: 10/07/22

Sample Size Received: 15 units

Total Amount: 4422 units

Retail Product Size: 61.6671 gram

Ordered: 01/17/23

Sampled: 01/17/23

Completed: 01/20/23

Sampling Method: SOP.T.20.010











Jan 20, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>NOT TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------

	<b>Total THC</b> <b>0.153%</b> Total THC/Container : 94.351 mg		<b>Total CBD</b> <b>ND</b> Total CBD/Container : 0 mg		<b>Total Cannabinoids</b> <b>0.163%</b> Total Cannabinoids/Container : 100.517 mg
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.153	ND	ND	ND	ND	0.004	ND	0.004	0.002	ND	ND
mg/unit	94.35	ND	ND	ND	ND	2.466	ND	2.466	1.233	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

<b>Analysis by:</b> 1665, 3605, 585, 1440  <b>Analysis Method :</b> SOP.T.40.031, SOP.T.30.031 <b>Analytical Batch :</b> DA054836POT <b>Instrument Used :</b> DA-LC-007 <b>Running on :</b> 01/18/23 12:15:33  <b>Dilution :</b> 40 <b>Reagent :</b> 011223.R07; 070621.18; 011223.R06 <b>Consumables :</b> 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270 <b>Pipette :</b> DA-079; DA-108; DA-078	<b>Weight:</b> 2.9326g	<b>Extraction date:</b> 01/18/23 12:10:07  <b>Reviewed On :</b> 01/19/23 13:15:50 <b>Batch Date :</b> 01/18/23 09:18:39	<b>Extracted by:</b> 1665
---	---------------------------	---	------------------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30118003-006  
 Harvest/Lot ID: 1262 6699 0932 8755

 Batch# : 3864 6404 2712  
 5724  
 Sampled : 01/17/23  
 Ordered : 01/17/23  
 Sample Size Received : 15 units  
 Total Amount : 4422 units  
 Completed : 01/20/23 Expires: 01/20/24  
 Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROCONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 795, 1440	0.8912g	01/18/23 13:13:15	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054844PES				Reviewed On : 01/19/23 16:29:23	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 01/18/23 09:39:15	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 01/18/23 15:14:54					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 53, 1440, 585	0.8912g	01/18/23 13:13:15	585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054846VOL				Reviewed On : 01/19/23 12:19:02	
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 01/18/23 09:41:29	
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 01/18/23 16:09:30					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30118003-006  
**Harvest/Lot ID:** 1262 6699 0932 8755

**Batch# :** 3864 6404 2712  
**Sample Size Received :** 15 units  
**Total Amount :** 4422 units  
**Completed :** 01/20/23 **Expires:** 01/20/24  
**Ordered :** 01/17/23  
**Sample Method :** SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 1440

**Weight:**  
 0.0267g

**Extraction date:**  
 01/18/23 16:00:28

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL  
**Analytical Batch :** DA054882SOL  
**Instrument Used :** DA-GCMS-003  
**Running on :** N/A

**Reviewed On :** 01/19/23 16:08:02  
**Batch Date :** 01/18/23 15:46:53

**Dilution :** 1  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30118003-006

Harvest/Lot ID: 1262 6699 0932 8755

 Batch# : 3864 6404 2712  
 5724

 Sampled : 01/17/23  
 Ordered : 01/17/23

Sample Size Received : 15 units

Total Amount : 4422 units

Completed : 01/20/23 Expires: 01/20/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 53, 1440 Weight: 0.8723g Extraction date: 01/18/23 12:12:10 Extracted by: 3621					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054834MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/19/23 08:29:56 Dilution : N/A Reagent : 122122.R81; 091422.02; 100722.13 Consumables : 500124 Pipette : N/A					

Analyzed by: 3621, 3390, 585, 1440 Weight: 1.0686g Extraction date: 01/18/23 12:42:15 Extracted by: 3621					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054857TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/19/23 09:23:22 Dilution : N/A Reagent : 120722.01 Consumables : 004103 Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 795, 1440 Weight: 0.8912g Extraction date: 01/18/23 13:13:15 Extracted by: 585					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054845MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/18/23 15:15:08 Dilution : 250 Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/19/23 16:33:51 Batch Date : 01/18/23 09:41:27					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	<0.25	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.5013g Extraction date: 01/18/23 12:13:03 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054852HEA Instrument Used : DA-ICPMS-003 Running on : 01/18/23 18:12:37 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Reviewed On : 01/19/23 12:48:51 Batch Date : 01/18/23 10:20:20					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30118003-006  
 Harvest/Lot ID: 1262 6699 0932 8755

 Batch# : 3864 6404 2712  
 5724  
 Sampled : 01/17/23  
 Ordered : 01/17/23  
 Sample Size Received : 15 units  
 Total Amount : 4422 units  
 Completed : 01/20/23 Expires: 01/20/24  
 Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**
**Homogeneity**
**PASSED**

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

 Analysis Method : SOP.T.40.090  
 Analytical Batch : DA054886FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Running on : 01/18/23 20:28:06

 Reviewed On : 01/18/23 20:46:25  
 Batch Date : 01/18/23 19:00:54

 Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.55	<b>PASS</b>	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 1440	9.64g	01/18/23 14:44:16	2926

 Analysis Method : SOP.T.40.019  
 Analytical Batch : DA054792WAT  
 Instrument Used : DA-028 Rotronic HygroPalm  
 Running on : 01/17/23 12:09:10

 Reviewed On : 01/18/23 15:41:52  
 Batch Date : 01/17/23 10:00:54

 Dilution : N/A  
 Reagent : 100522.08  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
<b>TOTAL THC - HOMOGENEITY (RSD)</b>	0.001	%	<b>PASS</b>	2.899	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 1440	6.044g	01/18/23 09:43:06	3605,3335

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
 Analytical Batch : DA054832HOM  
 Instrument Used : DA-LC-006  
 Running on : 01/18/23 10:09:08  
 Reviewed On : 01/19/23 13:13:39  
 Batch Date : 01/18/23 09:05:59

 Dilution : 40  
 Reagent : 010323.01; 122822.R41; 071222.46; 122822.R39  
 Consumables : 239146; CE0123; 12123-047CC; 61633-125C6-125E; R1KB14270  
 Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.