



# Certificate of Analysis











## COMPLIANCE FOR RETAIL

**Sample:** DA30118003-010  
**Harvest/Lot ID:** HYB-BZ-120522-C0069  
**Batch#:** 7327 5890 5697 7449  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Processing  
**Seed to Sale#** 2652 3193 5463 6272  
**Batch Date:** 11/07/22  
**Sample Size Received:** 26 gram  
**Total Amount:** 1199 units  
**Retail Product Size:** 1 gram  
**Ordered:** 01/17/23  
**Sampled:** 01/17/23  
**Completed:** 01/21/23  
**Sampling Method:** SOP.T.20.010


Jan 21, 2023 | FLUENT  
 82 NE 26th street  
 Miami, FL, 33137, US


**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides <b>PASSED</b>	Heavy Metals <b>PASSED</b>	Microbials <b>PASSED</b>	Mycotoxins <b>PASSED</b>	Residuals Solvents <b>NOT TESTED</b>	Filtth <b>PASSED</b>	Water Activity <b>PASSED</b>	Moisture <b>PASSED</b>	Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------



Analyzed by: 1665, 585, 53, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA054849POT Instrument Used : DA-LC-002 Running on : 01/18/23 11:14:55 Dilution : 400 Reagent : 011123.R36; 123022.17; 011223.R09 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.2071g	Extraction date: 01/18/23 10:53:08	Extracted by: 3112,1665
Reviewed On : 01/19/23 13:14:44 Batch Date : 01/18/23 09:48:34			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30118003-010  
 Harvest/Lot ID: HYB-BZ-120522-C0069

 Batch# : 7327 5890 5697  
 Sample Size Received : 26 gram  
 Total Amount : 1199 units  
 Completed : 01/21/23 Expires: 01/21/24  
 Ordered : 01/17/23  
 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.24	1.324		ALPHA-HUMULENE	0.007	1.59	0.159	
TOTAL TERPINEOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.25	0.025	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.23	0.023	
BETA-PINENE	0.007	<0.2	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.24	0.124		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	1.11	0.111	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440      Weight: 0.847g      Extraction date: 01/18/23 14:57:39      Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	0.81	0.081		Analytical Batch : DA054839TER				
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-004				
OCIMENE	0.007	0.21	0.021		Running on : 01/19/23 10:22:20				
GAMMA-TERPINENE	0.007	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND		Reagent : 120722.08				
TERPINOLENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.007	ND	ND		Pipette : N/A				
LINALOOL	0.007	1.2	0.12		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.94	0.594						
FARNESENE	0	0.66	0.066						
Total (%)			1.324						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30118003-010  
 Harvest/Lot ID: HYB-BZ-120522-C0069

 Batch# : 7327 5890 5697      Sample Size Received : 26 gram  
 7449      Total Amount : 1199 units  
 Sampled : 01/17/23      Completed : 01/21/23 Expires: 01/21/24  
 Ordered : 01/17/23      Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 795, 53, 1440	Weight: 0.8473g	Extraction date: 01/18/23 13:16:43	Extracted by: 585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054843PES				Reviewed On : 01/19/23 16:37:34	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 01/18/23 09:36:35	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 01/18/23 15:14:58					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 450, 585, 1440, 53	Weight: 0.8473g	Extraction date: 01/18/23 13:16:43	Extracted by: 585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054848VOL				Reviewed On : 01/19/23 16:00:46	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 01/18/23 09:44:33	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : 01/18/23 16:09:26					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis




**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30118003-010  
 Harvest/Lot ID: HYB-BZ-120522-C0069

 Batch# : 7327 5890 5697      Sample Size Received : 26 gram  
 7449      Total Amount : 1199 units  
 Sampled : 01/17/23      Completed : 01/21/23 Expires: 01/21/24  
 Ordered : 01/17/23      Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1240	PASS	100000						
Analyzed by: 3621, 3390, 53, 3336, 1440      Weight: 1.1668g      Extraction date: 01/18/23 12:12:11      Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054834MIC      Reviewed On : 01/21/23 20:28:51 Instrument Used : DA-265 Gene-UP RTPCR      Batch Date : 01/18/23 09:08:40 Running on : 01/19/23 08:29:56 Dilution : N/A Reagent : 122122.R81; 091422.02; 100722.13 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440      Weight: 0.8473g      Extraction date: 01/18/23 13:16:43      Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054847MYC      Reviewed On : 01/19/23 14:35:30 Instrument Used : DA-LCMS-003 (MYC)      Batch Date : 01/18/23 09:44:29 Running on : 01/18/23 15:15:01 Dilution : 250 Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440      Weight: 0.4484g      Extraction date: 01/18/23 11:02:37      Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054850HEA      Reviewed On : 01/19/23 14:38:12 Instrument Used : DA-ICPMS-003      Batch Date : 01/18/23 10:06:46 Running on : 01/18/23 17:56:44 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30118003-010  
**Harvest/Lot ID:** HYB-BZ-120522-C0069

**Batch# :** 7327 5890 5697  
**Sample Size Received :** 26 gram  
**Total Amount :** 1199 units  
**Completed :** 01/21/23 **Expires:** 01/21/24  
**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

<b>Analysis Method :</b> SOP.T.40.090 <b>Analytical Batch :</b> DA054885FIL <b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Running on :</b> 01/18/23 20:28:09	<b>Reviewed On :</b> 01/18/23 20:45:59 <b>Batch Date :</b> 01/18/23 19:00:36
---	---

**Dilution :** N/A  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.389	<b>PASS</b>	0.65

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.775g	<b>Extraction date:</b> 01/18/23 15:13:22	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

<b>Analysis Method :</b> SOP.T.40.019 <b>Analytical Batch :</b> DA054790WAT <b>Instrument Used :</b> DA-028 Rotronic HygroPalm <b>Running on :</b> 01/17/23 11:23:14	<b>Reviewed On :</b> 01/18/23 15:41:55 <b>Batch Date :</b> 01/17/23 09:58:32
---	---

**Dilution :** N/A  
**Reagent :** 100522.08  
**Consumables :** PS-14  
**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
<b>Moisture Content</b>	1	%	9.03	<b>PASS</b>	15

<b>Analyzed by:</b> 2926, 1879, 1440	<b>Weight:</b> 0.487g	<b>Extraction date:</b> 01/18/23 16:47:11	<b>Extracted by:</b> 2926
---	--------------------------	--	------------------------------

<b>Analysis Method :</b> SOP.T.40.021 <b>Analytical Batch :</b> DA054860MOI <b>Instrument Used :</b> DA-003 Moisture Analyzer <b>Running on :</b> 01/18/23 16:45:15	<b>Reviewed On :</b> 01/18/23 19:03:50 <b>Batch Date :</b> 01/18/23 10:57:22
--	---

**Dilution :** N/A  
**Reagent :** 101920.06; 100622.35  
**Consumables :** N/A  
**Pipette :** DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.