



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30118003-011  
**Harvest/Lot ID:** 6173 1479 1156 6817  
**Batch#:** 4073 0652 4560 0538  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Processing  
**Seed to Sale#** 6173 1479 1156 6817  
**Batch Date:** 10/04/22  
**Sample Size Received:** 27 gram  
**Total Amount:** 728 units  
**Retail Product Size:** 1.5 gram  
**Ordered:** 01/17/23  
**Sampled:** 01/17/23  
**Completed:** 01/20/23  
**Sampling Method:** SOP.T.20.010

Jan 20, 2023 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**22.219%**

Total THC/Container : 333.285 mg



Total CBD

**0.063%**

Total CBD/Container : 0.945 mg



Total Cannabinoids

**26.81%**

Total Cannabinoids/Container : 402.15 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.43	24.845	ND	0.072	0.103	0.08	1.211	0.015	ND	ND	0.054
mg/unit	6.45	372.675	ND	1.08	1.545	1.2	18.165	0.225	ND	ND	0.81
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
1665, 53, 1440

Weight:  
0.2072g

Extraction date:  
01/18/23 10:53:08

Extracted by:  
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA054849POT  
Instrument Used : DA-LC-002  
Running on : 01/18/23 11:14:55

Reviewed On : 01/20/23 07:32:11  
Batch Date : 01/18/23 09:48:34

Dilution : 400  
Reagent : 011123.R36; 123022.17; 011223.R09  
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30118003-011  
Harvest/Lot ID: 6173 1479 1156 6817

Batch# : 4073 0652 4560 0538

Sampled : 01/17/23  
Ordered : 01/17/23

Sample Size Received : 27 gram

Total Amount : 728 units

Completed : 01/20/23 Expires: 01/20/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.64	1.776		ALPHA-HUMULENE	0.007	3.225	0.215	
TOTAL TERPINEOL	0.007	0.42	0.028		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.615	0.041		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.3	0.02	
BETA-PINENE	0.007	0.99	0.066		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.3	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	0.795	0.053	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440	Weight: 0.8752g	Extraction date: 01/18/23 14:57:39	Extracted by: 2076	
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Reviewed On : 01/20/23 08:18:47			
LIMONENE	0.007	8.445	0.563		Analytical Batch : DA054839TER	Batch Date : 01/18/23 09:31:11			
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-004				
OCIMENE	0.007	<0.3	<0.02		Running on : 01/19/23 10:22:20				
GAMMA-TERPINENE	0.007	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND		Reagent : 120722.08				
TERPINOLENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.007	ND	ND		Pipette : N/A				
LINALOOL	0.007	0.495	0.033		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHYL ALCOHOL	0.007	0.615	0.041						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.12	0.608						
FARNESENE	0	1.62	0.108						
Total (%)			1.776						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30118003-011

Harvest/Lot ID: 6173 1479 1156 6817

Batch# : 4073 0652 4560 0538

Sampled : 01/17/23

Ordered : 01/17/23

Sample Size Received : 27 gram

Total Amount : 728 units

Completed : 01/20/23 Expires: 01/20/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 795, 1440	Weight: 1.0142g	Extraction date: 01/18/23 13:16:44	Extracted by: 585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054843PES				Reviewed On : 01/19/23 16:37:42	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 01/18/23 09:36:35	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 01/18/23 15:14:58					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 450, 585, 1440	Weight: 1.0142g	Extraction date: 01/18/23 13:16:44	Extracted by: 585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054848VOL				Reviewed On : 01/19/23 16:00:46	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 01/18/23 09:44:33	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : 01/18/23 16:09:26					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30118003-011

Harvest/Lot ID: 6173 1479 1156 6817

Batch# : 4073 0652 4560

0538

Sampled : 01/17/23

Ordered : 01/17/23

Sample Size Received : 27 gram

Total Amount : 728 units

Completed : 01/20/23 Expires: 01/20/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	150	PASS	100000						
Analyzed by: 3621, 53, 1440 Weight: 0.886g Extraction date: 01/18/23 12:12:11 Extracted by: 3621						Analyzed by: 585, 53, 1440 Weight: 1.0142g Extraction date: 01/18/23 13:16:44 Extracted by: 585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054834MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/19/23 08:29:56 Dilution : N/A Reagent : 122122.R81; 091422.02; 100722.13 Consumables : 500124 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054847MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/18/23 15:15:01 Dilution : 250 Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/20/23 13:58:35 Batch Date : 01/18/23 09:08:40						Reviewed On : 01/19/23 14:35:32 Batch Date : 01/18/23 09:44:29					

Analyzed by: 3621, 3390, 585, 1440 Weight: 0.9086g Extraction date: 01/18/23 12:42:17 Extracted by: 3621	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054857TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/19/23 09:23:22 Dilution : N/A Reagent : 120722.01 Consumables : 004103 Pipette : N/A
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.	

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4291g Extraction date: 01/18/23 11:01:42 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054850HEA Instrument Used : DA-ICPMS-003 Running on : 01/18/23 17:56:44 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Reviewed On : 01/19/23 14:38:18 Batch Date : 01/18/23 10:06:46					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30118003-011

**Harvest/Lot ID:** 6173 1479 1156 6817

**Batch# :** 4073 0652 4560 0538

**Sampled :** 01/17/23

**Ordered :** 01/17/23

**Sample Size Received :** 27 gram

**Total Amount :** 728 units

**Completed :** 01/20/23 **Expires:** 01/20/24

**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA054885FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 01/18/23 20:28:09

**Reviewed On :** 01/18/23 20:46:00

**Batch Date :** 01/18/23 19:00:36

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.38	<b>PASS</b>	0.65

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 1.1g	<b>Extraction date:</b> 01/18/23 15:13:22	<b>Extracted by:</b> 2926
--	------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA054790WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 01/17/23 11:23:14

**Reviewed On :** 01/18/23 15:41:56

**Batch Date :** 01/17/23 09:58:32

**Dilution :** N/A

**Reagent :** 100522.08

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.