



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30119004-005
Harvest/Lot ID: 0073 9296 0928 1904
Batch#: 3729 3099 5694 3166
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Processing
Seed to Sale# 0073 9296 0928 1904
Batch Date: 10/04/22
Sample Size Received: 16 gram
Total Amount: 1415 units
Retail Product Size: 1.0 gram
Ordered: 01/18/23
Sampled: 01/18/23
Completed: 01/21/23
Sampling Method: SOP.T.20.010


Jan 21, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
89.881%

Total THC/Container : 898.81 mg


Total CBD
0.322%

Total CBD/Container : 3.22 mg


Total Cannabinoids
96.557%

Total Cannabinoids/Container : 965.57 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.881	ND	0.322	ND	0.36	2.297	ND	1.774	0.6	ND	1.323
mg/unit	898.81	ND	3.22	ND	3.6	22.97	ND	17.74	6	ND	13.23
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440, 53

Weight:
0.0963g

Extraction date:
01/19/23 11:54:39

Extracted by:
3112,1665

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA054898POT
Instrument Used: DA-LC-007
Running on: 01/19/23 12:10:18

Reviewed On: 01/20/23 14:20:56
Batch Date: 01/19/23 09:30:26

Dilution: 400
Reagent: 011223.R07; 071222.01; 011223.R06
Consumables: 239146; CE0123; 61633-125C6-125E; 61630-123C6-123E; 0000185478
Pipette: N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30119004-005
Harvest/Lot ID: 0073 9296 0928 1904

Batch# : 3729 3099 5694
3166

Sampled : 01/18/23
Ordered : 01/18/23

Sample Size Received : 16 gram
Total Amount : 1415 units
Completed : 01/21/23 Expires: 01/21/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.23	2.623		ALPHA-HUMULENE	0.007	0.44	0.044	
TOTAL TERPINEOL	0.007	0.61	0.061		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.68	0.068		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	1.06	0.106		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.43	0.143		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.24	0.024		ALPHA-BISABOLOL	0.007	3.27	0.327	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 0.9085g Extraction date: 01/19/23 15:23:44 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054909TER Instrument Used : DA-GCMS-004 Running on : 01/19/23 16:26:29 Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND		Reviewed On : 01/21/23 21:38:35 Batch Date : 01/19/23 10:21:12				
LIMONENE	0.007	5.78	0.578						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.91	0.191						
FENCHYL ALCOHOL	0.007	0.85	0.085						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.96	0.996						
FARNESENE	0	<0.018	<0.0018						
Total (%)			2.623						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30119004-005
 Harvest/Lot ID: 0073 9296 0928 1904

 Batch# : 3729 3099 5694 Sample Size Received : 16 gram
 3166 Total Amount : 1415 units
 Sampled : 01/18/23 Completed : 01/21/23 Expires: 01/21/24
 Ordered : 01/18/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.2663g	01/19/23 14:50:41	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054902PES			Reviewed On : 01/20/23 13:58:44		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date : 01/19/23 09:47:40		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 01/19/23 15:57:16					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011123.R02; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 585, 1440, 53	0.2663g	01/19/23 14:50:41	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054905VOL			Reviewed On : 01/20/23 14:07:31		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date : 01/19/23 09:55:30		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 01/19/23 14:45:47					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30119004-005

Harvest/Lot ID: 0073 9296 0928 1904

 Batch# : 3729 3099 5694
 3166

Sampled : 01/18/23

Ordered : 01/18/23

Sample Size Received : 16 gram

Total Amount : 1415 units

Completed : 01/21/23 Expires: 01/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 53, 1440

 Weight:
 0.0281g

 Extraction date:
 01/20/23 14:23:40

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05493550L

Instrument Used : DA-GCMS-003

Running on : 01/20/23 14:56:01

Reviewed On : 01/21/23 21:17:43

Batch Date : 01/19/23 16:49:26

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.062

Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30119004-005
 Harvest/Lot ID: 0073 9296 0928 1904

 Batch# : 3729 3099 5694
 Sample Size Received : 16 gram
 Total Amount : 1415 units
 Completed : 01/21/23 Expires: 01/21/24
 Ordered : 01/18/23
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 3621, 53, 1440 Weight: 1.015g Extraction date: 01/19/23 11:44:39 Extracted by: 3390, 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054897MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/19/23 12:02:17 Dilution : N/A Reagent : 091422.02; 100722.13; 122122.R81 Consumables : 500124 Pipette : N/A					

Analyzed by: 3336, 3621, 53, 1440	Weight: 1.0581g	Extraction date: 01/19/23 11:47:48	Extracted by: 3390, 3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054921TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/19/23 15:22:34 Dilution : 10 Reagent : 011323.26 Consumables : 004103 Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 53, 1440 Weight: 0.2663g Extraction date: 01/19/23 14:50:41 Extracted by: 585, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054904MYC Instrument Used : DA-LCMS-003 (MYC) Running on : N/A Dilution : 250 Reagent : 011723.R01; 011723.R03; 122722.R21; 011123.R02; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440 Weight: 0.4044g Extraction date: 01/19/23 14:29:57 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054915HEA Instrument Used : DA-ICPMS-003 Running on : 01/19/23 18:00:38 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 123022.R15; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30119004-005

Harvest/Lot ID: 0073 9296 0928 1904

Batch# : 3729 3099 5694
 3166

Sampled : 01/18/23

Ordered : 01/18/23

Sample Size Received : 16 gram

Total Amount : 1415 units

Completed : 01/21/23 **Expires:** 01/21/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA054993FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 01/20/23 19:54:22

Reviewed On : 01/21/23 13:52:12

Batch Date : 01/20/23 19:50:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.625	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.271g	Extraction date: 01/19/23 14:40:08	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA054923WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 01/19/23 14:38:05

Reviewed On : 01/19/23 16:46:47

Batch Date : 01/19/23 11:57:16

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.