



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30120007-006  
**Harvest/Lot ID:** 0902 8204 8070 5447  
**Batch#:** 0902 8204 8070 5447  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 6315 7541 2296 7834  
**Batch Date:** 11/23/22  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 2876 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 01/19/23  
**Sampled:** 01/19/23  
**Completed:** 01/23/23  
**Sampling Method:** SOP.T.20.010


Jan 23, 2023 | FLUENT  
 82 NE 26th street  
 Miami, FL, 33137, US


**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**89.209%**

Total THC/Container : 446.045 mg


**Total CBD**
**0.326%**

Total CBD/Container : 1.63 mg


**Total Cannabinoids**
**95.086%**

Total Cannabinoids/Container : 475.43 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.209	ND	0.326	ND	0.215	2.701	0.089	1.31	0.398	ND	0.838
mg/unit	446.045	ND	1.63	ND	1.075	13.505	0.445	6.55	1.99	ND	4.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.1023g

Extraction date:  
01/20/23 11:26:04

Extracted by:  
3335,1665

**Analysis Method:** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch:** DA054949POT  
**Instrument Used:** DA-LC-007  
**Running on:** 01/20/23 11:55:38

**Reviewed On:** 01/23/23 14:03:44  
**Batch Date:** 01/20/23 08:58:59

**Dilution:** 400  
**Reagent:** 011923.R07; 070121.27; 011223.R06  
**Consumables:** 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277  
**Pipette:** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30120007-006  
**Harvest/Lot ID:** 0902 8204 8070 5447

**Batch# :** 0902 8204 8070 5447  
**Sample Size Received :** 15.5 gram  
**Total Amount :** 2876 units  
**Completed :** 01/23/23 **Expires:** 01/23/24  
**Ordered :** 01/19/23 **Sample Method :** SOP.T.20.010

Page 2 of 6



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30120007-006

Harvest/Lot ID: 0902 8204 8070 5447

 Batch# : 0902 8204 8070  
 5447

 Sampled : 01/19/23  
 Ordered : 01/19/23

Sample Size Received : 15.5 gram

Total Amount : 2876 units

Completed : 01/23/23 Expires: 01/23/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.2433g	01/20/23 13:50:52	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054957PES			Reviewed On :01/23/23 12:49:35		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :01/20/23 09:22:24		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:56:22					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 040521.11; 122722.R21; 011823.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 450, 53, 1440, 585	0.2433g	01/20/23 13:50:52	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054959VOL			Reviewed On :01/23/23 10:24:15		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :01/20/23 09:24:41		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:55:29					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30120007-006

**Harvest/Lot ID:** 0902 8204 8070 5447

**Batch# :** 0902 8204 8070 5447

**Sampled :** 01/19/23

**Ordered :** 01/19/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2876 units

**Completed :** 01/23/23 **Expires:** 01/23/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 1440

**Weight:**  
 0.0272g

**Extraction date:**  
 01/23/23 12:59:43

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL  
**Analytical Batch :** DA054990SOL  
**Instrument Used :** DA-GCMS-002  
**Running on :** 01/23/23 13:12:58

**Reviewed On :** 01/23/23 14:05:36  
**Batch Date :** 01/20/23 16:24:57

**Dilution :** 1  
**Reagent :** 030420.09  
**Consumables :** 153047; G201.120  
**Pipette :** DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30120007-006  
 Harvest/Lot ID: 0902 8204 8070 5447

 Batch# : 0902 8204 8070 5447  
 Sample Size Received : 15.5 gram  
 Total Amount : 2876 units  
 Completed : 01/23/23 Expires: 01/23/24  
 Ordered : 01/19/23  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3336, 3390, 585, 1440 Weight: 0.891g Extraction date: 01/20/23 11:32:54 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054945MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/20/23 11:51:07 Dilution : N/A Reagent : 091422.02; 100722.13; 122122.R81 Consumables : 500124 Pipette : N/A					

Analyzed by: 3621, 3702, 585, 1440	Weight: 0.925g	Extraction date: 01/20/23 11:36:52	Extracted by: 3621,3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054972TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/20/23 11:53:41 Dilution : 10 Reagent : 011323.26 Consumables : 004103 Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 53, 1440 Weight: 0.2433g Extraction date: 01/20/23 13:50:52 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054958MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/20/23 13:56:39 Dilution : 250 Reagent : 011723.R01; 011723.R03; 040521.11; 122722.R21; 011823.R01 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4848g Extraction date: 01/20/23 12:54:17 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054965HEA Instrument Used : DA-ICPMS-003 Running on : 01/20/23 17:36:44 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30120007-006

**Harvest/Lot ID:** 0902 8204 8070 5447

**Batch# :** 0902 8204 8070 5447

**Sampled :** 01/19/23

**Ordered :** 01/19/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2876 units

**Completed :** 01/23/23 **Expires:** 01/23/24

**Sample Method :** SOP.T.20.010

Page 6 of 6



## Filth/Foreign Material

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA054994FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 01/20/23 19:54:18

**Reviewed On :** 01/21/23 13:52:22

**Batch Date :** 01/20/23 19:51:12

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## Water Activity

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.48	PASS	0.85

<b>Analyzed by:</b> 2926, 1879, 1440	<b>Weight:</b> 0.547g	<b>Extraction date:</b> 01/20/23 12:51:06	<b>Extracted by:</b> 2926
---	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA054966WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 01/20/23 12:49:46

**Reviewed On :** 01/20/23 19:55:02

**Batch Date :** 01/20/23 10:52:48

**Dilution :** N/A

**Reagent :** 100522.08

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.