



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30120007-007
Harvest/Lot ID: 1017 4902 3654 2948
Batch#: 1017 4902 3654 2948
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 0232 2603 9103 9801
Batch Date: 12/08/22
Sample Size Received: 15.5 gram
Total Amount: 2885 units
Retail Product Size: 0.5 gram
Ordered: 01/19/23
Sampled: 01/19/23
Completed: 01/23/23
Sampling Method: SOP.T.20.010

Jan 23, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

91.516%

Total THC/Container : 457.58 mg



Total CBD

0.309%

Total CBD/Container : 1.545 mg




Total Cannabinoids

97.406%

Total Cannabinoids/Container : 487.03 mg



D9-THC
91.516
mg/unit
457.58
LOD
0.001
%



THCA
ND
mg/unit
ND
LOD
0.001
%



CBD
0.309
mg/unit
1.545
LOD
0.001
%



CBDA
ND
mg/unit
ND
LOD
0.001
%



D8-THC
0.176
mg/unit
0.88
LOD
0.001
%



CBG
3.07
mg/unit
15.35
LOD
0.001
%



CBGA
ND
mg/unit
ND
LOD
0.001
%



CBN
1.029
mg/unit
5.145
LOD
0.001
%



THCV
0.477
mg/unit
2.385
LOD
0.001
%



CBDV
ND
mg/unit
ND
LOD
0.001
%



CBC
0.829
mg/unit
4.145
LOD
0.001
%

Analyzed by:
1665, 585, 1440

Weight:
0.1066g

Extraction date:
01/20/23 11:26:04

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA054949POT
Instrument Used : DA-LC-007
Running on : 01/20/23 11:55:38

Reviewed On : 01/23/23 14:04:36
Batch Date : 01/20/23 08:58:59

Dilution : 400
Reagent : 011923.R07; 070121.27; 011223.R06
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30120007-007
 Harvest/Lot ID: 1017 4902 3654 2948

 Batch# : 1017 4902 3654 2948
 Sample Size Received : 15.5 gram
 Total Amount : 2885 units
 Completed : 01/23/23 Expires: 01/23/24
 Ordered : 01/19/23
 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.48	1.096		ALPHA-HUMULENE	0.007	<0.1	<0.02	
TOTAL TERPINEOL	0.007	<0.1	<0.02		VALENCENE	0.007	0.23	0.046	
ALPHA-PINENE	0.007	0.17	0.034		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.235	0.047		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.44	0.088		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.285	0.057		ALPHA-BISABOLOL	0.007	0.155	0.031	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 1.0312g Extraction date: 01/20/23 16:08:15 Extracted by: 2076				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	0.505	0.101		Analytical Batch : DA054961TER				
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-005				
OCIMENE	0.007	0.42	0.084		Running on : 01/20/23 16:49:31				
GAMMA-TERPINENE	0.007	ND	ND		Reviewed On : 01/23/23 12:21:12				
SABINENE HYDRATE	0.007	ND	ND		Batch Date : 01/20/23 10:05:02				
TERPINOLENE	0.007	1.55	0.31		Dilution : 10				
FENCHONE	0.007	ND	ND		Reagent : 050322.54				
LINALOOL	0.007	<0.1	<0.02		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHYL ALCOHOL	0.007	<0.1	<0.02		Pipette : N/A				
ISOPULEGOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	0.38	0.076						
BETA-CARYOPHYLLENE	0.007	0.865	0.173						
FARNESENE	0	0.245	0.049						
Total (%)			1.096						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30120007-007
 Harvest/Lot ID: 1017 4902 3654 2948

 Batch# : 1017 4902 3654 2948
 Sample Size Received : 15.5 gram
 Total Amount : 2885 units
 Completed : 01/23/23 Expires: 01/23/24
 Ordered : 01/19/23
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.2472g	01/20/23 13:50:52	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054957PES			Reviewed On :01/23/23 12:49:42		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :01/20/23 09:22:24		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:56:22					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 040521.11; 122722.R21; 011823.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 450, 53, 1440, 585	0.2472g	01/20/23 13:50:52	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054959VOL			Reviewed On :01/23/23 10:24:19		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :01/20/23 09:24:41		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:55:29					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-007

Harvest/Lot ID: 1017 4902 3654 2948

Batch# : 1017 4902 3654 2948

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 15.5 gram

Total Amount : 2885 units

Completed : 01/23/23 **Expires:** 01/23/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0222g

Extraction date:
 01/23/23 12:59:43

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA054990SOL

Instrument Used : DA-GCMS-002

Running on : 01/23/23 13:12:58

Reviewed On : 01/23/23 14:05:37

Batch Date : 01/20/23 16:24:57

Dilution : 1

Reagent : 030420.09

Consumables : 153047; G201.120

Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-007

Harvest/Lot ID: 1017 4902 3654 2948

Batch# : 1017 4902 3654 2948

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 15.5 gram

Total Amount : 2885 units

Completed : 01/23/23 Expires: 01/23/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3336, 3390, 585, 1440 Weight: 1.147g Extraction date: 01/20/23 11:32:54 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054945MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/20/23 11:51:07 Dilution : N/A Reagent : 091422.02; 100722.13; 122122.R81 Consumables : 500124 Pipette : N/A					

Analyzed by: 3621, 3702, 585, 1440 Weight: 0.849g Extraction date: 01/20/23 11:36:52 Extracted by: 3621,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054972TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/20/23 11:53:41 Dilution : 10 Reagent : 011323.26 Consumables : 004103 Pipette : N/A					
--	--	--	--	--	--

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 53, 1440 Weight: 0.2472g Extraction date: 01/20/23 13:50:52 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054958MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/20/23 13:56:39 Dilution : 250 Reagent : 011723.R01; 011723.R03; 040521.11; 122722.R21; 011823.R01 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/23/23 11:07:16 Batch Date : 01/20/23 09:24:39					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4229g Extraction date: 01/20/23 12:56:43 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054965HEA Instrument Used : DA-ICPMS-003 Running on : 01/20/23 17:36:44 Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Reviewed On : 01/23/23 08:42:25 Batch Date : 01/20/23 10:36:51					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-007

Harvest/Lot ID: 1017 4902 3654 2948

Batch# : 1017 4902 3654 2948

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 15.5 gram

Total Amount : 2885 units

Completed : 01/23/23 **Expires:** 01/23/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA054994FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 01/20/23 19:54:18

Reviewed On : 01/21/23 13:52:24

Batch Date : 01/20/23 19:51:12

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.449	PASS	0.85

Analyzed by: 2926, 1879, 1440	Weight: 0.371g	Extraction date: 01/20/23 12:51:06	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA054966WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 01/20/23 12:49:46

Reviewed On : 01/20/23 19:55:03

Batch Date : 01/20/23 10:52:48

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.