



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30120007-009
Harvest/Lot ID: ID-GMJ-011023-A092
Batch#: 6649 8060 6720 2416
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 8727 9705 9088 1371
Batch Date: 01/05/23
Sample Size Received: 31.5 gram
Total Amount: 2140 units
Retail Product Size: 3.5 gram
Ordered: 01/19/23
Sampled: 01/19/23
Completed: 01/23/23
Sampling Method: SOP.T.20.010


Jan 23, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
19.479%

Total THC/Container : 681.765 mg


Total CBD
0.066%

Total CBD/Container : 2.31 mg


Total Cannabinoids
23.278%

Total Cannabinoids/Container : 814.73 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.354	21.808	ND	0.076	0.021	0.072	0.879	0.011	ND	ND	0.057
mg/unit	12.39	763.28	ND	2.66	0.735	2.52	30.765	0.385	ND	ND	1.995
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3605, 1665, 585, 1440

Weight:
0.2052g

Extraction date:
01/20/23 10:47:13

Extracted by:
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA054948POT
 Instrument Used : DA-LC-002
 Running on : 01/20/23 10:47:34

Reviewed On : 01/23/23 14:07:48
 Batch Date : 01/20/23 08:58:25

Dilution : 400
 Reagent : 011123.R36; 071222.01; 011223.R09
 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB45277
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-009

Harvest/Lot ID: ID-GMJ-011023-A092

Batch# : 6649 8060 6720
 2416

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 31.5 gram

Total Amount : 2140 units

Completed : 01/23/23 **Expires:** 01/23/24

Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30120007-009
 Harvest/Lot ID: ID-GMJ-011023-A092

 Batch# : 6649 8060 6720 Sample Size Received : 31.5 gram
 2416 Total Amount : 2140 units
 Sampled : 01/19/23 Completed : 01/23/23 Expires: 01/23/24
 Ordered : 01/19/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.8522g	01/20/23 13:53:46	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054951PES			Reviewed On :01/23/23 13:50:39		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :01/20/23 09:14:19		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:56:28					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 450, 53, 1440, 585	0.8522g	01/20/23 13:53:46	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA054953VOL			Reviewed On :01/23/23 13:27:10		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :01/20/23 09:17:04		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :01/20/23 13:55:24					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-009

Harvest/Lot ID: ID-GMJ-011023-A092

Batch# : 6649 8060 6720 2416

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 31.5 gram

Total Amount : 2140 units

Completed : 01/23/23 **Expires:** 01/23/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	1120	PASS	100000

Analyzed by: 3621, 3336, 3390, 585, 1440
Weight: 0.8602g
Extraction date: 01/20/23 11:32:55
Extracted by: 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA054945MIC
Instrument Used : DA-265 Gene-UP RTPCR
Running on : 01/20/23 11:51:07
Reviewed On : 01/23/23 14:00:51
Batch Date : 01/20/23 08:25:37

Dilution : N/A
Reagent : 091422.02; 100722.13; 122122.R81
Consumables : 500124
Pipette : N/A

Analyzed by: 3621, 3702, 585, 1440
Weight: 1.0416g
Extraction date: 01/20/23 11:36:53
Extracted by: 3621,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA054972TYM
Instrument Used : Incubator (25-27C) DA-097
Running on : 01/20/23 11:53:41
Reviewed On : 01/23/23 14:07:52
Batch Date : 01/20/23 11:34:52

Dilution : 10
Reagent : 011323.26
Consumables : 004103
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 585, 3379, 1440
Weight: 0.8522g
Extraction date: 01/20/23 13:53:46
Extracted by: 585,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA054952MYC

Instrument Used : DA-LCMS-003 (MYC)

Running on : 01/20/23 13:56:44

Dilution : 250

Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11

Consumables : 6676024-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 53, 1440, 585
Weight: 0.4215g
Extraction date: 01/20/23 11:21:34
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA054963HEA

Instrument Used : DA-ICPMS-003

Running on : 01/20/23 17:36:56

Dilution : 50

Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 011923.R10; 100622.35

Consumables : 179436; 210508058; 210803-059

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30120007-009
Harvest/Lot ID: ID-GMJ-011023-A092

Batch# : 6649 8060 6720
Sample Size Received : 31.5 gram
Total Amount : 2140 units
Completed : 01/23/23 **Expires:** 01/23/24
Ordered : 01/19/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA054991FIL Instrument Used : Filth/Foreign Material Microscope Running on : 01/20/23 19:54:27	Reviewed On : 01/21/23 13:53:26 Batch Date : 01/20/23 19:44:55
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.51	PASS	0.65

Analyzed by: 2926, 1879, 1440	Weight: 0.796g	Extraction date: 01/20/23 12:15:24	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA054967WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 01/20/23 12:14:13	Reviewed On : 01/20/23 19:55:18 Batch Date : 01/20/23 10:53:44
---	---

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	13.86	PASS	15

Analyzed by: 2926, 1879, 1440	Weight: 0.498g	Extraction date: 01/20/23 12:27:38	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA054968MOI Instrument Used : DA-003 Moisture Analyzer Running on : 01/20/23 12:25:27	Reviewed On : 01/20/23 19:57:59 Batch Date : 01/20/23 10:56:07
--	---

Dilution : N/A
Reagent : 101920.06; 100622.35
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.