



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30124007-007
Harvest/Lot ID: HYB-BH-120522-C0069
Batch#: 0270 8818 7875 6079
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 3896 8849 8938 7865
Batch Date: 11/07/22
Sample Size Received: 25.55 gram
Total Amount: 2427 gram
Retail Product Size: 0.35 gram
Ordered: 01/23/23
Sampled: 01/23/23
Completed: 01/26/23
Sampling Method: SOP.T.20.010

Jan 26, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filt PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
------------------------------------------------------------------------------------	--------------------	---------------



Analyzed by: 1665, 3112, 585, 2023, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055102POT Instrument Used : DA-LC-002 (Flower) Running on : 01/24/23 10:28:57 Dilution : 400 Reagent : 011123.R36; 121321.34; 010323.R15 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277 Pipette : DA-079; DA-108; DA-078	Weight: 0.2007g	Extraction date: 01/24/23 10:23:31	Extracted by: 1665
Reviewed On : 01/25/23 15:13:35 Batch Date : 01/24/23 09:06:46			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30124007-007

Harvest/Lot ID: HYB-BH-120522-C0069

Batch# : 0270 8818 7875
 6079

Sampled : 01/23/23

Ordered : 01/23/23


Sample Size Received : 25.55 gram

Total Amount : 2427 gram

Completed : 01/26/23 **Expires:** 01/26/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007	9.17	0.917	<div></div>	ALPHA-HUMULENE	0.007	0.65	0.065	<div></div>
TOTAL TERPINEOL	0.007	<0.2	<0.02	<div></div>	VALENCENE	0.007	ND	ND	<div></div>
ALPHA-PINENE	0.007	1.19	0.119	<div></div>	CIS-NEROLIDOL	0.007	ND	ND	<div></div>
CAMPHENE	0.007	ND	ND	<div></div>	TRANS-NEROLIDOL	0.007	<0.2	<0.02	<div></div>
SABINENE	0.007	ND	ND	<div></div>	CARYOPHYLLENE OXIDE	0.007	ND	ND	<div></div>
BETA-PINENE	0.007	0.35	0.035	<div></div>	GUAIOL	0.007	ND	ND	<div></div>
BETA-MYRCENE	0.007	1.83	0.183	<div></div>	CEDROL	0.007	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.007	ND	ND	<div></div>	ALPHA-BISABOLOL	0.007	0.22	0.022	<div></div>
3-CARENE	0.007	ND	ND	<div></div>	<div>Analyzed by: 2076, 585, 1440Weight: 0.9345gExtraction date: 01/24/23 14:19:51Extracted by: 2076</div>				
ALPHA-TERPINENE	0.007	ND	ND	<div></div>	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA055096TER Instrument Used : DA-GCMS-004 Running on : 01/25/23 09:01:42Reviewed On : 01/26/23 11:34:59 Batch Date : 01/24/23 08:36:51</div>				
LIMONENE	0.007	0.36	0.036	<div></div>	<div>Dilution : 10 Reagent : 050322.54 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A</div>				
EUCALYPTOL	0.007	ND	ND	<div></div>	<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.</div>				
OCIMENE	0.007	1.42	0.142	<div></div>					
GAMMA-TERPINENE	0.007	ND	ND	<div></div>					
SABINENE HYDRATE	0.007	ND	ND	<div></div>					
TERPINOLENE	0.007	ND	ND	<div></div>					
FENCHONE	0.007	ND	ND	<div></div>					
LINALOOL	0.007	0.96	0.096	<div></div>					
FENCHYL ALCOHOL	0.007	<0.2	<0.02	<div></div>					
ISOPULEGOL	0.007	ND	ND	<div></div>					
CAMPHOR	0.013	ND	ND	<div></div>					
ISOBORNEOL	0.007	ND	ND	<div></div>					
BORNEOL	0.013	ND	ND	<div></div>					
HEXAHYDROTHYMOL	0.007	ND	ND	<div></div>					
NEROL	0.007	ND	ND	<div></div>					
PULEGONE	0.007	ND	ND	<div></div>					
GERANIOL	0.007	<0.2	<0.02	<div></div>					
GERANYL ACETATE	0.007	ND	ND	<div></div>					
ALPHA-CEDRENE	0.007	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.007	1.72	0.172	<div></div>					
FARNESENE	0	0.47	0.047	<div></div>					
Total (%)				0.917					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30124007-007

Harvest/Lot ID: HYB-BH-120522-C0069

 Batch# : 0270 8818 7875
 6079

Sampled : 01/23/23

Ordered : 01/23/23

Sample Size Received : 25.55 gram

Total Amount : 2427 gram

Completed : 01/26/23 Expires: 01/26/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 53, 2023, 1440
Weight: 1.0016g
Extraction date: 01/24/23 12:27:48
Extracted by: 3379
Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch: DA055112PES
Instrument Used: DA-LCMS-003 (PES)
Running on: 01/24/23 12:34:55
Reviewed On: 01/25/23 14:50:02
Batch Date: 01/24/23 09:49:31

Dilution: 250
Reagent: 012323.R41; 012323.R42; 122722.R21; 011823.R01; 040521.11
Consumables: 6676024-02
Pipette: DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 3379, 1440, 2023
Weight: 1.0016g
Extraction date: 01/24/23 12:27:48
Extracted by: 3379
Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)
Analytical Batch: DA055114VOL
Instrument Used: DA-GCMS-006
Running on: N/A
Reviewed On: 01/25/23 13:01:27
Batch Date: 01/24/23 09:50:59

Dilution: 250
Reagent: 012323.R42; 040521.11; 011723.R20; 011723.R29
Consumables: 6676024-02; 14725401
Pipette: DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30124007-007
 Harvest/Lot ID: HYB-BH-120522-C0069

 Batch# : 0270 8818 7875 Sample Size Received : 25.55 gram
 6079 Total Amount : 2427 gram
 Sampled : 01/23/23 Completed : 01/26/23 Expires: 01/26/24
 Ordered : 01/23/23 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.8835g Extraction date: 01/24/23 11:41:28 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055105MIC Reviewed On : 01/26/23 11:29:44 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 01/24/23 09:20:08 Running on : 01/24/23 11:42:42 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Analyzed by: 3336, 585, 1440 Weight: 0.9600g Extraction date: 01/24/23 11:52:15 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055120TYM Reviewed On : 01/26/23 14:47:19 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 01/24/23 11:50:31 Running on : 01/24/23 12:02:06 Dilution : 10 Reagent : 110822.09 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 53, 2023, 1440 Weight: 1.0016g Extraction date: 01/24/23 12:27:48 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055113MYC Reviewed On : 01/25/23 14:01:10 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 01/24/23 09:50:57 Running on : 01/24/23 12:35:17 Dilution : 250 Reagent : 012323.R41; 012323.R42; 122722.R21; 011823.R01; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div>Hg</div></div>		Heavy Metals		PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 2023	Weight: 0.4191g	Extraction date: 01/24/23 09:26:37	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055101HEA		Reviewed On : 01/25/23 12:03:34			
Instrument Used : DA-ICPMS-003		Batch Date : 01/24/23 09:03:15			
Running on : N/A					
Dilution : 50					
Reagent : 122822.R42; 121922.R11; 123022.R14; 012023.R08; 012023.R05; 012023.R06; 012023.R07; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30124007-007

Harvest/Lot ID: HYB-BH-120522-C0069

 Batch# : 0270 8818 7875
 6079

Sampled : 01/23/23

Ordered : 01/23/23

Sample Size Received : 25.55 gram

Total Amount : 2427 gram

Completed : 01/26/23 Expires: 01/26/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055185FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 01/26/23 14:41:39

Batch Date : 01/25/23 11:57:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.538	PASS	0.65

Analyzed by: 3807, 2926, 585, 1440	Weight: 0.712g	Extraction date: 01/24/23 11:51:26	Extracted by: 2926
----------------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055115WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 01/24/23 10:07:40

Reviewed On : 01/25/23 15:13:37

Batch Date : 01/24/23 09:55:44

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.