

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30125002-004 Harvest/Lot ID: 5741 6189 8111 8787

Batch#: 6762 0283 1703 4471

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 5741 6189 8111 8787

Batch Date: 12/26/22

Sample Size Received: 31 units Total Amount: 2883 units

> Retail Product Size: 0.5 gram Ordered: 01/24/23

Sampled: 01/24/23 Completed: 01/27/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Miami, FL, 33137, US PRODUCT IMAGE

82 NE 26th street

SAFETY RESULTS



Pesticides





Heavy Metals PASSED



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity PASSED



Moisture NOT TESTED



PASSED



Cannabinoid

Jan 27, 2023 | FLUENT

Total THC

87.941% Total THC/Container: 439.705 mg



Microbials

Total CBD 0.293%

Total CBD/Container: 1.465 mg

2.334

11.67

0.001

%



Total Cannabinoids

Total Cannabinoids/Container: 471.355 mg



	D9-THC	7
%	87.932	
ma/unit	439.66	

	70	/0
nalyzed by: 112, 585, 1440		

0.001

CBDA

0.021

0.105

0.001

%

Extraction date: 01/25/23 12:01:23

D8-THC

0.318

0.001

%

1.59

0.375 0.001

CBGA

0.075

0.767 3.835 0.001 %

0.51 2.55 0.001

THCV

ND 0.001

CBDV

ND



СВС

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA055142POT Instrument Used : DA-LC-007 Running on : 01/25/23 12:11:59

Reviewed On: 01/26/23 11:49:11

Dilution: 400

LOD

Reagent: 012423.R25; 071222.01; 012423.R23
Consumables: 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270

THCA

0.011

0.055

0.001

Pipette: N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.275

1.375

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30125002-004 Harvest/Lot ID: 5741 6189 8111 8787

Batch#: 6762 0283 1703

Sampled: 01/24/23 Ordered: 01/24/23

Sample Size Received: 31 units Total Amount: 2883 units Completed: 01/27/23 Expires: 01/27/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t % Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	4.815	0.963	ALPHA-HUMULENE	0.007	< 0.1	< 0.02		
TOTAL TERPINEOL	0.007	ND	ND	VALENCENE	0.007	ND	ND		
ALPHA-PINENE	0.007	< 0.1	< 0.02	CIS-NEROLIDOL	0.007	ND	ND		
CAMPHENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND		
SABINENE	0.007	0.105	0.021	CARYOPHYLLENE OXIDE	0.007	ND	ND		
BETA-PINENE	0.007	< 0.1	<0.02	GUAIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	0.6	0.12	CEDROL	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	0.38	0.076	ALPHA-BISABOLOL	0.007	< 0.1	< 0.02		
3-CARENE	0.007	ND	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracted by:
ALPHA-TERPINENE	0.007	ND	ND	2076, 3379, 585, 1440	0.9996g		/23 15:23:0)2	2076
LIMONENE	0.007	0.295	0.059	Analysis Method : SOP.T.30.061A.FL	, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND	Analytical Batch : DA055170TER Instrument Used : DA-GCMS-005				1/26/23 11:49:10 25/23 10:16:27	
DCIMENE	0.007	0.65	0.13	Running on: 01/25/23 15:34:35		Battr	Date: U1/.	25/23 10:10:27	
GAMMA-TERPINENE	0.007	ND	ND	Dilution: 10					
SABINENE HYDRATE	0.007	ND	ND	Reagent : 050322.54					
TERPINOLENE	0.007	2.29	0.458	Consumables : 210414634; MKCN99	95; CE0123; R1KB14270				
	0.007	ND	ND	Pipette: N/A					
FENCHONE	0.007								
	0.007	ND	ND	Terpenoid testing is performed utilizing G	Gas Chromatography Mass Spectr	ometry.			
INALOOL		ND ND	ND ND	Terpenoid testing is performed utilizing G	Gas Chromatography Mass Spectr	ometry.			
INALOOL ENCHYL ALCOHOL	0.007			Terpenoid testing is performed utilizing G	Sas Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL SOPULEGOL	0.007 0.007	ND	ND	Terpenoid testing is performed utilizing C	Sas Chromatography Mass Spectr	ometry.			
FENCHONE LINALOOL FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL	0.007 0.007 0.007	ND ND	ND ND	Terpenoid testing is performed utilizing C	äas Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL ISOPULEGOL CAMPHOR	0.007 0.007 0.007 0.007	ND ND ND	ND ND	Terpenoid testing is performed utilizing (as Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL SOPULEGOL CAMPHOR SOBORNEOL BORNEOL	0.007 0.007 0.007 0.007 0.007	ND ND ND	ND ND ND	Terpenoid testing is performed utilizing (as Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL	0.007 0.007 0.007 0.007 0.007 0.013	ND ND ND ND	ND ND ND ND	Terpenoid testing is performed utilizing 0	as Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL SOPULEGOL CAMPHOR SOBORNEOL SORNEOL HEXAHYDROTHYMOL NEROL	0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND ND ND ND ND	ND ND ND ND ND	Terpenoid testing is performed utilizing 0	as Chromatography Mass Spectr	ometry.			
LINALOOL SOPULEGOL SAMPHOR SOBORNEOL SORNEOL SORNEOL SORNEOL SERAITOROTHYMOL VEROL VULECONE	0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND ND ND ND ND ND	ND	Terpenoid testing is performed utilizing 0	as Chromatography Mass Spectr	ometry.			
LINALOOL FENCHYL ALCOHOL SOPULEGOL CAMPHOR SOBORNEOL BORNEOL HEXAHYDROTHYMOL HEXAHYDROTHYMOL SERAMIOL	0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007	ND ND ND ND ND ND ND	ND	Terpenoid testing is performed utilizing 0	as Chromatography Mass Spectr	ometry.			
LINALOOL SOPULEGOL SAMPHOR SOBORNEOL SORONEOL HEXAHYPOROTHYMOL VEROL VULEGONE SERANIOL SERANYL ACETATE	0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007 0.007	ND N	ND	Terpenoid testing is performed utilizing 0	ias Chromatography Mass Spect	ometry.			
LINALOOL FENCHYL ALCOHOL SSOPULEGOL CAMPHOR SOBORNEOL BORNEOL HEXAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007 0.007	ND N	ND N	Terpenoid testing is performed utilizing 0	ias Chromatography Mass Spect	ometry.			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor, lones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30125002-004 Harvest/Lot ID: 5741 6189 8111 8787

Batch#: 6762 0283 1703

Sampled: 01/24/23 Ordered: 01/24/23 Sample Size Received: 31 units
Total Amount: 2883 units
Completed: 01/27/23 Expires: 01/27/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	Ε	D

		Action Level	. 455/1 411	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
0.01	ppm	0.2	PASS	ND		0.01	ppm	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND					PASS	ND
0.01	ppm	0.5	PASS	ND			1111			ND
0.01	ppm	0.2	PASS	ND						ND
0.01	ppm	0.1	PASS	ND			1.1.			
0.01	ppm	0.1	PASS	ND						ND
0.01	ppm	0.1	PASS	ND	PROPOXUR					ND
0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
0.01	ppm	0.1	PASS		SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
0.01	ppm		PASS		SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
0.01	ppm				SPIROXAMINE	0.01	ppm	0.1	PASS	ND
0.01	ppm				TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
0.01	ppm		PASS			0.01		0.1	PASS	ND
0.01	ppm								PASS	ND
	ppm						V' 1 / 1			ND
								A **A /*		ND
										ND
					CAPTAN *					ND
					CHLORDANE *					ND
					CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
					CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
	P.P.				CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
					Analyzed by: Weigh	nt: E	xtraction o	late:	Extract	ed by:
									3379	
					Analysis Method: SOP.T.30.101.FL (Gaines)	ville), SOP.1	Г.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvi
					SOP.T.40.102.FL (Davie)					
							Batch Da	te:01/25/23	10:03:46	
						3.R21: 012	523.R05: 0	40521.11		
					Consumables : 6676024-02					
	1.1.									
							d Chromato	graphy Triple-	Quadrupole Ma	SS
							allen det		Post 1	Dan .
										a by:
					Analytical Batch : DA055165VOL					
					Instrument Used : DA-GCMS-006					
					Running on : N/A					
	1.1				Dilution: 250					
						R20; 0117	23.R29			
	1.1.									
						University of	No. of the last of	- L. Talala O	a damenta M	Corre
	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 ppm	0.01 ppm 5 0.01 ppm 0.2 0.01 ppm 0.1 0.01 ppm 0.5 0.01 ppm 0.1	0.01 ppm 5 PASS 0.01 ppm 0.2 PASS 0.01 ppm 0.5 PASS 0.01 ppm 0.5 PASS 0.01 ppm 0.7 PASS 0.01 ppm 0.1 PASS	0.01 ppm	DOI DPM	DOI DPM	DAMPIL D	DOTESTICATION DOTESTICATIO	DOI DPM

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266

DAVIE, FL, 33314, US

Sample : DA30125002-004 Harvest/Lot ID: 5741 6189 8111 8787

Batch#: 6762 0283 1703

Sampled: 01/24/23 Ordered: 01/24/23

Sample Size Received: 31 units Total Amount: 2883 units Completed: 01/27/23 Expires: 01/27/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0228g	Extraction date: 01/26/23 13:34:		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA055199SOL Instrument Used : DA-GCMS-002 **Running on :** 01/26/23 13:45:20

Reagent: 030420.09 Consumables: R2017.120; G201.120 Pipette: DA-306 10uL Syringe 35031

Reviewed On: 01/26/23 15:27:20 Batch Date: 01/25/23 13:30:51

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30125002-004 Harvest/Lot ID: 5741 6189 8111 8787

Batch#: 6762 0283 1703

Batch Date: 01/25/23 09:23:35

Sampled: 01/24/23 Ordered: 01/24/23

Sample Size Received: 31 units Total Amount: 2883 units Completed: 01/27/23 Expires: 01/27/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:		ion date:	Extracted by:	
3390, 3702, 3621, 585, 1440	1.1459g	01/25/2	23 12:05:42	3702	

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA055150MIC Reviewed On : 01/27/23 10:11:25

Instrument Used: DA-265 Gene-UP RTPCR

Running on : 01/25/23 12:21:04Dilution : N/A

Reagent: 122122.R81; 091422.02; 100722.13

Consumables: 500124 Pipette: N/A

Analyzed by: 3702, 3390, 585, 1440	Weight: 1.1459g	Extraction date: 01/25/23 12:03:54	Extracted by: 3702,3390
Analysis Method : SOP.T.40.20	8 (Gainesville	e), SOP.T.40.209.FL	
Analytical Batch: DA055176TY	M	Reviewed On: 0	1/27/23 15:18:02
Instrument Used : Incubator (2	5-27C) DA-09	97 Batch Date: 01/3	25/23 11:27:13

Running on: 01/25/23 12:21:14 Dilution: 10 Reagent: 110822.21 Consumables: 008109

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 1440	Weight: 0.2351g	Extraction date: 01/25/23 14:17:02			Extracted 3379	l by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA055164MYC

Instrument Used: DA-LCMS-003 (MYC) Running on: 01/25/23 14:14:29

Dilution: 250

Reagent: 012323.R41; 012323.R42; 012423.R21; 012523.R05; 040521.11
Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

3619

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD META	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: Weight:	Extraction da	ate:	1/	Extracted	by:

1022, 585, 1440 0.526g 01/25/23 10:56:16 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA055153HEA Instrument Used: DA-ICPMS-003 Running on: 01/25/23 16:47:17

Reviewed On: 01/26/23 15:24:40 Batch Date: 01/25/23 09:26:41

Reviewed On: 01/26/23 15:22:18

Batch Date: $01/25/23 \ 10:06:59$

Dilution: 50

Reagent: 012523.R01; 121922.R11; 123022.R14; 012023.R08; 012023.R05; 012023.R06; 012023.R07; 012323.R43; 011923.R10; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30125002-004

Harvest/Lot ID: 5741 6189 8111 8787

Reviewed On: 01/26/23 15:37:13

Batch#: 6762 0283 1703

Sampled: 01/24/23 Ordered: 01/24/23

Sample Size Received: 31 units

Total Amount: 2883 units Completed: 01/27/23 Expires: 01/27/24 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND

Analyzed by: Weight: **Extraction date:** Extracted by: 585, 1440

Analysis Method: SOP.T.40.090 Analytical Batch: DA055183FIL

Instrument Used: Filth/Foreign Material Microscope

Batch Date: 01/25/23 11:56:25 Running on: N/A

Dilution: N/A Reagent: N/A Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Reviewed On: 01/25/23 15:33:42 Batch Date: 01/25/23 10:18:53

Analyte Water Activity	LOD 0.1	Units aw	Result 0.493	P/F PASS	Action L 0.85	eve
Analyzed by: 3807, 2926, 53, 1440	Weight: 0.486a		on date: 3 13:40:43		xtracted by:	

Analysis Method: SOP.T.40.019 Analytical Batch : DA055172WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 01/25/23 10:21:05

Reagent: 100522.08 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/27/23